
TECUMSEH EUROPE, COMPRESSEUR, REFROIDISSEUR, AE1360AS, 1/5 HP, AE140-FS-510, Lra 9.5, LBP, R12, 220-240V ~ 50Hz

written by Lilianne | 7 January 2021
Model:AE1360AS
Product Description
Type: Reciprocating
Application: LBP – Low Back Pressure
Refrigerant: R12
Voltage/Frequency: 220-240V ~ 50Hz
Product Specifications
Performance
Refrigeration Capacity Input Power Efficiency
EVAP
TEMP COND AMBIENT RETURN LIQUID
Condition TEMP TEMP GAS TEMP
Test
Voltage Btu/h kcal/h W W Btu/Wh kcal/Wh W/W
ASHRAE
240V ~
50HZ 560 141 164 157 3.57 .9 1.05
-23°C (-
10°F) 54°C (130°F) 32°C (90°F) 32°C (90°F) 32°C (90°F)
General
Evaporating Temp. Range: -34.4°C to -12.2°C (-30°F to 10°F)
Motor Torque:
Low Start Torque
(LST)
Compressor Cooling: Static
Mechanical
Weight: 10.231

Weight Unit of Measure: KG
Displacement (cc): 7.55
Oil Type: N/A
Viscosity (cSt): N/A
Oil Charge (cc): N/A
Electrical
Voltage Range (50 Hz): 198-253
Voltage Range (60 Hz): N/A
Locked Rotor Amps (LRA): 11
Rated Load Amps (RLA 50 Hz): 1.12
Rated Load Amps (RLA 60 Hz): N/A
Max. Continuous Current (MCC in Amps): N/A
Motor Resistance (Ohm) – Main: 11.06
Motor Resistance (Ohm) – Start: 44.87
Motor Type: RSIR
Overload Type: N/A
Relay Type: Current Relay



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_AE1360ASTélécharger
Mbsm_dot_pro_private_PDF_AE1360AS-1Télécharger
Mbsm_dot_pro_private_PDF_AE1360AS-2Télécharger