

NE2125GK, NEK2130GK, NEK6181GK, EMT6165GK, ML90FB, KB2416ZK2, R404a/R507, 1/3HP, LBP, All COMPRESSEURS, GAZ R404A – R507, EMBRACO

Category: compressor

written by www.mbsm.pro | 19 December 2021

الصفات الفنية

| | | | |
|------------|----------------|----------------------|-------------------|
| R404a/R507 | refrigerant | 605334 | رقم القطعة |
| V 220-240 | voltage | NEK2130GK | type |
| LBP | application | Hz 50 | frequency |
| HP 1/3 | power | kg 10.9 | weight |
| CSIR | motor system | cm ³ 7.37 | cylinder capacity |
| W 332 | power at -25°C | W 255 | power at -30°C |
| W 523 | power at -15°C | W 421 | power at -20°C |
| W - | power at -5°C | W 639 | power at -10°C |
| W - | power at +5°C | W - | power at 0°C |
| R404a/R507 | refrigerant | W - | power at +10°C |
| HP 1/3 | power | NEK2130GK | type |
| CSIR | motor system | cm ³ 7.37 | cylinder capacity |
| W 639 | power at -10°C | V 220-240 | voltage |
| W - | power at 0°C | W - | power at -5°C |
| W 255 | power at -30°C | W - | power at +5°C |
| W 421 | power at -20°C | W 332 | power at -25°C |
| W - | power at +10°C | W 523 | power at -15°C |
| Hz 50 | frequency | LBP | application |
| | | kg 10.9 | weight |



Private Picture Copyright: WWW.MBSM.PRO

Table of Contents

| | Page |
|---|---|
|        | <ul style="list-style-type: none"> • Multi-Application Compressors 232-241 • Specific Application Hermetic Compressors 242-263 • Semi-Hermetic Compressors 264-291, 293-295 • Service Valves 292-293 • Open Compressors 295-298 |



Private Picture Copyright: WWW.MBSM.PRO

Compressor coolant R404a/R507 type NE2125GK 220-240V 50Hz LBP fully hermetic 10,45kg 1/3HP

| | | | |
|------------|----------------|-----------|-------------------|
| R404a/R507 | refrigerant | 605018 | piece number |
| HP 1/3 | power | NE2125GK | type |
| CSIR | motor system | cm³ 8.78 | cylinder capacity |
| IN - | power at -5°C | Watts 534 | power at -10°C |
| IN - | power at +5°C | IN - | power at 0°C |
| .W 213 | power at -30°C | .W 160 | power at -35°C |
| .W 354 | power at -20°C | .W 278 | power at -25°C |
| IN - | power at +10°C | .W 439 | power at -15°C |
| kg 10.45 | weight | LBP | application |
| V 220-240 | voltage | Hz 50 | frequency |



Private Picture Copyright: WWW.MBSM.PRO

Compressor coolant R404a/R507 type NEK2130GK 220-240V 50Hz LBP 10,9kg 1/3HP

| | | | |
|------------|----------------|-----------|-------------------|
| R404a/R507 | refrigerant | 605334 | رقم القطعة |
| V 220-240 | voltage | NEK2130GK | type |
| LBP | application | Hz 50 | frequency |
| HP 1/3 | power | kg 10.9 | weight |
| CSIR | motor system | cm³ 7.37 | cylinder capacity |
| W 332 | power at -25°C | W 255 | power at -30°C |
| W 523 | power at -15°C | W 421 | power at -20°C |
| W - | power at -5°C | W 639 | power at -10°C |
| W - | power at +5°C | W - | power at 0°C |
| R404a/R507 | refrigerant | W - | power at +10°C |
| HP 1/3 | power | NEK2130GK | type |
| CSIR | motor system | cm³ 7.37 | cylinder capacity |
| W 639 | power at -10°C | V 220-240 | voltage |
| W - | power at 0°C | W - | power at -5°C |
| W 255 | power at -30°C | W - | power at +5°C |
| W 421 | power at -20°C | W 332 | power at -25°C |
| W - | power at +10°C | W 523 | power at -15°C |
| Hz 50 | frequency | LBP | application |
| | | kg 10.9 | weight |

الصفات الفنية

Private Picture Copyright: WWW.MBSM.PRO

NEK6181GK ASPERA EMBRACO COMPRESSOR

1/3HP R404A / R507

DESCRIPTION

NEK6181GK Aspera Embraco compressor 1/3HP

- Refrigerant: R507a R404A
- Power range(W): 1 – 1,5 kW
- Working area: MBP
- Design type: Hermetic
- Use with: Expansion/Capillary
- Power range(HP):0-2
- Power supply: 220 – 240V/1/50Hz
- Oil type: POE22
- Engine type: CSIR
- Article condition:New

EMT6165GK ASPERA EMBRACO COMPRESSOR 1/3HP R404A / R507

DESCRIPTION

Aspera Embraco EMT6165GK compressor 1/3HP

- high evaporation temperature
- Refrigerant: R507a R404A
- Power range(W): 401 – 500 W 701 – 1000 W
- Performance range:-20 C to +10 C
- Connecting size:4,9 mm
- Working area: MBP
- Design type: Hermetic
- Model series: EMT
- Use with: Expansion/Capillary
- Power range(HP):0-2
- Power supply: 240V/1/50Hz
- Oil type: POE22
- Engine type: CSIR
- Article condition:New

Compressor ACC – ML90FB, LBP – R404A, R507, 1/3HP, 220-240V

Compressor ACC – ML90FB, LBP – R404A, 220-240/50Hz Injection: capillary tube / expansion valve Power: 1/3 HP Refrigerating capacity at -25 / +55°C: 276 W, power consumption: 333 W Max Ambient temperature: 43 °C Displacement: 8.85 cm³ Engine type: CSIR Oil filling: 400 cm³ Oil type: ISO VG 46 ESTER Starting

element: HST Start capacitor: 47- 56 / 330 µF/V Voltage range: 187-264 V
 Starting current: 12.2 A Weight: 11 kg Connections: 6.5 x 4.9 mm Main winding
 resistance: 8.42 (25°C) Ohm Winding resistance: 29.75 (25°C) Ohm. cooling
 capacity measured for condensation temperature of: 45°C, measuring conditions:
 ASHRAECooling capacity

-10 °C -15 °C -20 °C -25 °C -30 °C -35 °C -40 °C
 729 606 495 394 305 227 161

Shipping Class Standard
Scope Of Application LBP
Lieferzeit 2-3 Wochen
Type Of Construction Piston
Condensation Temperature 45°C
Maker ACC
Manufacturer No. ML90FB
Displacement In Cm3 8.85
Measuring Requirements Ashrae
Refrigerants R404A, R507
Series ML
Condensing Units Compressors Compressors
Suspense 220-240V
Weight In Kg 12.1

**Supco KB2416ZK2 – Compressor LBP HST
 1/3HP 1580/1696 BTU 208/230V – R404a
 / R507 Refrigerant – 1580 / 1696 BTU
 @ -10°F – 0.32" I.D. Suction Size –
 0.19" I.D. Discharge**

Stock Code KB2416ZK2
Brand Supco
Voltage (V) 208 / 230 VAC
Phase Single Phase
HP Rating: 1 / 3 HP
Oil Charge (oz.) 507 cc.
Motor High Start Torque
Operates Icemakers; Refrigerators
Cross Reference Replacement Part:NEK2134GK ; Manufacturer :Embraco

[Mbsm_dot_pro_private_PDF_KB2416ZK2_prd_001_1_Télécharger](#)

FREON R404a/R507 220-240V 50HZ

| Code | Prix | Type | Marque | Puissance HP | Cylindrée CM3 | Pression | Schéma électrique | Capacité frigorigique en watt-10°C-5°C0°C+5°C | | | |
|--------|--------|-----------|---------|-----------------|------------------|----------|----------------------|---|-----|-----|------|
| SEQ616 | 89.51€ | EMT6144GK | EMBRACO | 1/5 | 3.97 | HMBP | CSIR | 360 | 438 | 530 | 630 |
| SEQ608 | 85.02€ | NEK6181GK | EMBRACO | 1/3 | 7.28 | HMBP | CSIR | 565 | 689 | 836 | 1006 |
| SEQ690 | 86.26€ | NEK6210GK | EMBRACO | 3/8 | 8.78 | HMBP | CSIR | 669 | 821 | 999 | 1205 |

| | | | | | | | | | | | |
|----------|---------|-----------|---------------------|------|-------|------|------|------|------|------|------|
| SEQ709 | 122.29€ | AEZ4425Z | UNITE HERMETIQUE | 1/5 | 4.50 | HMBP | CSIR | 263 | 341 | 432 | 587 |
| VNQ6987 | 114.69€ | NEK2125GK | EMBRACO | 1/4 | 6.20 | LBP | CSIR | 243 | 314 | 398 | 494 |
| VASQ6276 | 112.12€ | NEK6144GK | EMBRACO | 1/4L | 4.52 | HMBP | CSIR | 368 | 451 | 549 | 660 |
| SEQ703 | 132.23€ | NEK6213GK | EMBRACO | 1/2 | 12.12 | HMBP | CSIR | 919 | 1120 | 1350 | 1610 |
| CYQ6367 | 155.22€ | NEK2168GK | EMBRACO | 5/8 | 14.30 | LBP | CSR | 500 | 650 | 828 | 1030 |
| FQQ6559 | 144.34€ | NEK6217GK | EMBRACO | 5/8 | 14.30 | HMBP | CSR | 1120 | 1360 | 1630 | 1932 |
| VGQ6677 | 192.44€ | AE4470Z | UNITE HERMETIQUE | 1/2 | 12.00 | HMBP | CSIR | | | | |
| VGQ6676 | 180.64€ | AE4450Z | UNITE HERMETIQUE | 3/8 | 8.80 | HMBP | CSIR | | | | |
| SEQ912 | 198.59€ | NJ2212GK | EMBRACO | 1.7 | 34.37 | LBP | CSR | 945 | 1333 | 1775 | 2273 |
| SEQ617 | 191.35€ | NEK2150GK | EMBRACO | 5/8 | 12.12 | LBP | CSIR | 445 | 570 | 716 | 888 |
| SEQ902 | 175.39€ | NT6222GK | EMBRACO | 3/4 | 17.40 | HMBP | CSR | 1280 | 1590 | 1930 | 2308 |
| SEQ609 | 221.62€ | NJ2192GK | EMBRACO | 1.2 | 26.00 | LBP | CSR | 752 | 1120 | 1345 | 1725 |
| VNQ6902 | 198.45€ | NT6226GK | EMBRACO | 1 | 22.40 | HMBP | CSR | 1744 | 2144 | 2598 | 3095 |
| VNQ6916 | 223.47€ | NJ9232GK | EMBRACO | 1.2 | 26.20 | HMBP | CSR | 1953 | 2458 | 3182 | 4070 |
| SEQ674 | 256.69€ | CAJ2432Z | UNITE HERMETIQUE | 3/4 | 18.30 | LBP | CSR | 510 | 792 | 865 | 1560 |
| CYQ6239 | 276.42€ | CAJ2446Z | UNITE HERMETIQUE | 1.2 | 26.10 | LBP | CSR | 797 | 1194 | 1423 | 2290 |
| CYQ6236 | 287.60€ | CAJ2428Z | UNITE HERMETIQUE | 5/8 | 15.20 | LBP | CSR | 394 | 628 | 762 | 1261 |
| IQ1517 | 307.80€ | CAJ9480Z | UNITE HERMETIQUE | 5/8 | 15.20 | HMBP | CSR | 1009 | 1284 | 1607 | 2172 |
| SEQ990 | 354.18€ | CAJ4517Z | UNITE HERMETIQUE | 1.2 | 25.90 | HMBP | CSR | 1776 | 2273 | 2857 | 3860 |
| SEQ999 | 284.58€ | CAJ9510Z | UNITE HERMETIQUE | 1 | 18.30 | HMBP | CSR | 1252 | 1583 | 1972 | 2650 |
| ZNEQ6572 | 360.83€ | CAJ2464Z | UNITE HERMETIQUE | 1.5 | 34.40 | LBP | CSR | 1076 | 1605 | 1902 | 3012 |
| VASQ6285 | 348.56€ | NJ9238GK | EMBRACO | 1.5 | 32.70 | HMBP | CSR | 2485 | 2956 | 3509 | 4563 |
| SEQ601 | 367.83€ | NT6220GK | EMBRACO | 5/8 | 14.50 | HMBP | CSR | 1126 | 1395 | 1700 | |
| SEQ921 | 394.30€ | CAJ9513Z | UNITE HERMETIQUE | 1.1 | 24.20 | HMBP | CSR | 1501 | 1955 | 2485 | 3406 |
| VASQ7698 | 392.13€ | CAJ4519Z | UNITE HERMETIQUE | 1.5 | 34.40 | HMBP | CSR | 2353 | 3009 | 3756 | 5030 |
| ZRQ7716 | 441.16€ | CAJ2440Z | UNITE HERMETIQUE | 1 | 22.80 | LBP | CSR | 647 | 945 | 1166 | 1876 |

HMP: Haute moyenne pression

HP: Haute pression

LBP: Basse pression

FREON R404a/R507 220-240V 50HZ

| Code | Prix | Type | Marque | Puissance HP | Cylindrée CM3 | Pression | Schéma électrique | Capacité frigorigifique en wat-10°C-5°C0°C+5°C | | | |
|----------|---------|-----------|---------------------|-----------------|------------------|----------|----------------------|--|------|------|------|
| SEQ616 | 89.51€ | EMT6144GK | EMBRACO | 1/5 | 3.97 | HMBP | CSIR | 360 | 438 | 530 | 630 |
| SEQ608 | 85.02€ | NEK6181GK | EMBRACO | 1/3 | 7.28 | HMBP | CSIR | 565 | 689 | 836 | 1006 |
| SEQ690 | 86.26€ | NEK6210GK | EMBRACO | 3/8 | 8.78 | HMBP | CSIR | 669 | 821 | 999 | 1205 |
| SEQ709 | 122.29€ | AEZ4425Z | UNITE HERMETIQUE | 1/5 | 4.50 | HMBP | CSIR | 263 | 341 | 432 | 587 |
| VNQ6987 | 114.69€ | NEK2125GK | EMBRACO | 1/4 | 6.20 | LBP | CSIR | 243 | 314 | 398 | 494 |
| VASQ6276 | 112.12€ | NEK6144GK | EMBRACO | 1/4L | 4.52 | HMBP | CSIR | 368 | 451 | 549 | 660 |
| SEQ703 | 132.23€ | NEK6213GK | EMBRACO | 1/2 | 12.12 | HMBP | CSIR | 919 | 1120 | 1350 | 1610 |
| CYQ6367 | 155.22€ | NEK2168GK | EMBRACO | 5/8 | 14.30 | LBP | CSR | 500 | 650 | 828 | 1030 |
| FQQ6559 | 144.34€ | NEK6217GK | EMBRACO | 5/8 | 14.30 | HMBP | CSR | 1120 | 1360 | 1630 | 1932 |
| VGQ6677 | 192.44€ | AE4470Z | UNITE HERMETIQUE | 1/2 | 12.00 | HMBP | CSIR | | | | |
| VGQ6676 | 180.64€ | AE4450Z | UNITE HERMETIQUE | 3/8 | 8.80 | HMBP | CSIR | | | | |
| SEQ912 | 198.59€ | NJ2212GK | EMBRACO | 1.7 | 34.37 | LBP | CSR | 945 | 1333 | 1775 | 2273 |
| SEQ617 | 191.35€ | NEK2150GK | EMBRACO | 5/8 | 12.12 | LBP | CSIR | 445 | 570 | 716 | 888 |
| SEQ902 | 175.39€ | NT6222GK | EMBRACO | 3/4 | 17.40 | HMBP | CSR | 1280 | 1590 | 1930 | 2308 |

| | | | | | | | | | |
|----------|---------|----------|---------------------|-----|-------|------|-----|------|----------------|
| SEQ609 | 221.62€ | NJ2192GK | EMBRACO | 1.2 | 26.00 | LBP | CSR | 752 | 1120 1345 1725 |
| VNQ6902 | 198.45€ | NT6226GK | EMBRACO | 1 | 22.40 | HMBP | CSR | 1744 | 2144 2598 3095 |
| VNQ6916 | 223.47€ | NJ9232GK | EMBRACO | 1.2 | 26.20 | HMBP | CSR | 1953 | 2458 3182 4070 |
| SEQ674 | 256.69€ | CAJ2432Z | UNITE HERMETIQUE | 3/4 | 18.30 | LBP | CSR | 510 | 792 865 1560 |
| CYQ6239 | 276.42€ | CAJ2446Z | UNITE HERMETIQUE | 1.2 | 26.10 | LBP | CSR | 797 | 1194 1423 2290 |
| CYQ6236 | 287.60€ | CAJ2428Z | UNITE HERMETIQUE | 5/8 | 15.20 | LBP | CSR | 394 | 628 762 1261 |
| IQ1517 | 307.80€ | CAJ9480Z | UNITE HERMETIQUE | 5/8 | 15.20 | HMBP | CSR | 1009 | 1284 1607 2172 |
| SEQ990 | 354.18€ | CAJ4517Z | UNITE HERMETIQUE | 1.2 | 25.90 | HMBP | CSR | 1776 | 2273 2857 3860 |
| SEQ999 | 284.58€ | CAJ9510Z | UNITE HERMETIQUE | 1 | 18.30 | HMBP | CSR | 1252 | 1583 1972 2650 |
| ZNEQ6572 | 360.83€ | CAJ2464Z | UNITE HERMETIQUE | 1.5 | 34.40 | LBP | CSR | 1076 | 1605 1902 3012 |
| VASQ6285 | 348.56€ | NJ9238GK | EMBRACO | 1.5 | 32.70 | HMBP | CSR | 2485 | 2956 3509 4563 |
| SEQ601 | 367.83€ | NT6220GK | EMBRACO | 5/8 | 14.50 | HMBP | CSR | 1126 | 1395 1700 |
| SEQ921 | 394.30€ | CAJ9513Z | UNITE HERMETIQUE | 1.1 | 24.20 | HMBP | CSR | 1501 | 1955 2485 3406 |
| VASQ7698 | 392.13€ | CAJ4519Z | UNITE HERMETIQUE | 1.5 | 34.40 | HMBP | CSR | 2353 | 3009 3756 5030 |
| ZRQ7716 | 441.16€ | CAJ2440Z | UNITE HERMETIQUE | 1 | 22.80 | LBP | CSR | 647 | 945 1166 1876 |

HMP: Haute moyenne pression

HP: Haute pression

LBP: Basse pression

FREON R404a/R507 220-240V 50HZ

| CODE | TYPE | MARQUE | PUISSANCE HP | CYLINDREE CM3 | PRESSION | schema electrique | capacité frigorifique en watt | | | |
|----------|-----------|---------------------|-----------------|------------------|----------|----------------------|-------------------------------|------|------|------|
| | | | | | | | -10° | -5° | 0 | +5° |
| FRD161 | EMT6144GK | EMBRACO | 1/5 | 3,97 | HMBP | CSIR | 360 | 438 | 530 | 630 |
| ITD1112 | EMT6152GK | EMBRACO | 1/4L | 4,5 | HMBP | CSIR | 396 | 483 | 582 | 695 |
| INFD1721 | NEK6144GK | EMBRACO | 1/4L | 4,52 | HMBP | CSIR | 368 | 451 | 549 | 660 |
| SCD1726 | NEK6165GK | EMBRACO | 1/4 | 6,2 | HMBP | CSIR | 520 | 626 | 751 | 895 |
| FRD153 | NEK6181GK | EMBRACO | 1/3 | 7,28 | HMBP | CSIR | 565 | 689 | 836 | 1006 |
| FRD145 | NEK6210GK | EMBRACO | 3/8 | 8,78 | HMBP | CSIR | 669 | 821 | 999 | 1205 |
| FRD258 | NEK6213GK | EMBRACO | 1/2 | 12,12 | HMBP | CSIR | 919 | 1120 | 1350 | 1610 |
| SDD1004 | NEK6217GK | EMBRACO | 5/8 | 14,3 | HMBP | CSR | 1120 | 1360 | 1630 | 1932 |
| FRD156 | NT6220GK | EMBRACO | 5/8 | 14,5 | HMBP | CSR | 1126 | 1395 | 1700 | |
| FRD457 | NT6222GK | EMBRACO | 3/4 | 17,4 | HMBP | CSR | 1280 | 1590 | 1930 | 2308 |
| IAD1457 | NT6226GK | EMBRACO | 1 | 22,4 | HMBP | CSR | 1744 | 2144 | 2598 | 3095 |
| IAD1461 | NJ9232GK | EMBRACO | 1,2 | 26,2 | HMBP | CSR | 1953 | 2458 | 3182 | 4070 |
| INFD1730 | NJ9238GK | EMBRACO | 1,5 | 32,7 | HMBP | CSR | 2485 | 2956 | 3509 | 4563 |
| IAD1432 | NEK2125GK | EMBRACO | 1/4 | 6,2 | LBP | CSIR | 243 | 314 | 398 | 494 |
| FRD162 | NEK2150GK | EMBRACO | 5/8 | 12,12 | LBP | CSIR | 445 | 570 | 716 | 888 |
| PLD1812 | NEK2168GK | EMBRACO | 5/8 | 14,3 | LBP | CSR | 500 | 650 | 828 | 1030 |
| SDD1019 | NT2178GK | EMBRACO | 3/4 | 17,4 | LBP | CSR | 544 | 735 | 956 | 1206 |
| FRLD4079 | NT2180GK | EMBRACO | 1 | 20,4 | LBP | CSR | 648 | 856 | 1100 | 1380 |
| INFD1712 | NT2192GK | EMBRACO | 1,1 | 22,4 | LBP | CSR | 754 | 998 | 1280 | 1598 |
| FRD154 | NJ2192GK | EMBRACO | 1,2 | 26 | LBP | CSR | 752 | 1120 | 1345 | 1725 |
| FRD467 | NJ2212GK | EMBRACO | 1,7 | 34,37 | LBP | CSR | 945 | 1333 | 1775 | 2273 |
| | | | | | | | | | | |
| FRD254 | AE4425Z | UNITE HERMETIQUE | 1/5 | 4,5 | HMBP | CSIR | 263 | 341 | 432 | 587 |
| FRD697 | AE4430Z | UNITE HERMETIQUE | 1/4 | 5,2 | HMBP | CSIR | | | | |
| ICD6081 | AE4440Z | UNITE HERMETIQUE | 1/3 | 6,7 | HMBP | CSIR | | | | |
| ITD1121 | AE4450Z | UNITE HERMETIQUE | 3/8 | 8,8 | HMBP | CSIR | | | | |
| ITD1122 | AE4470Z | UNITE HERMETIQUE | 1/2 | 12 | HMBP | CSIR | | | | |
| VD6062 | CAJ9480Z | UNITE HERMETIQUE | 5/8 | 15,2 | HMBP | CSR | 1009 | 1284 | 1607 | 2172 |
| FRD444 | CAJ9510Z | UNITE HERMETIQUE | 1 | 18,3 | HMBP | CSR | 1252 | 1583 | 1972 | 2650 |
| FRD476 | CAJ9513Z | UNITE HERMETIQUE | 1,1 | 24,2 | HMBP | CSR | 1501 | 1955 | 2485 | 3406 |
| FRD445 | CAJ4517Z | UNITE HERMETIQUE | 1,2 | 25,9 | HMBP | CSR | 1776 | 2273 | 2857 | 3860 |
| INFD2143 | CAJ4519Z | UNITE HERMETIQUE | 1,5 | 34,4 | HMBP | CSR | 2353 | 3009 | 3756 | 5030 |
| BTD2320 | AE2420Z | UNITE HERMETIQUE | 1/2 | 12,6 | LBP | CSIR | 357 | 547 | 654 | 1047 |
| PLD1781 | CAJ2428Z | UNITE HERMETIQUE | 5/8 | 15,2 | LBP | CSR | 394 | 628 | 762 | 1261 |
| FRD129 | CAJ2432Z | UNITE HERMETIQUE | 3/4 | 18,3 | LBP | CSR | 510 | 792 | 865 | 1560 |
| MED2261 | CAJ2440Z | UNITE HERMETIQUE | 1 | 22,8 | LBP | CSR | 647 | 945 | 1166 | 1876 |
| PLD1784 | CAJ2446Z | UNITE HERMETIQUE | 1,2 | 26,1 | LBP | CSR | 797 | 1194 | 1423 | 2290 |
| MARD1027 | CAJ2464Z | UNITE HERMETIQUE | 1,5 | 34,4 | LBP | CSR | 1076 | 1605 | 1902 | 3012 |

Mbsm_dot_pro_private_PDF_Embaraco-compressor-GesamtlisteTélécharger

Mbsm_dot_pro_private_PDF_compressor-tecumsehTélécharger

Mbsm_dot_pro_private_PDF_REFRIGERATION-COMPRESSORS-EAVB021ECAVTélécharger