

UGINE, refrigerator, WBr-100, 90 L,
r134a, 40 g, 220 v, 60 hz, 75 W,
Class T, Compressor, Daewoo,
WX24LHS4T, 62 W, 1/12 hp, lra 2.5 a,
186 btu, lbp

Category: compressor,Refrigerator

written by www.mbsm.pro | 15 November 2023



Private Picture Copyright : WWW.MBSM.PRO

UGINE, refrigerator, WBr-100, 90 L, r134a, 40 g, 220 v, 60 hz, 75 W, Class T,
Compressor, WX24LHS4T, 62 W, 1/12 hp, lra 2.5 a, 186 btu

Mbsm.pro, Freezer, Egypt, Alaska,
Ch270, Alaska ch270, 265 L, 9.8 feet,
185 w, 1.2 A, 220 v, class T,
Compressor , TECUMSEH, THG1374YS, 1/5
hp++, 1/4 hp-, r134a, 170G

Category: Freezer

written by www.mbsm.pro | 15 November 2023




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, Egypt, Alaska, Ch270, Alaska ch270, 265 L, 9.8 feet, 185 w, 1.2 A, 220 v, class T, Compressor , TECUMSEH, THG1374YS, 1/5 hp++, 1/4 hp-, r134a, 170G

BCD-728G

Category: Refrigerator

written by www.mbsm.pro | 15 November 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Refrigerator, BCD-728G, 728 L, 4 Doors, Class T, Compressor, K270CZ1, 1/3++, DONPER, Dongbei , R134a, 230 G

Mbsm.pro, Freezer, Electrostar, 210 L, ES210ST, Compressor, Donper, L65CZ1, 1/5 hp, lbp, R134 A, 130 G, 220-244V, 50Hz, 140 w, 1 A, Class T

Category: expertise,Freezer

written by www.mbsm.pro | 15 November 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, Electrostar, 210 L, ES210ST, Compressor, Donper, L65CZ1, 1/5 hp, lbp, R134 A, 130 G, 220-244V, 50Hz, 140 w, 1 A, Class T

ZMC, zanussi, Made in Egypt,
Compressor, Frost Free Freezer,
GM90AZ, EGM90AZ, 155W, 1/5Hp, 134A,
150G, Electrostar Freezer, 260L
CRoss, 235L SStorage , 220v-50H, 1.2A,
Class T

Category: compressor

written by www.mbsm.pro | 15 November 2023



OO HUAWEI NOVA 5T
OO AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

COMPRESSOR TECHNICAL DATA

General Data

Refrigerant: R134a

Application: LBP

Evaporating Temperature Range: -30°C to -10°C
Voltage/Frequency: 220/240V/50 HZ
Compressor Cooling: Static
Expansion Device: Capillary Tube
Packaging Quantity: Multi – 96:120 pcs
Approvals: CE-VDE-GOST

Mechanical Data

Oil Charge: 300 cm³
Oil Type Configuration: ester
Oil Type Viscosity: 19 cSt
Weight: 10 kg

Electrical Data

Motor Type: RSIR / RSCR*
Voltage working range at 50 Hz: 187-264V
Maximum Motor Temperature: 130°C
Locked Rotor Current: 14.46 / 9.86 A
Start Winding Resistance: 23.40Ω at 25°C
Run Winding Resistance: 8.08 Ω at 25°C
Phase: 1 ph

External Characteristics


Internal Diameter (mm)
Suction Connector 6.5
Discharge Connector 4.9
Process Connector 6.5
Material Copper

Electrical Components

Starting Device: PTC 14Ω
Motor Protection: T0490/xx

ZMC **GM90AZ** 1137
R 134 a 220-240V-50Hz
MADE IN EGYPT
PGP CE
474
0002266

OO HUAWEI NOVA 5T
OO AI QUAD CAMERA



Made In Egypt

Frost Free Freezer

Model **ES 260 NF** طراز

Voltage **220 V - 50 HZ** **1.2A** **155 W**

Freezing Capacity 22 Kg/24Hr Freezer Stopage Volume 235 Lit.

Total Gross Volume 260 Lit Refrig. Storage Volume



024287

R134a **150g** وزن وسيط

التبريد

Class T صنع في مصر

max. lamp input	Without	15 W
Protection Rating	IPX 4	
According To	ES 6000 / 2008 - ISO 15502 / 2005	

OO HUAWEI NOVA 5T
OO AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

Compressor, ASPERA, b3118b , 1/4 hp ,
240V~50hZ, Frigidaire 2 portes,
Philips, 180W, Class T, 422L (460L
Total), compressor b3118b, 220g ,
R134a

Category: compressor,Non classé
written by www.mbsm.pro | 15 November 2023



PHILIPS

MADE IN EGYPT

Service
Service
Service

MODEL ARG 425 / PH

230 V - 50 Hz

Class T

Gross Volume	460	Ltr
Net Volume	440	Ltr
Net Storing Volume	422.5	Ltr
System Compressor	ccl ₂ F ₂ 220 g	

1000000000

Compressor, ASPERA, b3118b , 1/4 hp , 240V~50hZ, Frigidaire 2 portes, Philips, 180W, Class T, 422L (460L Total), compressor b3118b, 220g , R134a



PHILIPS

MADE IN EGYPT

Service
Service
Service

MODEL ARG 425 / PH

230 V - 50 Hz

Class T

Gross Volume	460	Ltr
Net Volume	440	Ltr
Net Storing Volume	422.5	Ltr
System Compressor	ccl ₂ F2 220 g	

1000000000

4.30 BAJA TEMPERATURA, Monofásicos 220 V 50 Hz

R12
MP39
FX56

Modelo	Tipo	CV.	Cm3	Código	Precio €
BP1084A	S	1/8	4,30	10600	-
BP1111A	S	1/8	5,73	10601	139,00
NB1112A	S	1/6	5,9	10602	167,00
NB1116A	S	1/4	8	10603	161,00
B3116B	RH	1/4	8	10604	166,00
NB1118A	S	1/4	8,85	10605	165,00
B3118B	RH	1/4	8,85	10606	172,00
B2118B	S	1/4	8,85	10607	181,00

Modelo	Tipo	CV.	Cm3	Código	Precio €
NE2121A	F	1/3	12,00	10608	210,00
T2124A	F	1/3	12,58	10609	-
T2128A	F	1/3	14,50	10610	-
NE2130A	F	1/3	14,20	10611	236,00
T2134A	F	3/8	17,40	10612	310,00
T2140A	F	3/8	20,40	10613	321,00
J2152A	F	1/2	26,00	10614	439,00
J2170A	F	3/4	34,37	10615	462,00

Ver aplicación de todos los compresores de esta página en el nuevo reglamento Europeo (CE) nº 2037/2000, publicado el 29/09/2000.

4.40 BAJA TEMPERATURA, Monofásicos 220 V 50 Hz

R22
R417a
R427a

Modelo	Tipo	CV.	Cm3	Código	Precio €
NE2125E	F	1/3	8,90	10618	199,00
NE2134E	F	3/8	12,00	10619	217,00
T2140E	F	1/2	14,50	10620	339,00
T2155E	F	5/8	17,40	10621	362,00

Modelo	Tipo	CV.	Cm3	Código	Precio €
T2168E	F	3/4	20,40	10622	373,00
NJ2178E	F	3/4	23,50	10623	413,00
J2190E	F	3/4	27,10	10624	429,00





Private Picture Copyright: WWW.MBSM.PRO



Mbsm_dot_pro_private_PDF_all-Compresseur-hermetique-pdf1Télécharger
Mbsm_dot_pro_private_PDF_all-Compresseur-hermetique-pdf1-1Télécharger