

Winter Company

Category: Refrigeration

written by www.mbsm.pro | 21 October 2025



ight www.mbsmpro.com

ight www.mbsmpro.com

pyright : WWW.MBSM.PRO

WINTER
REFRIGERATION





6th of October City (2), Giza Governorate | 2024.08.05 17:16

picture copyright www.mbsmpro.com

Private Picture Copyright : WWW.MBSM.PRO



 01060032262

  **WINTERREFRIGERATION**

picture copyright www.mbsmpro.com


Private Picture Copyright : WWW.MBSM.PRO



 **WINTER**
REFRIGERATION



WINTER BLUE
Vertical Liquid Receiver
Model: 10000-001-0
Refrigerant Type: R134a
Capacity: 10000 L
Weight: 100 kg
Height: 1000 mm
CE 0020

WINTER BLUE
Vertical Liquid Receiver
Model: 10000-001-0
Refrigerant Type: R134a
Capacity: 10000 L
Weight: 100 kg
Height: 1000 mm
CE 0020

 01060032262

  **WINTERREFRIGERATION**

picture copyright www.mbsmpro.com

Private Picture Copyright : WWW.MBSM.PRO

WINTER
REFRIGERATION



6th of October City (2), Giza Governorate | 2024.08.05 17:16

picture copyright www.mbsmpro.com

Private Picture Copyright : WWW.MBSM.PRO

Winter Company for Refrigeration offers all refrigeration accessories sourced

from top international brands including blue. Located in 6th of October City, Industrial Zone 2, Hamada Street, the company welcomes visits to explore their wide range of products. They can be contacted via phone numbers 01060032262, 01022856319, and 0155 522 6348 for inquiries and support.

Winter specializes in supplying high-quality refrigeration compressors, cooling units, and complete refrigeration packages for industrial and commercial use. Their products meet international standards for reliability and energy efficiency. The company has extensive experience servicing refrigeration systems in Egypt, especially within industrial zones.

Customers can rely on Winter for both product supply and technical maintenance support, making it a prominent choice in refrigeration solutions in the region. For detailed product specifications or tailored solutions, direct contact or visits to the company's location are recommended, ensuring personalized service and expert advice.

This company is part of a global network that provides industrial refrigeration solutions, including ammonia and CO2-based systems with a focus on environmental protection and efficient cooling technology. [winter-kaeltetechnik+2](#)

In summary, Winter Company offers trusted refrigeration products and services ideal for various refrigeration needs in Egypt's industrial sectors, backed by internationally certified products and expert technical support.

1. <https://www.fortender.com/vendors/profiles/winter-air-conditioning-refrigeration-llc>
2. <https://ae.linkedin.com/company/winter-refrigeration>
3. <https://www.winter-kaeltetechnik.com/index-en.html>
4. <https://www.winter-company.com/en/contact/>
5. <https://www.facebook.com/groups/402355509267067/>
6. <https://www.facebook.com/p/Winter-refrigeration-100079267262555/>

Www.mbsp.pro.com Informations Pub

Name: Winter Company

Phone: 01060032262, 01022856319, and 0155 522 6348

Address: 6th of October City

Country: Egypt's industrial sectors

Original Article:

<https://www.facebook.com/groups/338775263348394/user/100079267262555>

Mbsm.pro, 1/2HP, LG, Commercial, Freezer, Compressor ,Lx110lajm, SC21G, r134a

Category: compressor

written by www.mbsm.pro | 21 October 2025



1/2HP, LG, Commercial, Freezer, Compressor ,Lx110lajm, SC21G, r134a

Mbsm.pro, 1/3 HP, LG, Commercial,
Freezer, Compressor, Ma98laem, 279 w,
lbp, r134a, 953 btu, 18 feet

Category: compressor

written by www.mbsm.pro | 21 October 2025



KK R134a and R404a Commercial Refrigeration Compressors

| Model | Ref | App. | Voltage | Cooling Capacity | | | Power Input | Wire Type |
|------------|-------|------|---------------|------------------|------|--------|-------------|-----------|
| | | | | HP | W/hr | Btu/hr | | |
| CMA042LHEG | R134a | LBP | 220V/50HZ | 1/10HP | 107W | 365Btu | 79W | Al-wire |
| CMA053LHEG | R134a | LBP | 220~240V/50HZ | 1/6HP | 150W | 512Btu | 102W | Al-wire |
| CMA057LHEG | R134a | LBP | 220~240V/50HZ | 1/5HP | 163W | 556Btu | 115W | Al-wire |
| CMA069LHEM | R134a | LBP | 220~240V/50HZ | 1/4HP | 195W | 667Btu | 128W | Al-wire |
| NS36LAEG | R134a | LBP | 220~240V/50HZ | 1/10HP | 77W | 262Btu | 89W | Cu-wire |
| MSA43LBEG | R134a | LBP | 220~240V/50HZ | 1/8HP | 116W | 397Btu | 106W | Cu-wire |
| CMA053LAEM | R134a | LBP | 220~240V/50HZ | 1/6HP | 148W | 504Btu | 93W | Cu-wire |

| | | | | | | | | |
|------------|-------|-----|---------------|-------|------|---------|------|---------|
| CMA057LAEM | R134a | LBP | 220~240V/50HZ | 1/5HP | 163W | 558Btu | 102W | Cu-wire |
| CMA069LBEM | R134a | LBP | 220~240V/50HZ | 1/4HP | 195W | 667Btu | 116W | Cu-wire |
| CMA075LAEM | R134a | LBP | 220~240V/50HZ | 1/3HP | 219W | 746Btu | 130W | Cu-wire |
| MA98LAEM | R134a | LBP | 220~240V/50HZ | 1/3HP | 279W | 953Btu | 183W | Cu-wire |
| LX95LHBM | R134a | LBP | 220V/50HZ | 1/3HP | 267W | 910Btu | 173W | Cu-wire |
| LX110LAJM | R134a | LBP | 220~240V/50HZ | 1/2HP | 323W | 1104Btu | 232W | Cu-wire |

| Model | Ref | App. | Voltage | Cooling Hp | Capacity W/hr | Power Input | COP (W/W) | Wire Type |
|------------|-------|------|-----------|---------------|------------------|----------------|--------------|--------------|
| CSB057NJEG | R600a | LBP | 220V/50HZ | 1/10HP | 100W | 77W | 1.30 | Al-wire |
| CSB069NJEG | R600a | LBP | 220V/50HZ | 1/8HP | 126W | 90W | 1.40 | Al-wire |
| CSB075NJEG | R600a | LBP | 220V/50HZ | 1/6HP | 139W | 102W | 1.36 | Al-wire |
| CSB089NJEG | R600a | LBP | 220V/50HZ | 1/5HP | 160W | 98W | 1.64 | Al-wire |
| CMA098NJEG | R600a | LBP | 220V/50HZ | 1/5+HP | 180W | 112W | 1.60 | Al-wire |
| CMA110NJEM | R600a | LBP | 220V/50HZ | 1/4HP | 194W | 122W | 1.58 | Al-wire |
| CMA121NBEM | R600a | LBP | 220V/50HZ | 1/4+HP | 220W | 119W | 1.85 | Al-wire |

SECOP Hermetic Piston Compressors

Model □ SC21G

Refrigerant □ R134A

Power □ 220-240V/50/60HZ

Back Pressure: Low/High

Power Source: AC Power

Voltage range [V]: 187- 254

Evaporating temperature [°F] □ -25 to -5

Transport Package: Wood Package

Product feature

| Model | Electric | Source | Power(HP) | Capacity(W) | Refrigerant | Back Pressure |
|--------|-----------|--------|-----------|-------------|-------------|---------------|
| SC15CM | 220V-240V | 50Hz | 1/2HP | 375 | R22 | Low |
| SC18CM | 220V-240V | 50Hz | 5/8HP | 469 | R22 | Low |
| SC15D | 220V-240V | 50Hz | 5/8HP | 469 | R22 | High |
| SC15G | 220V-240V | 50Hz | 3/8HP | 281 | R134a | Low/High |
| SC18G | 220V-240V | 50Hz | 1/2HP | 375 | R134a | Low/High |
| SC21G | 220V-240V | 50Hz | 5/8HP | 469 | R134a | Low/High |
| SC10CL | 220V-240V | 50Hz | 1/3HP | 250 | R404A | Low |
| SC15CL | 220V-240V | 50Hz | 1/2HP | 375 | R404A | Low |
| TL5G | 220V-240V | 50Hz | | | R134A | Low/High |

KK R134a and R404a Commercial Refrigeration Compressors

| Model | Ref | App. | Voltage | Cooling Capacity | | | Power | Wire | |
|------------|-------|------|---------------|------------------|------|---------|-------|---------|------|
| | | | | HP | W/hr | Btu/hr | Input | Type | |
| CMA042LHEG | R134a | LBP | 220V/50HZ | 1/10HP | 107W | 365Btu | 79W | Al-wire | |
| CMA053LHEG | R134a | LBP | 220~240V/50HZ | 1/6HP | 150W | 512Btu | 102W | Al-wire | |
| CMA057LHEG | R134a | LBP | 220~240V/50HZ | 1/5HP | 163W | 556Btu | 115W | Al-wire | |
| CMA069LHEM | R134a | LBP | 220~240V/50HZ | 1/4HP | 195W | 667Btu | 128W | Al-wire | |
| NS36LAEG | R134a | LBP | 220~240V/50HZ | 1/10HP | 77W | 262Btu | 89W | Cu-wire | |
| MSA43LBEG | R134a | LBP | 220~240V/50HZ | 1/8HP | 116W | 397Btu | 106W | Cu-wire | |
| CMA053LAEM | R134a | LBP | 220~240V/50HZ | 1/6HP | 148W | 504Btu | 93W | Cu-wire | |
| CMA057LAEM | R134a | LBP | 220~240V/50HZ | 1/5HP | 163W | 558Btu | 102W | Cu-wire | |
| CMA069LBEM | R134a | LBP | 220~240V/50HZ | 1/4HP | 195W | 667Btu | 116W | Cu-wire | |
| CMA075LAEM | R134a | LBP | 220~240V/50HZ | 1/3HP | 219W | 746Btu | 130W | Cu-wire | |
| MA98LAEM | R134a | LBP | 220~240V/50HZ | 1/3HP | 279W | 953Btu | 183W | Cu-wire | |
| LX95LHBM | R134a | LBP | 220V/50HZ | 1/3HP | 267W | 910Btu | 173W | Cu-wire | |
| LX110LAJM | R134a | LBP | 220~240V/50HZ | 1/2HP | 323W | 1104Btu | 232W | Cu-wire | |
| Model | Ref | App. | Voltage | Cooling Capacity | | | Power | COP | Wire |
| | | | | Hp | W/hr | Input | (W/W) | Type | |
| CSB057NJEG | R600a | LBP | 220V/50HZ | 1/10HP | 100W | 77W | 1.30 | Al-wire | |
| CSB069NJEG | R600a | LBP | 220V/50HZ | 1/8HP | 126W | 90W | 1.40 | Al-wire | |
| CSB075NJEG | R600a | LBP | 220V/50HZ | 1/6HP | 139W | 102W | 1.36 | Al-wire | |
| CSB089NJEG | R600a | LBP | 220V/50HZ | 1/5HP | 160W | 98W | 1.64 | Al-wire | |
| CMA098NJEG | R600a | LBP | 220V/50HZ | 1/5+HP | 180W | 112W | 1.60 | Al-wire | |
| CMA110NJEM | R600a | LBP | 220V/50HZ | 1/4HP | 194W | 122W | 1.58 | Al-wire | |
| CMA121NBEM | R600a | LBP | 220V/50HZ | 1/4+HP | 220W | 119W | 1.85 | Al-wire | |



_MA98LAEMDownload



Mbsm.pro, CRC-1000SWL, CRC1000SWF02-C12-06790, COCA COLA, 2-DOOR, 1000L, COMMERCIAL, GLASS, DISPLAY, FRIDGE, R-404a, 700 g, Compressor, SC15D, 1

hp, hbp

Category: compressor

written by www.mbsm.pro | 21 October 2025



Mbsm.pro, CRC-1000SWL, CRC1000SWF02-C12-06790, COCA COLA, 2-DOOR, 1000L
,COMMERCIAL, GLASS, DISPLAY, FRIDGE, R-404a, 700 g, Compressor, SC15D, 1 hp, hbp

Mbsm.pro, Refrigerator, Commercial, presentation, Coca-Cola, 400 L, CPE-0400, SANDENINTERCOUL, compressor, SANDEN, SrCACA, 6456, r744, 250 g, 3/4 hp, 560 w, 1bp, 2.45 a

Category: Refrigerator

written by www.mbsm.pro | 21 October 2025



Mbsm.pro, Refrigerator, Commercial, presentation, Coca-Cola, 400 L, CPE-0400, SANDENINTERCOUL, compressor, SANDEN, SrCACA, 6456, r744, 250 g, 3/4 hp, 560 w, 1bp, 2.45 a,

Mbsm.pro, FN Series, Commercial, Refrigerator, Compressor, R134A,

fn73f17S, 1/5 hp, FN75H, 1/6HP,
FN77H, 1/4 hp, R12, LBP, 220V-50/60HZ

Category: compressor

written by www.mbsm.pro | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, FN Series, Commercial, Refrigerator, Compressor, R134A, fn73f17S, 1/5 hp, FN75H, 1/6HP, FN77H, 1/4 hp, R12, LBP, 220V-50/60HZ

Refrigerator, compressor, E1134CZA,
1/2 hp, E1130CZA, E1121CZA, 3/8HP,
commercial, freezer, R134a

Category: compressor

written by www.mbsm.pro | 21 October 2025

 **E1121CZA** 
220-240V-50Hz 1PH
THERMALLY PROTECTED

RoHS   SUCTION → 2
http://www.dongper.com A000583 R134a


D123810213206602016

Refrigerator, compressor, E1134CZA, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a

Tecumseh, Compressor, 5/8HP, HMBP – R404A , R448A , R449A, MBP, CAJ9480Z, 230V

Category: compressor

written by www.mbsm.pro | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO

Caractéristiques techniques

- Marque : TECUMSEH UNITÉ HERMÉTIQUE
- Modèle : CAJ9480Z-R
- CYLINDRÉE (CM³)15,2
- FLUIDER404A , R448A , R449A
- APPLICATIONHMBP
- PLAGÉ D'APPLICATION-25/+15
- PUISSANCE (W)1159
- PUISSANCE FRIGORIFIQUE (TK+40°C)15/3350 5/2355 -10/1294 -25/609
- TENSION (V)240/1/50
- DÉMARRAGECSR
- I.MAX (A)6,7
- Ø ASPIRATION1/2

- Ø REFOULEMENT5/16
- DIMENSIONS (MM)235x178x280
- Gaz: **R-404a**
- Température/Pression: **Haute Pression**
- Puissance: **5/8 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **15.2 cm³**
- Cons.Énergie -25°C: **496 W**
- Cons.Énergie -10°C: **669 W**
- Cons.Énergie -5°C: **718 W**
- Cons.Énergie 0°C: **762 W**
- Cons.Énergie +5°C: **798 W**
- Cons.Énergie +10°C: **828 W**
- T° De Condensation: **40 °C**
- Capacité Frigorifique -25°C: **524 Kcal/h**
- Capacité Frigorifique -20°C: **692 Kcal/h**
- Capacité Frigorifique -15°C: **887 Kcal/h**
- Capacité Frigorifique -10°C: **1113 Kcal/h**
- Capacité Frigorifique -5°C: **1374 Kcal/h**
- Capacité Frigorifique 0°C: **1677 Kcal/h**
- Capacité Frigorifique 5°C: **2025 Kcal/h**
- Capacité Frigorifique 10°C: **2425 Kcal/h**
- Tipo Test: **EN.12900**

Compresseur L'unité Hermetique – Tecumseh CAJ9480Z – R404A, R449A, R407A, R452A
220 – 240V 1~ 50 Hz

Cylindrée = 15.2 CM3

APPLICATIONS = HBP / MHBP

Moteur type: CSR



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO





● ○ REDMI NOTE 9 PRO
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO



● ○ REDMI NOTE 9 PRO
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO



● ○ REDMI NOTE 9 PRO
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_caj9480Z_2494-specetélécharger

Compresseur AJ = Le produit de référence associant silence, fiabilité et

efficacité du froid commercial.

| Product Code | Model Number | Compressor Horsepower | Compressor Displacement | Cooling Oil Charge |
|--------------|--------------|-----------------------|-------------------------|--------------------|
| | CAJ9480Z-FZ | 5/8 HP | 15.2 cm3/rev | Fan 475 ml |
| | CAJ9510Z-FZ | 1 HP | 18.3 cm3/rev | Fan 475 ml |
| | CAJ9513Z-FZ | 1 1/8 HP | 24.2 cm3/rev | Fan 475 ml |
| | CAJ4517Z-FZ | 1.25 HP | 25.95 cm3/rev | Fan 475 ml |
| | TAJ4517Z-TZ | 1.25 HP | 25.95 cm3/rev | Fan 475 ml |
| | CAJ4519Z-FZ | 1.5 HP | 34.45 cm3/rev | Fan 475 ml |
| | TAJ4519Z-TZ | 1.5 HP | 34.45 cm3/rev | Fan 475 ml |

1 / 6HP, R134A, compresseur, réfrigérateur, EMT45h1r, Embraco, Compresseur R134a, EMT55HLR, EMT65HLR, 220V-240V /50HZ /1PH

Category: compressor

written by www.mbsm.pro | 21 October 2025





1 / 6HP R134a

compresseur de réfrigérateur marque EMT45HLR Embraco



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Référence technique

1. tension: 220-240 V / 50 HZ / 1PH
2. réfrigérant: R134a
4. Application: réfrigérateur commercial

Autres modèles connexes pour votre choix:

Fluide frigorigène R134a moyenne / haute contre-pression

| | |
|----------|---------|
| EMT45HDR | 1 / 6HP |
| EMT6170Z | 1 / 3HP |
| EM65HHR | 1 / 4HP |
| NE6170Z | 1 / 3HP |
| NE6187Z | 3 / 8HP |
| NEK6212Z | 1 / 2HP |
| NEK6214Z | 3 / 4HP |
| T6215Z | 3 / 4HP |
| NJ6220Z | 1HP |
| NJ6226Z | 1,25 CV |

Réfrigérant R134a à faible contre-pression

| | |
|----------|---------|
| EMT45HLR | 1 / 6HP |
| EMT55HLR | 1 / 5HP |
| EMT65HLR | 1 / 4HP |
| FF7.5HAK | 1 / 3HP |

| | |
|-----------------------|----------|
| FF10HAK | 7 / 16HP |
| FF8.5HBK 1/4++ hp mbp | 1 / 3HP |
| FFI 12HBK | 1 / 2HP |
| NB1118Z | 1 / 3HP |
| NE1121Z | 7 / 16HP |
| NE1130Z | 1 / 2HP |
| NE2130Z | 1 / 2HP |
| NE2134Z | 9 / 16HP |
| NE2140Z | 3 / 4HP |

Technique référence

1. Tension: 220V-240V /50HZ /1PH
2. Réfrigérant: R134a
- 4.Application: réfrigérateur Commercial

Spécification

Réfrigérant R134a

| | |
|----------|-------|
| EMT45HLR | 1/6HP |
| EMT55HLR | 1/5HP |
| EMT65HLR | 1/4HP |

embraco EMT45HLR



| | | |
|---------------------|-------|-----------|
| Thermally Protected | | 220-240V- |
| 10 OLRA | R134a | |
| ESTER OIL 180ml | 1PH | 50Hz |

MADE IN CHINA NO START WITHOUT STARTING DEVICE



813300818 07/SEP/12 W82JF04Z



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_emt45h1rTélécharger

GQR16TG, light, commercial,
refrigeration, compressor ,1 / 2+ HP,
220V/50Hz, CSIR, capacitor:08UF,
R134A, Middle/Hight Back Pressure

Category: compressor

written by www.mbsm.pro | 21 October 2025



GQR16TG, light, commercial, refrigeration, compressor ,1 / 2+ HP, 220V/50Hz, CSIR, capacitor:80UF, R134A