

Mbsm.pro, Compressor Tecumseh, AE
4425 Z , AE-8007-f, AE4425Z-FZ,
H/MBP, AE 4425 Z, AEZ 4425 Z, 1/5
hp++, 1/4 hp-, r404a

Category: compressor

written by www.mbsm.pro | 24 April 2023



Mbsm.pro, Compressor Tecumseh, AE 4425 Z , AE-8007-f, AE4425Z-FZ, H/MBP, AE 4425 Z, AEZ 4425 Z, 1/5 hp++, 1/4 hp-, r404a

**Compressor, AE4470Z-FZ3C, AE4470Z-FZ,
Compressor Tecumseh, AE4470Z FZ,
HBP/CBP, 1/2 HP, ++BIG, R-404a**

Category: compressor

written by www.mbsm.pro | 24 April 2023


Eaton

AE-3001-F

AE4470Z-FZ

R404A

EPFL
CE

53 J0116 10 174734 A

COUNTRY OF ORIGIN: FRANCE

THERMALLY PROTECTED



Données techniques

- Modèle: **AE4470Z**
- Gaz: **R-404a**
- Température/Pression: **Haute Pression**
- Puissance: **1/2 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **12.01 cm³**
- Cons.Énergie -10°C: **597 W**
- Cons.Énergie -5°C: **631 W**
- Cons.Énergie 0°C: **663 W**
- Cons.Énergie +5°C: **693 W**
- Cons.Énergie +10°C: **721 W**
- T° De Condensation: **40 °C**
- Capacité Frigorífica -20°C: **637 Kcal/h**
- Capacité Frigorífica -15°C: **796 Kcal/h**
- Capacité Frigorífica -10°C: **975 Kcal/h**
- Capacité Frigorífica -5°C: **1178 Kcal/h**
- Capacité Frigorífica 0°C: **1408 Kcal/h**
- Capacité Frigorífica 5°C: **1671 Kcal/h**
- Capacité Frigorífica 10°C: **1970 Kcal/h**
- Tipo Test: **EN.12900**


Eaton

AE-3001-F

AE4470Z-FZ


EPFL

CE





53 J0116 10 174734 A

COUNTRY OF ORIGIN: FRANCE

THEMALLY PROTECTED

R404A

2530V - 50/60Hz

18 11



Mbsm.pro , COMPRESSOR TECUMSEH, CAJ4511Y, R134a, HMBP(HBP – High Back Pressure),1 HP, 1PH, 220-240 VOLTS , High Start Torque (HST) ,

Category: Solutions,Tester ok

written by Jamila | 24 April 2023



Picture5 Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , COMPRESSOR TECUMSEH,

L'unité hermetique Compressor

CAJ4511Y, R134a, HMBP(HBP – High Back Pressure),1 HP, 1PH, 220-240 VOLTS , High Start Torque (HST)

Condensateur Perm./ Run capacitor : 15 μ F / 400 V

Données techniques

- Modèle: **CAJ4511Y**
- Gaz: **R-134a**
- Température/Pression: **Haute Pression**
- Puissance: **1 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**

- Décalage: **32.7 cm³**
- Cons.Énergie -5°C: **920 W**
- Cons.Énergie 0°C: **1030 W**
- Cons.Énergie +5°C: **1140 W**
- Cons.Énergie +10°C: **1250 W**
- T° De Condensation: **55 °C**
- Capacité Frigorífica -5°C: **1376 Kcal/h**
- Capacité Frigorífica 0°C: **1737 Kcal/h**
- Capacité Frigorífica 5°C: **2150 Kcal/h**
- Capacité Frigorífica 7.2°C: **2347 Kcal/h**
- Capacité Frigorífica 10°C: **2614 Kcal/h**
- Tipo Test: **EN.12900**





PictureS Mbsm Dot Pro : www.mbsm.pro