### Mbsm.pro, Compressor, AE4440YS, AE630KS501, Tecumseh compressor, 3/8 hp++, 1/2 hp-, MHBP, R-134a



Mbsm.pro, Compressor, AE4440YS, AE630KS501, Tecumseh compressor, 3/8 hp++, 1/2 hp-, MHBP, R-134a

### Mbsm.pro, Compressor, All Compressors piston, Kulthorn, LBP, r404, r134a

written by mahdi miled | 20 January 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, All Compressors piston, Kulthorn, LBP, r404, r134a

#### Mbsm.pro,

#### Compressor,

# Bristol, H20B203ABC,H22J203ABCA, 2 ton, 1.5 hp, 20000 btu, 220 v, R22

written by Jamila | 20 January 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Bristol, H20B203ABC,H22J203ABCA, 2 ton, 1.5 hp, 20000 btu, 220 v, R22

### Mbsm.pro, Compressor, Donper, s72cz1, 1/4 hp, LBP, r134a,195 w

written by mahdi miled | 20 January 2023



Mbsm.pro, Compressor, donper, s72cz1, 1/4 hp, LBP, r134a,195 w

#### Mbsm.pro, Compressor, TOSHIBA GMCC ROTARY COMPRESSOR, TOSHIBA COMPRESSOR

written by Jamila | 20 January 2023



# Mbsm.pro, Compressor, Copeland, CI20KQ-PFV, 240v/ 230/PH1/60hz , 1.5 hp, R-22 , 18,300, A/C

written by Lilianne | 20 January 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, CI20KQ-PFV, 240v/ 230/PH1/60hz , 1.5 hp, R-22 , 18,300, A/C

#### Mbsm.pro, Compressor, v75,

## 1/4 hp, 190 w, lbp, r12

written by Jamila | 20 January 2023 Mbsm.pro, Compressor, v75, 1/4 hp, 190 w, lbp, r12

# Mbsm.pro, Compressor, Samsung, r134a, lbp, CD124Q, L1Z2CD130Q, S1ZACD130Q, L1Z2MSA143Q, S1ZMSA151Q, L1AMSA162Q, L1GMSS162Q, L1UMSA170Q, L1BMSA170Q, L1GMSA170Q, L1HMSA182Q, L2HMSS182Q, L2UNC1A37QLB

Modèle	RPM	TENSION [V-Hz]	Capacité de refroidissement			Entrée de puissance	EFFICACITÉ				Type de refroidissement
	Rom	TENSION (V-HZ)	Capacite de		sement	chuice de puissance	FEP	FLIC	EER	Condition de test	Type de l'en oldissement
			Kcal/heure	Watt	BTU/h	o	Kcal/Wh	w/w	BTU/Wh		
CD124Q-L122	50Hz	220-50	43	50	171	57	0,75	0,88	2,99	ASHRAE	ST
CD130Q-S1ZA	50Hz	220-50	58	67	230	74	0,78	0,91	3.10	ASHRAE	ST
CD130Q-L1Z2	50Hz	220-50	58	67	230	65	0,89	1.04	3.54	ASHRAE	ST
MSA143Q-S1Z	50Hz	220-50	96	112	381	83	1.16	1.34	4,59	ASHRAE	ST
MSA151Q-L1A	50Hz	220-50	128	149	508	102	1.25	1.46	5,00	ASHRAE	ST
MSA162Q-L1G	50Hz	220-50	151	176	599	111	1.36	1,58	5.40	ASHRAE	ST
MSS162Q-L1U	50Hz	220-50	151	176	599	105	1.44	1,67	5.71	ASHRAE	ST
MSA170Q-L1B	50Hz	220-50	173	201	687	129	1.34	1,56	5.32	ASHRAE	ST
MSA170Q-L1G	50Hz	220-50	173	201	687	126	1.37	1,60	5.45	ASHRAE	ST
MSA170Q-L1H	50Hz	220-50	170	198	675	123	1.38	1.61	5,50	ASHRAE	ST
MSA182Q-L2H	50Hz	220-50	218	253	865	153	1.42	1,66	5,65	ASHRAE	ST
MSS182Q-L2U	50Hz	220-50	212	247	842	145	1.46	1,70	5,80	ASHRAE	ST
NC1A37QLB	50Hz	220-50	90	105	357	80	1.13	1.31	4.47	ASHRAE	ST
	4										÷

AC R134a LBP

**SPÉCIFICATION** 

#### AC200-240V~50Hz

CD124Q, L1Z2CD130Q, S1ZACD130Q, L1Z2MSA143Q, S1ZMSA151Q, L1AMSA162Q, L1GMSS162Q, L1UMSA170Q, L1BMSA170Q, L1GMSA170Q, L1HMSA182Q, L2HMSS182Q, L2UNC1A37QLB

Healthe		TENSION (V-Inc)	Capacité de refraidissement				•	ITICACI	•		Type de refroidissement
						Enfolie de puissance	RP R.K			Condition de text	Type or introduction
			Real/heure	1643	874.5	٥	Kuti Wh	-	670/Wb		
C01040-U122	50Hz	220-50	43	50	m	12	6,75	0,88	2,99	ASHRAE	97
C0190Q-510A	50Hz	220-50	58	ø	230	74	0,78	0,91	310	ASHRAE	52
C01500-UZ2	50%	220-50	58	67	230	45	0,89	1.04	3.54	ASHRAE	57
H541450-512	50%	235-50	96	112	381	13	118	134	4,99	ASHRAE	57
HEATSTO L'A	50%	20.50	128	140	508	102	1.25	148	5,00	ASHRAE	57
M541620-L16	50-1	220-50	101	176	500		136	1,58	5.40	ASHRAE	57
HEE7420-U/U	50%	220-50	181	176	599	105	1.44	1,67	5.71	ASHRAE	57
MS4000-LIB	5010	220-50	13	201	687	129	1.34	1,56	5.32	ASHRAE	57
MS4(70Q-L1G	50%	220-60	13	201	687	124	1.37	1,60	5.45	ASHRAE	57
MSKI70Q-L/H	50%	220-60	179	198	675	123	1.28	141	5,50	ASHRAE	57
MSA1820-L2H	50%	220-50	218	253	845	153	1.42	1,66	5,65	ASHRAE	57
M587820-L2U	50Hz	220-50	212	207	842	16	1.46	1,70	5,80	ASHRAE	12
NCIA37QU8	50Hz	220-50	90	105	357	80	118	131	4.47	ASHRAE	57
				-				_			

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Subcool, compressor, commercial display fridge, gqr90tg, 1/3 hp-, 480 w, R134a, 220V, mbp



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Subcool, compressor, commercial display fridge, gqr90tg, 1/3 hp-, 480 w, R134a, 220V, mbp

Mbsm.pro, Compressor, kx69Lbeg, LG, Serie Kx, 1/5 hp++, 1/4 hp-, Lbp, r134a, 220-240v, RSIR, PTC, 190 w/input 150 w, capillary 0.040



Mbsm.pro, Compressor, kx69Lbeg, LG, Serie Kx, 1/5 hp++, 1/4 hp-, Lbp, r134a, 220-240v, RSIR, PTC, 190 w, capillary 0.040