

# Mbsm.pro, compressor, HYE81Y, 1/3 hp, lbp, r134

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 6 December 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, HYE81Y, 1/3 hp, lbp, r134

Mbsm.pro, Compressor, PW3.0B, PW4.0B, PW58BM, PW5.0B, PW7.0B, PW9.0B, PW10.0B, PW12.0B, DFB30LF, DFB30L-1F, DFB35L, DFB53L, DFB60L, DFB69L, DFB79L, DFB90L, DFB60S, DFB69S, DFB79S, DFB90S, DFB35T, DFB45T, DFB60T, DFB69T, DFB79T, DFB90T, DFB103T, DFB115T, PW48BMF, DFB55KF, DFB69LKF, DFB79LKF, DFB30DF,

DFB30DLF, DFB40DF, DFB40DLF, DFB50DF,  
DFB50DLF, DFB55DF, DFB55DLF, DFB60DF,  
DFB60DLF, DFB70DF, DFB70DLF

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 6 December 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, PW3.0B, PW4.0B, PW58BM, PW5.0B, PW7.0B, PW9.0B, PW10.0B, PW12.0B, DFB30LF, DFB30L-1F, DFB35L, DFB53L, DFB60L, DFB69L, DFB79L, DFB90L, DFB60S, DFB69S, DFB79S, DFB90S, DFB35T, DFB45T, DFB60T, DFB69T, DFB79T, DFB90T, DFB103T, DFB115T, PW48BMF, DFB55KF, DFB69LKF, DFB79LKF, DFB30DF, DFB30DLF, DFB40DF, DFB40DLF, DFB50DF, DFB50DLF, DFB55DF, DFB55DLF, DFB60DF, DFB60DLF, DFB70DF, DFB70DLF

---

Mbsm.pro, D2sc-55X-Ewl, 5.5HP,  
Copeland, Semi-Hermetic, Compressor

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 6 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Copeland compressor can be used for low/medium and high temperature. These compressors are from Copeland China factory.

DWM Copeland™ Compressors are suitable

For a wide range of applications either in the form of single compressors, condensing units or as multi-compressor equipment

Cooling Capacity at Standard Condition 2.67kW R404A, Evaporating -35° C, Condensing 40° C, Suction Gas Return 20° C, Sub cooling 0K

Mechanical Data

Number of cylinders 2.0 Displacement @ 50 Hz, cu. M/h 18.2

Bore/Stroke, mm 60.4/36.5 Length/Width, mm 470/330

Height, mm 385.0 Net Weight, kg 87.0

Gross Weight, kg 93.0 Suction, inch 1 1/8

Discharge, inch 5/8 Oil Quantity, l 2.0

Frequency Range, Hz 25 – 60 Base mounting (hole dia), mm 295 x 279 (14.0)

Sound Pressure @ 1m, dBA 63.1 Sound Power, dBA 74.1

High Side PS, bar(g) 28.0 Low Side PS, bar(g) 22.5

Electrical Data

Maximum Operating Current, A 9.5 Locked Rotor Current, A 68.5

Default Enclosure Class IP 54 (IEC 34)

Accessories

Mounting Springs 4

Additional Cooling 1 or 2 ways water Coil

Crankcase Heater 70W Internal

Additional Cooling 70W Vertical Air Flow Fan

Additional Cooling 25W Horizontal Air Flow Fan

Adapter Kit For Parallel Operation

Inverter Control Techniques SKB 3400750

odel	nom Displace HP m3/hr		Evaporating temperature (Capctiy R404A/R507)										Electrical amp s/ph				
			-35	-30	-25	-20	-15	-10	-5	0	5	rla*	mcc*	l. r. a			
DKSJ-15X-EWL	1.5	6.3	937	1260	1635	2075	2595	3200	3905						3.2	3.5	20.4
DLE-20X-EWL	2	9.9	871	1430	20700	2810	3665	4655	5805	7130	8655	4.6	5.7	37.6			
DLJ-30X-EWL	3	14.5	1770	2540	3425	4460	5665	7070	8705	10590	12760	6.7	8.0	53			
DLL-40X-EWL	4	18.1	2273	3330	4558	5996	7670	9615	11870	14460	17460	7.9	9.5	68.5			
DLSG-40X-EWL	4	22.5	2980	4175	5625	7300						7.4	8.9	53.4			
D2SC-65X-EWL	6.5	26.9		5100	6750	8700	10900	13500	16400	19800	23700	12.7	16.2	85.3			
D3SA-75X-AWM	7.5	32.2		5600	7650	10500	12850	16100	19800	24100	28900	14.2	17.9	82			
D3SC-100X-AWM	10	38		7150	9500	12250	15500	19300	23800	29000	35000	16.8	21.6	106			
D3SS-150X-AWM	15	49.9		10350	13550	17200	21400	26300	32000	38500	46000	23.2	30.2	125			
D4SA-200X-AWM	20	56		10650	14250	18400	23200	28800	35000	42500	51000	24.2	30.5	160			
D4SH-250X-AWM	25	70.8		13300	17600	22600	28300	3500	42500	51500	62000	31.1	40.1	192			
D4SJ-300X-AWM	30	84.7		15800*	21200	27400	34500	43000	52500	64000	76500	36.2	47.7	218			
D6SH-350X-AWM	35	106		19600*	26000	33500	42000	52000	63500	76500	92000	49.6	62.4	284			
D6SJ-400X-AWM	40	127		23100*	30500	39000	49000	60500	74000	89000	1E+05	55.2	71.8	347			
D6SK-500X-AWM	50	151.8		27200*	36500	47000	59500	73500	90500	109500	1E+05	71	94.7	415			
D8SJ600XB-1	60	181		33000	44000	56500	71500	88500	1E+05	13500	15800	84	107	544			
DKL20X-EWL	2	7.4	940	1330	1790	2330	2950	3700	4500			2.6	3.83	20.4			
DKSL20X-EWL	2	9.1	1390	1860	2410	3060	3820	4700	5700			3.2	4.7	20.4			
DLL30X-EWL	3	18.2	2268	3293	4503	5918						5.5	7.3	53			
D2SA-45X-EWL	4.5	22.4	3160*	4300	56500	7250	9100	11250	13700			7.4	11.4	68.5			
D3SA-75X-AWM	7.5	32.2		5600	7650	10050	12850	16100	19800	24100	28900	10.5	17.9	82			
D3SC-75X-AWM	7.5	38	5013*	6800	9000	11700	14850	18600	22900			12.4	18.7	82			
D3SS-100X-AWM	10	49.9		9950	12900	16300	20300	24900	30500			16.3	26	109			
D4SF-100X-AWM	10	56		11250	14600	18500	23200	28700	35000			16.9	27.1	105			
D4SL-150X-AWM	15	70.8		14700	18900	23900	29700	36500	44000			21.7	35.6	156			
D4ST-200X-AWM	20	84.7		17200	22400	28500	35500	44000	53500			24.2	42.4	175			
D6SL-250X-AWM	25	106		21400	27700	35000	43500	53000	64000			31.4	56.5	199			
D6ST-320X-AWM	32	127		25000	32000	40500	50500	62000	75000			39.2	62.9	255			
D6SU-400X-AWM	40	151.8		29600	38500	49000	61500	75500	92000			47.3	78	304			
D8SJ-450X-BWM	45	181		35500	46500	59000	74000	91000	1E+05			53.3	90.8	458			

D2SC-55XDownload

**Mbsm.pro, Compressor, D110C21RAZ5,  
1/3 hp, 298 w, 11 cc, 256 kcal, 1017  
btu, lbp, r134a, 1ph/220/50hz**

Category: compressor

written by www.mbsm.pro | 6 December 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, D110C21RAZ5, 1/3 hp, 298 w, 11 cc, 256 kcal, 1017 btu, lbp, r134a, 1ph/220/50hz

Mbsm.pro, SECOP, DLE4CNT, compressor, 102H4460, 4cm<sup>3</sup>, r290, 1hp/220v, Lbp freezing (1/4 hp 193w -23.3°C / 54.4°C), mhbp semi-freezing (3/8 hp 341w -6.7°C / 54.4°C), HBp Cooling (5/8 hp 516w 7.2°C/54.4°C)

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 6 December 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, SECOP, DLE4CNT, compressor, 102H4460, 4cm<sup>3</sup>, r290, 1hp/220v, Lbp freezing (1/4 hp 193w -23.3°C / 54.4°C), mhbp semi-freezing (3/8 hp 341w -6.7°C / 54.4°C), HBp Cooling (5/8 516w 7.2°C/54.4°C)

---

**Mbsm.pro, Compressor, Embraco,  
EGYS110CLC, 1/3 hp, lbp, r600a, 263  
w, 1.1a**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 6 December 2024



Mbsm.pro, Compressor, Embraco, EGYS110CLC, 1/3 hp, lbp, r600a, 263 w, 1.1a

---

**Mbsm.pro, Lg, compressor, LQ119NAEM,  
1/3 hp, 227 w, lbp, 774 btu, r600a**

Category: compressor

written by www.mbsm.pro | 6 December 2024



Mbsm.pro, Lg, compressor, LQ119NAEM, 1/3 hp, 227 w, lbp, 774 btu, r600a

---

Mbsm.pro, 1/2HP, LG, Commercial,  
Freezer, Compressor ,Lx110lajm,  
SC21G, r134a

Category: compressor

written by www.mbsm.pro | 6 December 2024




1/2HP, LG, Commercial, Freezer, Compressor ,Lx110lajm, SC21G, r134a

## Mbsm.pro, testing, Compressor, With Seria Lampe , Test to Change

Category: certificate

written by [www.mbsm.pro](http://www.mbsm.pro) | 6 December 2024



Mbsm.pro, testing, Compressor, With Seria Lampe , Test to Change

Mbsm.pro, Compressor, PH31VNET, r22,  
1-1/2 hp, 1-1/2 Ton, 18000 btu/h,  
Capacitor 45uf, 1 ph/220v

Category: compressor

written by www.mbsm.pro | 6 December 2024



TTA180RD00QA						
TTA100RD00PA, TTA200RD00PA	SM120	015-0228	102,800	380/3/50	43,500.00	
TTA120RD00PA, TTA240RD00PA	SM148	015-0228	123,100	380/3/50	48,000.00	

พลาซมาร์ท คอมเพรสเซอร์ (FOR 10-15 TONS)

SCROLL COMPRESSOR ( FOR 10-15 TONS )



TRANE CDU MODEL	MODEL	P/N	BTUH	V/Ph/Hz	LISTED PRICE
RAUP400	SM120	015-0228	102,800	380/3/50	43,500.00
RAUP500, RAUP500 (CSHA-1500)	SM165	015-0228	132,800	380/3/50	52,000.00
RAUP600, RAUP600 (CSHA-1500)	SM185	015-0228	153,000	380/3/50	57,500.00

ROTARY COMPRESSOR ( FOR 0.75-5 TONS )



TRANE CDU MODEL	MODEL	P/N	BTUH	V/Ph/Hz	LISTED PRICE
WTK507AB00/E/G/FBA	RH135VHAT	015-0156	7,777	220/1/50	4,400.00
TTK509PBSEDA	RH154VHST	015-0223	9,087	220/1/50	4,600.00
TTK509PB, WTK509AB00E/G/FBA	RH165VHET	015-0240	9,603	220/1/50	4,550.00
TTK512QB, TTK512LB, TTK015QB, TTK512LBS, TTK512MB5	RH207VRFT	015-0268	12,290	220/1/50	4,300.00
TTK512PB, WTK512AB00E/G/FCA					
TTK515LB00CA, TTK515QB00AA	RH277VHST	015-0246	16,541	220/1/50	6,700.00
TTK518LB00DA, TTK518QB00AA, WTK518AB00E/G/FCA	RH313VAGT	015-0270	18,660	220/1/50	7,000.00
TTK015QB, TTK515LB, TTK018QB, TTK518LB	PH28VNET	015-0148	16,705	220/1/50	7,000.00
TTK518LBS, TTK518MB5	PH31VNET	015-0149	18,570	220/1/50	7,200.00
TTK518PB, WTK518AB00E/G/FBA					
TTK518LB50HA	RH295VAST	015-0334	17,640	220/1/50	6,900.00
NON TRANE MODEL	PH33VNET	999-15043	20,395	220/1/50	7,000.00
WTK524AB00E/G/FBA	PH39VPET	015-0225	23,490	220/1/50	7,600.00
TTK524MB00E/F/GA	PH41VPYT	015-0299	25,655	220/1/50	8,000.00
TTK524QB00A/BA, TTK524LB00GA					
TTK024QB, TTK524LB, TTK524MB	NH41VXBT	888-150055	25,828	220/1/50	9,200.00
TTK524PB00EGA	NH44VXBT	888-150048	26,617	220/1/50	9,100.00
NON TRANE MODEL	NH47VXBT	888-150049	29,514	220/1/50	9,300.00
TTK030QB, TTK530MB	NH52VXBT	015-0284	33,008	220/1/50	9,200.00
TTK530QB, WTK530AB00E/G/FCA					
TTK036QB, TTK536QB, WTK536AB00E/G/FCA	NH56VXBT	015-0276	36,072	220/1/50	9,900.00
TTK036QD, TTK536QD, WTK536AD00E/G/FCA	NH56YXCT	015-0277	36,338	380/3/50	10,700.00



Mbsm.pro, Compressor, PH31VNET, r22, 1-1/2 hp, 1-1/2 Ton, 18000 btu/h, Capacitor 45uf, 1 ph/220v