


Mbsm.pro, Siam, Rotary, Compressor,
R22, RH277-VHAT, RH277VHAT, 1.74 HP,
220v, 2040w

Category: Non classé

written by www.mbsm.pro | 23 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Siam, Rotary, Compressor, R22, RH277-VHAT, RH277VHAT, r22, 1.74 HP, 220v, 2040w

Mbsm.pro, Compressor, Efl120E13DGH,
1/3 hp, r600a, 70g, 317w, 220v,
57–240hz, EFI120E13DGH(80RPS),
Reciprocating Compressors (Variable
Speed), Dc compressor Panasonic
(inverter), Refrigerator-Freezer
Panasonic, NR-B53V1, 615 L

Category: compressor

written by www.mbsm.pro | 23 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w, 220v, 57-240hz, EFI120E13DGH(80RPS), Reciprocating Compressors (Variable Speed), Dc compressor Panasonic (inverter), Refrigerator-Freezer Panasonic, NR-B53V1, 615 L

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

Category: compressor

written by www.mbsm.pro | 23 January 2022

Hitachi Hermetic Compressors

FL Series

STANDARD MODEL

Application & Refrigerant LBP R134a

Application & Refrigerant: L24																						
Model	Nominal Power		F 354				D	Cooling				O	Wg	Motor Type	Power Source					Dimension Type - H		
	HP	W	Hz	Cooling Capacity		cm3		N	Cooling		cm3				Kg	1	2	3	4		5	
				W	Kcal/h				Oil	Fan												T
FL0634	1/12	65	50	78	67	266	3.42				200	6.8	RSCR	•	•	•	•		Type1-165			
			60	90	77	307								•	•	•	•					
FL0739	1/10	75	50	95	82	324	3.94				7.8			•	•	•	•					
			60	108	93	368								•	•	•	•					
FL0845	1/8	85	50	105	90	358	4.50	•			270	8.1	RSIR	•	•	•	•		Type1-179			
			60	118	101	403								•	•	•	•					
FL1052	1/6	100	50	120	103	409	5.19					8.3		RSCR	•	•	•	•		Type2-180		
			60	140	120	478									•	•	•	•				
FL1157		110	50	135	116	461	5.70				240	8.7	CSIR		•	•	•	•		Type1-195		
			60	158	136	539									•	•	•	•				
FL1262	1/5	125	50	150	129	512	6.23	•			320	9.5		RSCR	•	•	•	•		Type2-200		
			60	170	146	580									•	•	•	•				
FL1675		160	50	185	159	631	7.47		•	•	300	10.6	CSIR		•	•	•	•		Type3-211		
			60	210	181	717									•	•	•	•				
FL1888	1/4	180	50	215	185	734	8.83		•	•	300	11.1			•	•	•	•		Type4-216		
			60	250	215	853									•	•	•	•				

Note All data covered by this catalog are given as general information only.

Since we are constantly improving our product, the specification and availability are subject to change with out notice.

Test Conditions (ASHRAE Condition)	Low back pressure (FL, RL, CL Series)	High back pressure (FH Series)
Evaporating Temperature	-23.3°C (-10°F)	7.2°C (45°F)
Condensing Temperature	54.4°C (130°F)	54.4°C (130°F)
Liquid Temperature	32.2°C (90°F)	46.1°C (115°F)
Return gas Temperature	32.2°C (90°F)	35°C (95°F)
Ambient Temperature	32.2°C (90°F)	35°C (95°F)
Power Source	Rated Voltage	

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

Mbsm.pro, Toshiba, Compressor, R410A, PA235G2CS-4KTM1, 2.5 hp, 19931 btu, 1.6 Ton, 1935 w PA235G2CS, 4KTM1, r410a, T3 rotary compressor, PA206G2C-4KTL, PA225G2C-3MT, PA235G2CS-4KTM1

Category: compressor

written by www.mbsm.pro | 23 January 2022






Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Toshiba, Compressor, 2.5 hp, PA235G2CS-4KTM1, 2.5 hp, 19931 btu , 1935 w PA235G2CS, 4KTM1, r410a, T3 rotary compressor, PA206G2C-4KTL, PA225G2C-3MT, PA235G2CS-4KTM1

Mbsm.pro, Hermetic, Compressor,
Electrolux, L88TN, 3/8 Hp ++, R-22,
HMBP, Q=416W, tk-15°C/, tc55, 230V
50Hz, L88TN , ACC, ALPENINOX, ASCASO,
BARLINE ,L88TN, CUBIGEL, EUNASA,
EURFRIGOR , GEV, ICEMATIC, ITV,
SCOTSMAN, SIMAG, ZANUSSI

Category: compressor

written by www.mbsm.pro | 23 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Hermetic, Compressor, Electrolux, L88TN, 3/8 Hp ++, R-22, HMBP, Q=416W, tk-15°C/, tc55, 230V 50Hz, L88TN , ACC, ALPENINOX, ASCASO, BARLINE ,L88TN, CUBIGEL, EUNASA, EURFRIGOR , GEV, ICEMATIC, ITV, SCOTSMAN, SIMAG, ZANUSSI

Mbsm.pro, Huayi, Compressor, B25H, R134a, LBP, COMPRESSORS -B SERIES, B25H5 127V, B25H 220V, Water Dispenser, 220-240V/50HZ, 55w, 1/14 hp, 220-240V/60HZ, 63w, 1/12hp

Category: compressor

written by www.mbsm.pro | 23 January 2022




Mbsm.pro, Huayi, Compressor, B25H, R134a, LBP, COMPRESSORS -B SERIES, B25H5 127V, B25H 220V, Water Dispenser, 220-240V/50HZ, 55w, 1/14 hp, 220-240V/60HZ, 63w, 1/12hp

Mbsm.pro, TECUMSEH, Compressor, Condensing, Units, AHC4540EFZ, FH4540F, FH4524F, FH4528F, FH4531F, FH4540F, R22, 3-1/2 HP, hbp, CSR, 220V ~ 50HZ

Category: compressor

written by www.mbsm.pro | 23 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, TECUMSEH, Compressor, Condensing, Units, AHC4540EFZ, FH4540F, FH4524F, FH4528F, FH4531F, FH4540F, R22, 3-1/2 HP

Mbsm.pro, Panasonic, rotary, compressor, rotary compressor, R22, 220-240V 50HZ, 2jd550D3AA03, 2JD550D,

35.000 BTU, Rla 5.65 A, Lra 21.0 A,
4.375 Hp, 2.91 Ton

Category: compressor

written by www.mbsm.pro | 23 January 2022

JD550D3AA03

HERMALLY PROTECTED R22

PH 50Hz 220 - 240V

Matsushita Electric Industrial Co., Ltd.

SERIAL NO. J55A

C0036563



7077944



WARNING / DANGER



Danger of Electric Shock

- Earth the equipment.
- Disconnect power before work.
- Mount the terminal cover in place.



Danger of Explosion or Fire

- Do not use unprescribed ref. & oils.
- Do not operate air intake into the refrigerant cycle.
- Wear protective goggles.



Caution , Hot Surface

- Do not touch with bare hands.

Mbsm.pro, Panasonic, rotary, compressor, rotary compressor, R22, 220-240V 50HZ, 2jd550D3AA03, 2JD550D, 35.000 BTU, R1a 14.7, Lra 68.0, 4.375 Hp, 2.91 Ton

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

Category: compressor

written by www.mbsm.pro | 23 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

Mbsm.pro, COMPRESSOR, 1/3 HP ++ (big), HERMETIC, TECUMSEH, CAE4440Y, AE4440Y, HBP, R134a, 220-240V, 50 Hz, 1 PH, CSIR

Category: compressor

written by www.mbsm.pro | 23 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, 1/3 HP ++ (big), HERMETIC, TECUMSEH, CAE4440Y, AE4440Y, HBP, R134a, 220-240V, 50 Hz, 1 PH, CSIR