

Kulthorn, Kirby, Compressor,
AE2425ZK, ae 2425zk-sr, R404, 1/2HP,
Hermetic piston compressor, AE2425ZK-
SR, Application: low temperature,
Displacement: 14.14 cm³, Cooling
capacity: 613 W, 220 V / 50 Hz / 1
phase.

Category: compressor

written by www.mbsm.pro | 22 April 2021

16L3

 **KULTHORN**
AE 2425ZK-SR **03D**
220 - 240 V ~ 50Hz R404A/R507
RLA 2.71 LRA 16.3 **CE**

 **KULTHORN KIRBY**
MADE IN THAILAND


03D17L13023143

 **Q-MARK**
 **RoHS TIS.812-2548**

Private Picture Copyright : WWW.MBSM.PRO

Kulthorn, Kirby, Compressor, AE2425ZK, ae 2425zk-sr, R404, 1/2HP, Hermetic piston compressor, AE2425ZK-SR, Application: low temperature, Displacement: 14.14 cm³, Cooling capacity: 613 W, 220 V / 50 Hz / 1 phase.

LG, CSB075NJEG, 1/6HP, R600A, alu wire, refrigerator, compressor, refrigerator, BBS130, BBD230, BBC208S

Category: compressor

written by www.mbsm.pro | 22 April 2021

BUD-DCTAE166	19	CC125-BP	25	CPP330	280	DCPL137-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE167	19	CC125-BP	25	CPP330	280	DCPL137-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE186	19	CC128-BB	25	CPP470	280	DCPL137-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE187	19	CC128-BP	25	CPP650	280	DCPL137-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE206	19	CC155-BB	25	CPP11000	175	DCPL137-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE207	19	CC155-BP	25	CPP12000	175	DCPL137-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE666	19	CC156-BB	25	CPP13000	175	DCPL166-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTAE777	19	CC156-BP	25	CPP14000	175	DCPL166-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE106	19	CC186-BB	25	CPP16000	175	DCPL166-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE107	19	CC186-BP	25	CPP19000	175	DCPL166-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE128	19	CCA	337	CRPSA	175	DCPL167-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE127	19	CDD1/1	171	CRP20	175	DCPL167-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE146	19	CDD1/2	171	CS6/10	15	DCPL167-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE147	19	CDD1/3	171	CS/10	15	DCPL167-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE157	19	CDD1/4	171	CS70	235	DCPL167-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE166	19	CDD1/6	171	CSB075NJEG	235	DCPL186-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE167	19	CDD2/1	171	CSR/16	48	DCPL186-2BG	33	DCCTCE146	15	DF
BUD-DCTCE186	19	CDD2/3	171	CSR/18	48	DCPL186-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE187	19	CD-GH-818	137	CSR/20	48	DCPL187-2BG	33	DCCTCE146	15	DF
BUD-DCTCE206	19	CDR-1	90, 229	CT 1758TD	113	DCPL187-2BG-ETP	33	DCCTCE146	15	DF
BUD-DCTCE207	19	CDR-2	90, 229	CT 1760TD	113	DCPL187-2BG	33	DCCTCE146	15	DF
BUD-ETPL83	63	CF4-78ET	339	CTR11000	175	DCPL187-2BG-ETP	33	DCCTCE146	15	DF
BUD-ETPL84	63	CF4-78GP	338	CTR12000	175	DCPL206-2BD	33	DCCTCE146	15	DF
BUD-ETPL103	63	CF0380-37	388	CTR13000	175	DCPL206-2BD-ETP	33	DCCTCE146	15	DF
BUD-ETPL104	63	CF0380-50	388	CTR14000	175	DCPL206-2BG	33	DCCTCE146	15	DF
BUD-ETPL123	63	CH11000	171	CTR16000	175	DCPL206-2BG-ETP	33	DCCTCE146	15	DF
BUD-ETPL124	63	CH12000	171	CTR19000	175	DCPL207-2BD	33	DCCTCE146	15	DF
BUD-ETPL143	63	CH13000	171	CTR21000	175	DCPL207-2BD-ETP	33	DCCTCE146	15	DF
BUD-ETPL144	63	CH14000	171	CTRE11000	175	DCPL207-2BG	33	DCCTCE146	15	DF
BUD-ETTU104	63	CH16000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DCCTCE146	15	DF
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DCCTCE146	15	DF

Private Picture Copyright : WWW.MBSM.PRO

- + CSB057NJEG 1 / 10HP
- + CSB069NJEG 1 / 8HP
- + CSB075NJEG 1 / 6HP



2021/4/8 18:32

BUD-DCTAE167	19	CC125-BP	25	CPP330	280	DCPL166-2BD-ETP	33	DCTCE146	15	DF
BUD-DCTAE186	19	CC128-BB	25	CPP470	280	DCPL166-2BD	33	DCTCE147	15	DF
BUD-DCTAE187	19	CC128-BP	25	CPP650	280	DCPL167-2BD-ETP	33	DCTCE148	15	DF
BUD-DCTAE206	19	CC155-BB	25	CPP11000	170	DCPL167-2BG	33	DCTCE157	15	DF
BUD-DCTAE207	19	CC155-BP	25	CPP12000	170	DCPL167-2BG-ETP	33	DCTCE166	15	DF
BUD-DCTCE66	19	CC156-BB	25	CPP13000	170	DCPL166-2BD	33	DCTCE167	15	DF
BUD-DCTCE77	19	CC156-BP	25	CPP14000	170	DCPL166-2BD	33	DCTCE166	15	DF
BUD-DCTCE106	19	CC186-BB	25	CPP16000	170	DCPL166-2BG-ETP	33	DCTCE187	15	DF
BUD-DCTCE107	19	CC186-BP	25	CPP19000	170	DCPL166-2BG-ETP	33	DCTCE186	15	DF
BUD-DCTCE128	19	CCA	337	CRP5A	170	DCPL167-2BD	33	DCTCE187	15	DF
BUD-DCTCE127	19	CDD1/1	171	CRP20A	170	DCPL167-2BG	33	DDBF186	164,240	DF
BUD-DCTCE146	19	CDD1/2	171	CS6/10	15,350	DCPL167-2BG	33	DDBF186	164,240	DF
BUD-DCTCE147	19	CDD1/3	171	CS/10	15,350	DCPL167-2BG-ETP	33	DE35180	38,115	DF
BUD-DCTCE157	19	CDD1/4	171	CS70	232	DCPL166-2BD	33	DEF186A	380,115	DF
BUD-DCTCE166	19	CDD1/6	171	CSB075NJEG	235	DCPL186-2BD-ETP	33	DECEFI14-PM	44	DF
BUD-DCTCE167	19	CDD2/1	171	CSR/16	48	DCPL186-2BG	33	DECEP-PM	44	DF
BUD-DCTCE186	19	CDD2/3	171	CSR/18	48	DCPL186-2BG-ETP	33	DEF	44	DF
BUD-DCTCE187	19	CD-GH-818	137	CSR/20	48	DCPL187-2BD	33	DEL-0500	343	DF
BUD-DCTCE206	19	CDR-1	90,229	CT 1758TD	113	DCPL187-2BD-ETP	33	DESSUS-TH168	361	DF
BUD-DCTCE207	19	CDR-2	90,229	CT 1760TD	113	DCPL187-2BG	33	DESSUS-TH207	361	DF
BUD-ETPL83	63	CF4-78ET	339	CTR11000	175	DCPL187-2BG-ETP	33	DEV-FIC	21,305	DF
BUD-ETPL84	63	CF4-78GP	338	CTR12000	175	DCPL206-2BD	33	DIFP90BI	88	DF
BUD-ETPL103	63	CF0380-37	388	CTR13000	175	DCPL206-2BD-ETP	33	DIFP90BL	88	DF
BUD-ETPL104	63	CF0380-50	388	CTR14000	175	DCPL206-2BG	33	DIFP90R	88	DF
BUD-ETPL123	63	CH11000	171	CTR16000	175	DCPL206-2BG-ETP	33	DIFP90VE	88	DF
BUD-ETPL124	63	CH12000	171	CTR19000	175	DCPL207-2BD	33	DIFP90YE	88	DF
BUD-ETPL143	63	CH13000	171	CTR21000	175	DCPL207-2BD-ETP	33	DIPA	163	DF
BUD-ETPL144	63	CH14000	171	CTR11000	175	DCPL207-2BG	33	DIPA600	163	DF
BUD-ETTU104	63	CH16000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DIST91	94	DF
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DIST91A	94	DF

Private Picture Copyright : WWW.MBSM.PRO

Pièces détachées

▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	REF.	€	DÉSIGNATION	REF.	€
Compresseurs					
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBS130	BBS130L.25	14,40
Condenseurs					
Condenseur pour BBC208S, BBD230	BBD230L.08	59	Portes vitrées		
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
Evaporateurs					
Evaporateur pour BBC208S	BBD230S.47	117	Porte vitrée battante pour BBS130	BBS130L.24	222
Evaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée coulissante pour BBC208S	BBD230S.26	205
Evaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
			Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
			Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			Roulette pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : WWW.MBSM.PRO

Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

Category: compressor

written by www.mbsm.pro | 22 April 2021



Private Picture Copyright : WWW.MBSM.PRO

Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

LG rotary, compressor, model,
QJS222PMA, 12700BTU 5.6Amps, EER =
10.7, air conditioner

Category: compressor

written by www.mbsm.pro | 22 April 2021

QJS222PMA CONDENSERS

THERMALLY PROTECTED R22

1PH 50Hz 220-240 V ~ LRA 29

SERIAL NO. 0E1R1184ED23 - A00124



LG



MADE IN THAILAND

WARNING

Service should be performed by trained personnel only.



ELECTRIC SHOCK HAZARD

- Ground the equipment securely.
- Turn off the power before servicing.
- Retain Terminal Cover in position whenever power is applied to this compressor.



BURN HAZARD

- Do not touch the Compressor with bare hands during operation or after stoppage instantly.



EXPLOSION OR FIRE

- Wear safety goggles and gears as system contains oil and refrigerant under pressure.
- Do not compress air.
- Do not use refrigerant and lubricants besides those specified.
- Make sure to connect right way with valves.

SHOT ON MI 9T
AI TRIPLE CAMERA

2021/4/10 21:28

Private Picture Copyright: WWW.MBSM.PRO

LG rotary, compressor, model, QJS222PMA, 12700BTU 5.6Amps, EER = 10.7, air conditioner

no frost, egl99aa zmc refrigerator,
DF40, silver, ideal, zanussi, IDEAL
ZANUSSI, EGL99AA ZMC, DF 40 Elgance,
Compressor, ACC Cubigel, Huayi,
Electrolux, ZEM GL99AA, GL99AA, LBP ,
R134a, 220-240V/1/50Hz, 1/4 HP,
discharge 9.93 cm³, motor type RSIR,
LRA 14.4A

Category: compressor

written by www.mbsm.pro | 22 April 2021



Private Picture Copyright: WWW.MBSM.PRO



[Mbsm_dot_pro_private_PDF_GL99AA-compresseur-acc-cubigell-gl99aaTélécharger](#)
[Mbsm_dot_pro_private_PDF_GL99AATélécharger](#)

Compressor ACC Cubigel Huayi Electrolux ZEM GL99AA, LBP – R134a,
220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm³, motor type RSIR, LRA 14.4A,
expansion device: capillary, cooling: static, weight 11 kg , the statutory
warranty period shall apply (24 months), Delivery time Info: with “immediately
available” and “scarce stock”, usually delivery within 2 days. For “currently
not available” delivery time usually 2 weeks or delivery time in urgent cases
contact us.

Refrigerant:	R134a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	4,9 mm
Suction:	6,5 mm

Working area:	LBP
Design type:	Hermetic
Model series:	GL
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 22 Ester
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions (length × width × height):	23,10 × 16,20 × 18,60 cm
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	GL99AA
Stroke volume (cm3):	9,93
Cooling capacity (W):	174
Power (HP):	0,25
Max. Starting current (A):	14,4
Max. Operating current (A):	1,31
Engine type:	RSIR
COP:	0,92
Note:	Static cooling
Conveying and suction volume (m3):	1,72
Oil quantity (l):	0,295
Compressor type:	Piston
Cooling:	Static
RPM:	2900
Power range:	-35 C to -10 C
Alternative:	HLY90AA, NL11F
Pressure line (mm):	4,9
Suction line (mm):	6,5

ZMC C **GL99AA** 0326
220-240V~50Hz
R 134a
MADE IN EGYPT
CE
482
50-3975 6

COMPRESSOR

Displacement (cm ³)	9.95
Diameter (mm)	25.4
Stroke (mm)	19.62
Net Weight (Kg)	9.6
Oil type	ISO VG 22 ESTER
Oil charge (cm ³)	295

MOTOR

Approximate Power (CV)	1/4
Voltage/Frequency (V/Hz)	220V 50Hz
Voltage range (V)	187-264
Code	-
Type	RSIR
Phase number	1 PH
Locked rotor current (A)	14.0
Main W. resist. at 25°C (Ω)	9.96
Start W. resist. at 25°C (Ω)	20.39

ELECTRICAL COMPONENTS

Relay	PTC 3003 - K100		
Nominal voltage (V)	200 - 240		
Resistance μ	14,00		
Protector	MRP336JZ	T0377	AE11FU

APPLICATION

Application	Low back pressure
Refrigerant	R134a
Evaporating (°C)	-35 to -10
Expansion	Capillar
Comp. cooling	Static
Max. ambient temp. (°C)	43

NOMINAL PERFORMANCE

	CYCLE A	CYCLE B
Cooling capacity (W)	175	238
Input power (W)	189	200
EER (kcal/Wh)	0.79	1.02
COP (W/W)	0.92	1.19
Current (A)	1.31	1.34

TEST CONDITIONS

	CYCLE A	CYCLE B
Evaporating temp. (°C)	-25.0	-23.3
Condensing temp. (°C)	55.0	55.0
Liq.t. entering expan. (°C)	55.0	32.0
Ambient t. and return (°C)	32.0	32.0
Tens/Freq (V/Hz)	220V 50Hz	220V 50Hz



موديل : KGT1

الشركة العالمية لصناعة الأجهزة المنزلية - الاسكندرية

١,٢ امبير

١٩٥ وات

٥٠ هيرتز

٢٢٠ فولت ~

السعة : ١,٣ اقدم

درجة الحماية : IPX2

التصنيف : ST

الشحنة : ١٧٠ جم ف ١٣٤ ا

سنة الانتاج

No.

٣٠٣٣

صنع في مصر

200

3 2

٢٠٠٥/٢٢٠

Made in Egypt



Private Picture Copyright : WWW.MBSM.PRO



REDMI NOTE 9 PRO
AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO



REDMI NOTE 9 PRO
AI QUAD CAMERA


Private Picture Copyright : WWW.MBSM.PRO



Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

ZMC

EGL99AA 1002


220-240V~50Hz

R 134 a

MADE IN EGYPT



3 480

0250659 



Private Picture Copyright : WWW.MBSM.PRO

Tecumseh, Copeland, Compressor,
Cross, Reference, P12FW, Compressor,
R-12, 1/3HP, 230V, HMBP, ACC-
ELECTROLUX, CUBIGEL/HUAYI

Category: compressor

written by www.mbsm.pro | 22 April 2021




Private Picture Copyright : WWW.MBSM.PRO

Tecumseh, Copeland, Compressor, Cross, Reference, P12FW, Compressor, R-12, 1/3HP, 230V, HMBP, ACC-ELECTROLUX, CUBIGEL/HUAYI

Specification for r-22 Compressor, Ph Rotary Models Specification, PH41VPJT, 2 Ton, Mitsubishi Rotary Compressor, 24000BTu

Category: compressor

written by www.mbsm.pro | 22 April 2021



Galaxy Z Flip3 5G

Private Picture Copyright : WWW.MBSM.PRO

Product Specification

Horse Power

2 Ton

Brand

Mitsubishi

Compressor Technology

Rotary Compressor

Rental Available	No
Spares Available	No
Is It Portable	Yes
Installation/After Sales Service Available	No
Cylinder	1
Warranty	1 Year
Phase	Single
Weight	28 Kg
No. Of Cylinder	1
Cylinder Type	Round
Voltage	220 V
Material	Copper
Accessories	No
Application	AC
Color	Black



REFRIGERANT COMPRESSOR

MODEL PH41VPJT

DATE	28022004	PHASE	
VOLT AC	220-240		
FREQ.	50 Hz	L.R.A.	59/64 A
REFRIGERANT	R-22	OIL	MS-32N1
AP	28 Kg/cm^2	SP	84 Kg/cm^2



PH41VPJT A0019344AA

LICENSED BY MITSUBISHI ELECTRIC
SIAM COMPRESSOR INDUSTRY CO., LTD.

MADE IN
THAILAND

[Mbsm_dot_pro_private_PDF_Rotary-CatalogueTélécharger](#)

[Mbsm_dot_pro_private_PDF_SCI_Rotary_Compressor-PHTélécharger](#)

**Refrigerator, compressor, E1134CZA,
1/2 hp, E1130CZA, E1121CZA, 3/8HP,
commercial, freezer, R134a**

Category: compressor

written by www.mbsm.pro | 22 April 2021

 **E1121CZA** 
220-240V-50Hz 1PH
THERMALLY PROTECTED
   
<http://www.dongger.com> A000583 **R134a**

D123810213206602016

Refrigerator, compressor, E1134CZA, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a

COMPRESSOR, MX21TBa, R404A, 1HP, CUBIGEL, HMBP, 220/240V, 50Hz, 20,72 cm³

Category: compressor

written by www.mbsm.pro | 22 April 2021



Private Picture Copyright : WWW.MBSM.PRO

Détails techniques

220/240V 50Hz

puissance 1 HP – cylindrée 21,75 cc

gaz R404a/R507 HMBP

...et d'autres dispositifs

MX21TB – ACC – CELLI

MX21TB – CUBIGEL – ELECTROLUX

605093 – GEV – ITV



Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_danfoss_MX21TBa_R404A_220_50Télécharger

Brand: Cubigel

UPC: 3070063

Manufacturer reference: MX21TBa

Application: HMBP

Power supply: 220/240V 50Hz

Cooling capacity: 3047 W

Horsepower: 1 Hp

Displacement: 21.7 cm³

Refrigerant: R404a/R507

Weight: 17.5 kg

Motor type: CSR

Type: Hermetic reciprocating compressor

**RÉFRIGÉRATEUR NIKAI, nrf480fn4, 165W,
Compressor, ATD60L, Wanbao Huaguang**

Refrigerator, 1/5Hp, R134A, 120G, 1.25A, 220V/50HZ

Category: compressor

written by www.mbsm.pro | 22 April 2021

NIKAI® REFRIGERATOR

MODEL: NRF480FN4

Rated Voltage	220-240V~
Rated Frequency	50Hz
Rated Current	1.25A
Rated Input Power	165W
Defrosting Power	150W
Electricity Consumption	1.385kw.h/24h
Climate Classification	T
Classification of Protection Against Electric Shock	Class I
Lamp Power	≤15W
Foaming Agent	CsH10(CP)
Refrigerant and Inject Amount	R134a/120g
Freeze Capacity	5.0kg/24h
Weight	65kg

MADE IN CHINA صنع في الصين

CB

ELECTRIC DIAGRAM

NIKAI GULF FZCO
PO BOX 9200 DUBAI UAE

نيكاي جلف فزكو
مستودع بريد 9200 دبي دولة الإمارات العربية المتحدة

REDMI NOTE 8 PRO
AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

RÉFRIGÉRATEUR NIKAI, nrf480fn4, 165W, Compressor, ATD60L, Wanbao Huaguang Refrigerator, 1/6Hp, R134A, 120G, 1.25A, 220V/50HZ