

Panasonic used freezer/Refrigerator compressor,working R134a refrigerant.

Category: compressor

written by www.mbsm.pro | 2 June 2020

Panasonic compressor

پاناسونیک

FN43	small 1/8HP	220V	Rotary	R134a&R12
FN51	1/8HP	220V	Rotary	R134a&R12
FN57	1/6HP	220V	Rotary	R134a&R12
FN66	Big 1/6HP	220V	Rotary	R134a&R12
FN77	1/5HP	220V	Rotary	R134a&R12
FN91	1/4HP	220V	Rotary	R134a&R12
FN110	1/3HP	220v	Rotary	R134a&R12
FN43	small 1/8HP	220V	Rotary	R134a&R12
FN51	1/8HP	220V	Rotary	R134a&R12
FN57	1/6HP	220V	Rotary	R134a&R12
FN66	Big 1/6HP	220V	Rotary	R134a&R12
FN77	1/5HP	220V	Rotary	R134a&R12
FN91	1/4HP	220V	Rotary	R134a&R12
FN110	1/3HP	220v	Rotary	R134a&R12

Private Picture Copyright : WWW.MBSM.PRO

Panasonic used freezer/Refrigerator compressor,working R134a refrigerant.

FN43	small 1/8HP	220V	Rotary	R134a&R12
FN51	1/8HP	220V	Rotary	R134a&R12
FN57	1/6HP	220V	Rotary	R134a&R12
FN66	Big 1/6HP	220V	Rotary	R134a&R12
FN77	1/5HP	220V	Rotary	R134a&R12
FN91	1/4HP	220V	Rotary	R134a&R12
FN110	1/3HP	220v	Rotary	R134a&R12
FN43	small 1/8HP	220V	Rotary	R134a&R12
FN51	1/8HP	220V	Rotary	R134a&R12
FN57	1/6HP	220V	Rotary	R134a&R12
FN66	Big 1/6HP	220V	Rotary	R134a&R12
FN77	1/5HP	220V	Rotary	R134a&R12
FN91	1/4HP	220V	Rotary	R134a&R12
FN110	1/3HP	220v	Rotary	R134a&R12

FN43	small 1/8HP	220V	Rotary	R134a&R12
FN51	1/8HP	220V	Rotary	R134a&R12
FN57	1/6HP	220V	Rotary	R134a&R12
FN66	Big 1/6HP	220V	Rotary	R134a&R12
FN77	1/5HP	220V	Rotary	R134a&R12
FN91	1/4HP	220V	Rotary	R134a&R12
FN110	1/3HP	220v	Rotary	R134a&R12
FN43	small 1/8HP	220V	Rotary	R134a&R12
FN51	1/8HP	220V	Rotary	R134a&R12
FN57	1/6HP	220V	Rotary	R134a&R12
FN66	Big 1/6HP	220V	Rotary	R134a&R12
FN77	1/5HP	220V	Rotary	R134a&R12
FN91	1/4HP	220V	Rotary	R134a&R12
FN110	1/3HP	220v	Rotary	R134a&R12

FN43GY

AC 220-240V-50/60 Hz 1PH
Voltage Range: 165-260V

R134a

THERMALLY PROTECTED

NO. 2005829

GOLD TROPICAL VERSION

Cubigel, Danfoss, GL80AAb, GL80AA, R134a, (LBP), compressor 1/5HP, Low-temperature

Category: compressor

written by www.mbsm.pro | 2 June 2020

Cubigel GL80AAb R134a (LBP) compressor



Characteristic

Manufacturer	Cubigel
Compressor brand	Cubigel
Model	L
Compressor type	Hermetic piston
The purpose of the compressor	Low-temperature
Refrigeration ratio (EN 12900)	0.88
Performance regulation	No
Power compressor	Phase 1/220 B/50 Hz
Cool performance range (EN 12900), kW	0-1
Cold-performance (T0-35/Tk40), kW	0,103
Height, mm	192
Length, mm	250
Width, mm	200
Net weight, kg	9
Amount of oil, l	0.295
Noise level, dBA	60

[Back to the higher level](#)

Private Picture Copyright: WWW.MBSM.PRO

Cubigel, Danfoss, GL80AAb, R134a, (LBP), compressor 1/5HP, Low-temperature

R134a, High Temperature, Hermetic, Compressor, TECUMSEH, AE1144E, HP 1/3 (lbp), AE3440Y, HP 1/3(Big+), HBP/CBP – High/Commercial Back Pressure, 1 Phase

Category: compressor

written by www.mbsm.pro | 2 June 2020

Application	High Temperature
B/M	AE1155E-212-J7
BtuH Capacity @ 45°F Evap.	4350
CCH	No
Compressor	Reciprocating
Discharge Conn.	1/4" IDS
HP	1/3
Height	8
Mounting Centers	4" x 6-1/2"
Overload	B18-516
Phase	1
Refrigerant	R134a
Relay	B18-498
Starting Torque	Normal
Suction Conn.	5/16" IDS
Volts	115
Wt. Lbs.	23
Shipping Weight	23.80
Shipping Width	9.80
Shipping Length	13.60
Shipping Height	10.10



Private Picture Copyright : WWW.MBSM.PRO

R134a, High Temperature, Hermetic, Compressor, TECUMSEH, AE1144E, HP 1/3 (lbp), AE3440Y, HP 1/3(Big+), HBP/CBP – High/Commercial Back Pressure, 1/3 HP/Ton , 1 Phase

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO FROST

Category: compressor

written by www.mbsm.pro | 2 June 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO FROST

L76CZ1, Donper, R134A, 220W, 220-240V/50-60HZ, 1Phase, 1/4 Hp, (+BIg = 1/3-Hp), compressor, Hermetic, refrigerator, RSIR, oil 250 ML

Category: compressor

written by www.mbsm.pro | 2 June 2020

Model	Application	Power supply	Refrigeration capacity	Power	Cylinder volume	Refrigerant	Motor	COP:	Weight	Working current
K230CZ1	Refrigerator	220v~240v /50Hz	230W	220W	8.3cm ³	R134a	RSIR	1.3WW	9.7 ± 0.4kg	1.35A
K270CZ1	Refrigerator	220v~240v /50Hz	270W	220W	9.5cm ³	R134a	RSIR	1.3WW	9.8 ± 0.4kg	1.5A
K325CZ1	Refrigerator	220v~240v /50Hz	325W	235W	11.4cm ³	R134a	CSIR	1.3WW	9.9 ± 0.4kg	1.6A
K375CZ1	Refrigerator	220v~240v /50Hz	375W	310W	12.7cm ³	R134a	CSIR	1.3WW	9.9 ± 0.4kg	2.1A
L58CZ1	Refrigerator	220v~240v /50Hz	150W	120W	5.8cm ³	R134a	RSIR	1.3WW	7.8 ± 0.4kg	0.85A
L65CZ1	Refrigerator(200L~320L)	220v~240v /50Hz	170W	136W	6.5cm ³	R134a	:RSIR	1.25W/W	8.2 ± 0.4kg	1.15A
L72CZ1	Refrigerator(200L~370L)	220v~240v /50Hz	195W	150W	7.2cm ³	R134a	RSIR	1.3WW	9.1 ± 0.4kg	1.04A
L76CZ1	Refrigerator(280L~360L)	220v~240v /50Hz	220W	170W	7.6cm ³	R134a	RSIR	1.32W/W	8.9 ± 0.4kg	1.4A
NE5165CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	850W	380W	9cm ³	R134a	RSIR	2.1WW	11 ± 0.5kg	2.3A
NE6188CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	860W	410W	12.1cm ³	R134a	CSIR	2.0WW	11 ± 0.5kg	2.6A
NE6210CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	1050W	500W	14.2cm ³	R134a	CSIR	2.1WW	11.2 ± 0.5kg	3.5A

Private Picture Copyright : WWW.MBSM.PRO

L76CZ1, Donper, R134A, refrigerator, RSIR, 220W, 1/4 Hp, (+BIg), (1/3- HP), compressor, High Pressure, High Pressure ,

Electrolux, Group, Compressor, Fridge-Freezer, R600a, 1/10HP, S53CY, 1PH220V50HZ, LBP, Industrial, Refrigeration

Category: compressor

written by www.mbsm.pro | 2 June 2020



SHOT ON OPPO

Private Picture Copyright : WWW.MBSM.PRO

Electrolux, Group, Compressor, Fridge-Freezer, R600a, 1/10HP, S53CY 1PH220V50HZ, LBP, Industrial, Refrigeration

Relais, démarrage, klaxon, compresseur, réfrigérateur, ZEM A2P9 A6D8 8100 , Branchement, Compressor CSR avec Condensateur 5Mic

Category: compressor

written by www.mbsm.pro | 2 June 2020



Private Picture Copyright : WWW.MBSM.PRO


Relais, démarrage, klaxon, compresseur, réfrigérateur, ZEM A6D8 8100 ,
Branchement, Compressor CSR avec Condensateur 5Mic

PDF , HVAC et Refrigeration Parts, Copper, Chemicals, Compressors, Controls, Coils, Fans & Motors, Electronics, Service Tools, Supplies


Category: Solutions,Technologie

written by www.mbsm.pro | 2 June 2020

Dimension of the paddle (Unit: inch)



FSF50P-1(A)/FSF50P-2(A)/FSF50P-3(A)



FSF50P-1SN

Application:

- FSF series flow switches are used in measuring and controlling the flow of the liquid in the pipe, such as water, alcohol, etc., as well as in the places where it needs chain effect or cutout protection.

FSF series flow switches have SPDT switch, full-sealing structure as its shell, and stainless steel as its inside components, which can assure its use in any conditions. FSF-A series flow switches are used for caustic fluid liquid, the materials of FSF-A in contact with the medium is stainless steel.

Feature:

- Ambient temperature: -20~50°C.
- Liquid temperature: -25~120°C.
- Max. liquid pressure: 1.5MPa.
- Approvals: DnV, Det norske Veritas(Norway), CQC(China)CE (Europe).

Our Customers:



Private Picture Copyright: WWW.MBSM.PRO

PDF , HVAC et Refrigeration Parts, Copper, Chemicals, Compressors, Controls, Coils, Fans & Motors, Electronics, Service Tools, Supplies

Compressor, KONOR, gqy90aa, GQR90AA, R134a, 220-240V 50Hz, LBP , RSIR, 10,1kg 1/4HP, 220W

Category: compressor

written by www.mbsm.pro | 2 June 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor, KONOR, GQR90AA, R134a, 220-240V 50Hz, LBP , RSIR, 10,1kg 1/4HP, 220W

EGU130HLR, Embraco, ASPERA, 1/3Hp,
Lbp, Compressor, Hermetic, 313 W, Oil
Volume (L) 0.18 Oil POE 22 Vladagent,
R-134, B/Hz/f 220-240 V /50/1

Category: compressor

written by www.mbsm.pro | 2 June 2020



Private Picture Copyright: WWW.MBSM.PRO

EGU130HLR, Embraco, ASPERA, 1/3Hp, Lbp, Compressor, Hermetic, 313 W, Oil Volume (L) 0.18 Oil POE 22 Vladagent, R-134, B/Hz/f 220-240 V /50/1