

Winter Company

Category: Refrigeration

written by www.mbsm.pro | 21 October 2025



ight www.mbsmpro.com

ight www.mbsmpro.com

pyright : WWW.MBSM.PRO

WINTER
REFRIGERATION





6th of October City (2), Giza Governorate | 2024.08.05 17:16

picture copyright www.mbsmpro.com

Private Picture Copyright : WWW.MBSM.PRO



 01060032262

  **WINTERREFRIGERATION**

picture copyright www.mbsmpro.com


Private Picture Copyright : WWW.MBSM.PRO



 **WINTER**
REFRIGERATION



WINTER BLUE
Vertical Liquid Receiver
Model: 10000-1000-10
Refrigerant: R134a
Capacity: 10000 L
Weight: 1000 kg
Height: 1000 mm
CE 0000

WINTER BLUE
Vertical Liquid Receiver
Model: 10000-1000-10
Refrigerant: R134a
Capacity: 10000 L
Weight: 1000 kg
Height: 1000 mm
CE 0000

 01060032262

  **WINTERREFRIGERATION**

picture copyright www.mbsmpro.com

Private Picture Copyright : WWW.MBSM.PRO

WINTER
REFRIGERATION



6th of October City (2), Giza Governorate | 2024.08.05 17:16

picture copyright www.mbsmpro.com

Private Picture Copyright : WWW.MBSM.PRO

Winter Company for Refrigeration offers all refrigeration accessories sourced

from top international brands including blue. Located in 6th of October City, Industrial Zone 2, Hamada Street, the company welcomes visits to explore their wide range of products. They can be contacted via phone numbers 01060032262, 01022856319, and 0155 522 6348 for inquiries and support.

Winter specializes in supplying high-quality refrigeration compressors, cooling units, and complete refrigeration packages for industrial and commercial use. Their products meet international standards for reliability and energy efficiency. The company has extensive experience servicing refrigeration systems in Egypt, especially within industrial zones.

Customers can rely on Winter for both product supply and technical maintenance support, making it a prominent choice in refrigeration solutions in the region. For detailed product specifications or tailored solutions, direct contact or visits to the company's location are recommended, ensuring personalized service and expert advice.

This company is part of a global network that provides industrial refrigeration solutions, including ammonia and CO2-based systems with a focus on environmental protection and efficient cooling technology. [winter-kaeltetechnik+2](#)

In summary, Winter Company offers trusted refrigeration products and services ideal for various refrigeration needs in Egypt's industrial sectors, backed by internationally certified products and expert technical support.

1. <https://www.fortender.com/vendors/profiles/winter-air-conditioning-refrigeration-llc>
2. <https://ae.linkedin.com/company/winter-refrigeration>
3. <https://www.winter-kaeltetechnik.com/index-en.html>
4. <https://www.winter-company.com/en/contact/>
5. <https://www.facebook.com/groups/402355509267067/>
6. <https://www.facebook.com/p/Winter-refrigeration-100079267262555/>

Www.mbsp.pro.com Informations Pub

Name: Winter Company

Phone: 01060032262, 01022856319, and 0155 522 6348

Address: 6th of October City

Country: Egypt's industrial sectors

Original Article:

<https://www.facebook.com/groups/338775263348394/user/100079267262555>

Mbsm.pro, ACC , Electrolux,
Compressors, R404a, CML45FB3N,
CML60FB3N, CML80FB3N, CML90FB3N,
CMP12FB3N, CMP14FB3N, CMX18FB3N,

CMR22FB3N, CMS26FB3N, CMS30FB3N,
 CML40TB3N, CML45TB3N, CML60TB3N,
 CML80TB3N, CML90TB3N, CMP12TB3N,
 CMP14TB3N, CMX16TB3N, CMX18TB3N,
 CMR22TB3N, CMS26TB3N, CGL40TB3NR,
 CGL45TB3NR, CGL60TB3NR, CGL90TB3NR,
 CGP10RB3N, CGP12TB3NR, CGP14TB3NR,
 CGX18TB3N, CGX21TB3N, CGS26TB3N,
 CGS30TB3N, CGS34TB3N

Category: compressor

written by www.mbsm.pro | 21 October 2025

Model	Compressor					Amb. Temp	R404a Capacity [watts]								Suction liquid	Dimensions [mm]			Weight kg
	Displ. cm3/rev	HP	Motor Type	Input [Watts]	FLA [A]		Evaporating temp. [°C]									L	W	H	
							-25	-20	-15	-10	-5	0	5	10					
CML40TB3N	4.0	1/5	CSIR	348	2.0	32	205	253	309	372	440	516	597	687	3/8" : 1/4"	425	325	235	14.6
						38	189	234	285	343	406	476	551	634					
						43	178	220	268	322	381	447	518	596					
CML45TB3N	4.5	1/4	CSIR	385	2.2	32	221	277	338	405	477	555	640	724	3/8" : 1/4"	425	325	235	14.7
						38	204	256	312	373	440	512	590	668					
						43	192	240	293	351	413	481	555	628					
CML60TB3N	5.7	1/3	CSIR	477	2.8	32	274	345	421	506	596	693	797	907	3/8" : 1/4"	425	330	245	22.7
						38	253	318	389	466	550	639	735	837					
						43	238	299	365	438	517	601	691	787					
CML80TB3N	7.6	3/8	CSIR	570	3.3	32	420	493	584	692	818	961	1122	1300	3/8" : 3/8"	450	355	270	23.5
						38	388	455	539	638	754	886	1035	1199					
						43	364	428	506	600	709	833	972	1127					
CML90TB3N	8.9	1/2	CSIR	700	4.0	32	434	545	665	798	940	1094	1258	1433	3/8" : 3/8"	425	355	270	23.9
						38	400	503	614	736	867	1009	1160	1321					
						43	376	472	577	692	815	948	1090	1242					
CMP12TB3N	12.0	1/2	CSR	860	4.1	32	598	755	926	1113	1317	1537	1772	2023	3/8" : 3/8"	480	425	350	29.8
						38	552	696	854	1027	1215	1417	1634	1866					
						43	519	655	803	965	1142	1332	1536	1754					
CMP14TB3N	14.0	5/8	CSR	1000	4.9	32	631	810	1002	1208	1429	1662	1911	2172	3/8" : 3/8"	500	425	350	29.9
						38	582	747	924	1114	1318	1533	1762	2004					
						43	547	702	869	1047	1239	1441	1657	1883					
CMX16TB3N	16.0	1	CSR	1163	5.8	32	751	973	1198	1428	1661	1899	2140	2385	3/8" : 3/8"	495	430	350	30.0
						38	708	916	1129	1345	1564	1788	2015	2246					
						43	671	869	1070	1276	1483	1696	1911	2130					
CMX18TB3N	18.4	1 1/8	CSR	1370	7.0	32	812	1024	1242	1466	1697	1933	2176	2425	3/8" : 3/8"	500	430	350	33.0
						38	765	965	1169	1381	1598	1820	2049	2283					
						43	725	915	1109	1310	1516	1726	1944	2165					
CMR22TB3N	21.2	1 1/4	CSR	1228	6.3	32	885	1126	1397	1698	2031	2396	2787	3213	1/2" : 3/8"	525	455	440	41.2
						38	816	1038	1288	1567	1873	2210	2571	2963					
						43	767	976	1211	1473	1761	2077	2416	2785					
CMS26TB3N	25.9	1 1/2	CSR	1772	9.0	32	1218	1553	1911	2289	2690	3113	3557	4023	1/2" : 3/8"	515	455	440	43.7
						38	1124	1433	1762	2111	2481	2871	3280	3711					
						43	1056	1347	1657	1984	2333	2699	3084	3488					

Private Picture Copyright : WWW.MBSM.PRO

CML45FB3N, CML60FB3N, CML80FB3N, CML90FB3N, CMP12FB3N, CMP14FB3N, CMX18FB3N,
 CMR22FB3N, CMS26FB3N, CMS30FB3N, CML40TB3N, CML45TB3N, CML60TB3N, CML80TB3N,
 CML90TB3N, CMP12TB3N, CMP14TB3N, CMX16TB3N, CMX18TB3N, CMR22TB3N, CMS26TB3N,
 CGL40TB3NR, CGL45TB3NR, CGL60TB3NR, CGL90TB3NR, CGP10RB3N, CGP12TB3NR,
 CGP14TB3NR, CGX18TB3N, CGX21TB3N, CGS26TB3N, CGS30TB3N, CGS34TB3N

Mbsm.pro, Compressors, Hermetic reciprocating

Category: compressor

written by www.mbsm.pro | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Compressors,
Hermetic reciprocating,
Cubigel Compressors R134A/R513A LBP,

Mbsm.pro, Tecumseh, Compressors, R134a, M/HBP

Category: compressor

written by www.mbsm.pro | 21 October 2025



Tecumseh Compressors R134a M/HBP

Tecumseh created the world's first hermetic compressor for the commercial refrigeration industry in the 1930s and created our reputation as a pioneer of refrigeration solutions. Today, our offerings reach much further than hermetic compressors.

Tecumseh is a global manufacturer of hermetic reciprocating and rotary compressors. We supply to applications to include; Domestic, light commercial, commercial along with air conditioning and heat pumps.

Refrigerant capabilities are numerous with suitability for HFC, HFO and HC options. Tested and compliant to all applicable standards Tecumseh represents quality, best in class efficiency, robust design and proven long life. A compressor that will not let you down, or your customer.



CODE	MODEL	C.C.	Wattss	BTU/HR	Control	Voltage	List Price
TECC110-T	CAJ4461Y-FZ	18.3	723	2,467	CV	230.1	£564.00
TECC110-V	CAJ4461Y-FZ	18.3	723	2,467	CV	230.1	£571.00
TECC114-T	CAJ4492Y-FZ	25.9	1,065	3,634	CV	230.1	£647.00
TECC114-V	CAJ4492Y-FZ	25.9	1,065	3,634	CV	230.1	£654.00
TECC116-T	CAJ4511Y-FZ	32.7	1,429	4,876	CV	230.1	£696.00
TECC116-V	CAJ4511Y-FZ	32.7	1,429	4,876	CV	230.1	£703.00

Private Picture Copyright : WWW.MBSM.PRO

Tecumseh Compressors R134a M/HBP

Mbsm.pro, compressor, Sanyo, Rotary, Split system air conditioner, Compressors, C-R221H5S, S6231526791, 24000 btu, R22, 3 hp, 2 ton

Category: air conditioner,compressor
written by www.mbsm.pro | 21 October 2025

SANYO



MODEL C-R221H5S

CODE 80687145

SELF-PROTECT



CHINA RESOURCES SANYO (SHENYANG) COMPRESSOR CO., LTD.

沈阳三洋压缩机有限公司

WARNING-SERVICEMAN

- 1. FIELD SERVICE LEAK TEST PRESSURE MUST NOT EXCEED 40PSI (2.7MPa)
 - 2. THE COMPRESSOR MUST BE GROUNDED.
 - 3. DO NOT OPERATE WITHOUT PROTECTIVE COVER OVER TERMINALS
- DISCONNECT ALL POWER BEFORE REMOVING THE PROTECTIVE COVER

CAUTION

COMPRESSOR HOUSING MAY REACH 100°C WITH THERMAL PROTECTOR
APPROVED BY SANYO AND TESTED IN ACCORDANCE WITH JIS T14

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Sanyo, Rotary, Split system air conditioner, Compressors, C-R221H5S, S6231526791, 24000 btu, R22, 3 hp, 2 ton

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B, inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input, cooling 293 btu to 904 , 1/3 hp, r600a, lbp

Category: compressor

written by www.mbsm.pro | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B, inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input, cooling 293 btu to 904 , 1/3 hp, r600a, lbp

Commercial refrigerator, compressors, GLY16RG, 3/8 hp++, R134a, HMBP, 1492W, r134, Compressor ACC, Cubigel,

Huayi, Electrolux, ZEM

Category: compressor

written by Amina | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO

Commercial refrigerator, compressors, GLY16RG, 3/8 hp++, R134a, HMBP, 1492W,

r134, Compressor ACC, Cubigel, Huayi, Electrolux, ZEM

Mbsm.pro, Compressors, Danfoss,
R134a, FR11G, 1/4 hp++, 1/3 hp-, HBP,
103g6980, 103g 6980, 103 g 6980,
195B0028, 103G6980

Category: compressor

written by www.mbsm.pro | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO


Mbsm.pro, Compressors, Danfoss, R134a, FR11G, 1/4 hp++, 1/3 hp-, HBP, 103g6980,
103g 6980, 103 g 6980, 195B0028, 103G6980

Mbsm.pro, Danfoss, Scroll,
Compressors, HRH, HLH, HLJ, R410A,
6hp, HLJ072T5LP6, HLJ075T5LP6,

HLJ083T5LP6, 3 ph, 380 v

Category: compressor

written by www.mbsm.pro | 21 October 2025



Private Picture Copyright : WWW.MBSM.PRO



Norme d'approbation	CE -UL
Résistance de l'enroulement auxiliaire (enroulement de démarrage) pour les compresseurs monophasés [Ohm]	1,02 ohm
Technique de la marque	Compresseur scroll
Contrôle de capacité	Vitesse fixe
Capacité du condensateur A	55 µF
Capacité du condensateur B	88-108 µF
Couleur	Noir
Alimentation du compresseur [V/Ph/Hz]	220-240/1/50
Code de configuration	Seul
Type de connexion	Brasé
La description	HLJ083T5
Diamètre [mm]	184 millimètres
Hauteur de raccordement de refoulement [mm]	422 millimètres
Taille du tuyau de raccordement de décharge [po]	1/2 po
Taille de la connexion de décharge [po]	1/2 po
Numéro de dessin	0XR6002B-2
Économiseur	Non
Norme de montage	FDAL
Fréquence [Hz]	50
Orifice manomètre HP	Aucun
Orifice de jauge LP	Aucun
Égalisation gaz	Aucun
Montage sur verre	Aucun
Pression max côté haut (Ps)	46,1 bars

Valeur haute de la tension nominale à 50Hz [V]	230V
Valeur haute de la tension nominale à 60Hz [V]	0V
Valeur élevée de la plage de tension à 50 Hz [V]	253V
Valeur élevée de la plage de tension à 60 Hz [V]	0V
Classe de protection IP	IP22
Longueur [mm]	239 millimètres
Pression max côté bas (Ps)	31,1 bars
Basse valeur de la tension nominale à 50Hz [V]	230V
Basse valeur de la tension nominale à 60Hz [V]	0V
Valeur basse de la plage de tension à 50 Hz [V]	207V
Valeur basse de la plage de tension à 60 Hz [V]	0V
LRA	130 A
Résistance de l'enroulement principal pour les compresseurs monophasés [0hm]	0,39 ohm
CMC	50 A
Numéro de modèle	HLJ083T5LP6
Protection moteur	Protecteur de surcharge interne
Puissance frigorifique nominale à 50Hz	17,3kW
Puissance calorifique nominale à 50Hz	11,3kW
Charge d'huile [L]	1,57L
Vidange d'huile	Aucun
Égalisation d'huile	Aucun
Référence huile	320HV
Type d'huile	PVE
Forme d'emballage	Paquet individuel/palette
Quantité d'emballage	16
Phase	1
Connexions électriques	Bêche
Réfrigérant	R410A
Charge de réfrigérant [kg] [Max]	5,44 kilogrammes
Modèle de relais	3ARR3*25AS*
Soupape de décharge	Oui
RLA	32 A
Vitesse de rotation à 50 Hz [tr/min]	2900 tr/min
Vitesse de rotation à 60 Hz [tr/min]	0 tr/min
Utilisation des segments	Climatisation
Instructions expédiées	Instructions d'installation
Montage livré	Kit de montage avec œillets et manchons
Pétrole expédié	Charge d'huile initiale
Hauteur du raccord d'aspiration [mm]	280 millimètres
Taille du tuyau de raccordement d'aspiration [po]	7/8 po
Taille du raccord d'aspiration [in]	7/8 po
Volume balayé [cm ³]	78,08 cm ³
Technologie	Faire défiler

Hauteur totale [mm]	455 millimètres
Taper	HLJ
Désignation de type	Compresseur
Viscosité [cP]	68 cP
Tension du condensateur A [V]	440V
Tension du condensateur B [V]	330V
Largeur [mm]	239 millimètres

Danfoss Scroll Compressors HRH, HLH, HLJ

MODEL DANFOSS	CODE DANFOSS M-PACK	REFRI-GERANT	VOLTAGE	Cond. t° +45°C and Nominal capacity at 50Hz	POWER INPUT (Kw)	Swept Volume m³/h DISPL. sm³/r	Displ. m³/h
				R410 EVAPORATING TEMPERATURE °C (BTU/HR) 7,2°C 50Hz			
HRH031U4LP6	120U1191	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	29484	2,67	29,8	5,19
HRH031U5LP6	120U1166	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	29484			
HRH032U4LP6	120U1196	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	29942	2,75	30,6	5,33
HRH032U5LP6	120U1171	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	29942			
HRH036U4LP6	120U1201	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	34493	3,13	34,7	6,04
HRH036U5LP6	120U1176	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	34493			
HRH038U4LP6	120U1206	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	36353	3,35	36,5	6,36
HRH038U5LP6	120U1181	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	36353			
HRH040U4LP6	120U1211	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	39789	3,58		-
HRH040U5LP6	120U1186	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	39789			
HRH041U4LP6	120U1356	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	39077			
HRH044U4LP6	120U1361	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	42309	3,92	42,6	7,41
HRH049U4LP6	120U1366	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	47079	4,04	47,4	8,24
HRH051U4LP6	120U1371	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	50057	4,21	49,3	8,58
HRH051U5LP6	120U1326	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	50057			
HRH054U4LP6	120U1376	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	52103	4,41	52,1	9,07
HRH054U5LP6	120U1331	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	52103			



HRH056U4LP6	120U1381	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	53997	4,58	54,1	9,42
HRH056U5LP6	120U1336	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	53997			
HLH061T4LC6	120U2052	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	57408	4,89	57,8	10,10
HLH068T4LC6	120U1391	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	65244	5,26	64,4	11,21
HLH068T5LP6	120U1341	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	65244			
HLJ072T4LC6	120U1396	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	68892			
HLJ072T5LP6	120U1346	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	68028	6,09		-
HLJ083T4LC6	120U1401	R410A	380-400V/3~/50Hz & 460V/3~/60Hz	79393			
HLJ083T5LP6	120U1351	R410A	220-240V/1~/50Hz & 265V/1~/60Hz	77059	7,02		-

Mbsm.pro, LBP, S series, compressors,
HuaJun, QD65, 1/6 hp++, 1/5 hp-,
R134a

Category: compressor

written by mahdi miled | 21 October 2025

OK
93 25-10-2020

 **QD65** RoHS
HuaJun 220-240V ~ 50Hz
R134a 
← SUCTION TUBE 2020040065
NingBo Anuodan Machinery Co.,LTD

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, LBP, S series, compressors, HuaJun, QD65, 1/6 hp++, 1/5 hp-, R134a