

Mbsm.pro, Compressor, NLE12.6MF.2, SECOP, 105G6387, DANFOSS, R134a, 1/2 Hp, 1bp

Category: compressor

written by www.mbsm.pro | 23 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, NLE12.6MF.2, SECOP, 105G6387, DANFOSS, R134a, 1/2 Hp, 1bp

Compressor DANFOSS NL8.4CLX 105F3800 0.25 hp

Category: compressor

written by www.mbsm.pro | 23 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, DANFOSS, 1/4 hp, R404a/R507, NL8.4CLX, LBP, 105F3800

Mbsm.pro, compressor, nly12ng, 1/2
hp–, 3/8 hp++, r290, 12,55cm³, LBP,
230V, Secop, Danfoss, CUBIGEL

Category: compressor

written by www.mbsm.pro | 23 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, nly12ng, 1/2 hp-, 3/8 hp++, r290, 12,55cm³, LBP, 230V, Secop, Danfoss

**Mbsm.pro, Compressor, NL6.1FT, SECOP,
105G6620, DANFOSS, 1/6 hp, Lbp**

Category: compressor

written by www.mbsm.pro | 23 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, NL6.1FT, SECOP, 105G6620, DANFOSS, 1/6 hp, Lbp

Mbsm.pro, Compressor, DANFOSS ,
NL10FT, 105G6829, 105G 6839,
105g6839, SECOP, NL10FT 105g6839,
(10.10 CM³), HERMETIC RECIPROCATING,
3/8 Hp, lbp, r134, 190g, 500 litres

Category: compressor

written by www.mbsm.pro | 23 September 2022




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, DANFOSS , NL10FT, 105G6829, 105G 6839, 105g6839, SECOP, NL10FT 105g6839, (10.10 CM³), HERMETIC RECIPROCATING, 3/8 Hp, lbp, r134, 190g, 500 litres , k500

**Mbsm.pro, Compressor, NL9FT,
105G6828, 105G 6828, 105G-6828,
Danfoss ,Fridge Compressor, 1/3 hp,
R134**

Category: compressor

written by www.mbsm.pro | 23 September 2022



Mbsm.pro, Compressor, NL9FT, 105G6828, 105G 6828, 105G-6828, Danfoss ,Fridge Compressor, 1/3 hp, R134

Mbsm.pro, hermetic, compressor,
Danfoss, R600a, – MBP/LBP, TLX7KK,
1/5 hp, 102H4746

Category: compressor

written by www.mbsm.pro | 23 September 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, hermetic, compressor, Danfoss, R600a, – MBP/LBP, TLX 7 KK, 1/5 hp

Mbsm.pro, Compressor, Danfoss,
1/4hp++, mhbp, G190an, R134a,
220-230v, 1ph, 50hz , Csir

Category: compressor

written by www.mbsm.pro | 23 September 2022



Mbsm.pro, Compressor, Danfoss, 1/4hp++, mhbp, GL90an, R134a, 220-230v, 1ph, 50hz, Csir

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8"-2, refoulement 5/8"-2

Category: Archivation,compressor
written by www.mbsm.pro | 23 September 2022

Danfoss
MADE IN CHINA

Model no: **SM161T4VC**



Serial no: **GD2503110072**



M 380-400 V 3 ~ 50 Hz
460 V 3 ~ 60 Hz
LR 145 A MAX OPER. 31 A
Thermally protected system
P.E.D. LP side HP side
Marking 25 bar 27.8 bar
PS 63 °C 150 °C
TS max -35 °C -35 °C
TS min 17.6 L 20 L
Volume 17.6 L 20 L
Lubricant: MINERAL OIL 1600

CE C **UL** US EAC
0062



2016 Refrigerant: R22 (UL rating) - R417A with 160SZ
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

WARNING

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.
ELECTRIC SHOCK HAZARD: Turn off power before servicing. Disconnect all conductors.
Always disconnect power to ground and properly lock the refrigerant unit in opening to the compressor. Use the lock-out/tag-out procedure.
HIGH PRESSURE: System contains refrigerant and oil under pressure. Service pressure from both the high and low side before servicing any other component.
FIRE HAZARD: Use tubing cutter to remove refrigerant. Do not use torch or oil near torch line.



CAUTION

Use only manufacturer's recommended refrigerants and lubricants. Do not mix refrigerants. Do not mix refrigerants with other refrigerants. Do not mix refrigerants with other refrigerants.

Private Picture Copyright: WWW.MBSM.PRO

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kbtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8"-2, refoulement 5/8"-2

Mbsm.pro, Compressor, 105g 6728, NL7FT, 1/4hp, 105g6728, Danfoss, R134A, 220-240V, lbp

Category: Archivation,compressor

written by www.mbsm.pro | 23 September 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, 105g 6728, NL7FT, 1/4hp, 105g6728, Danfoss, R134A, 220-240V