

Mbsm.pro, Compressor, NJ9232GK, embraco, 1.1/4 hp, r404, Mhbp

Category: Développement

written by www.mbsm.pro | 4 February 2025



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, NJ9232GK, embraco, 1.1/4 hp, r404, Mhbp

Mbsm.pro, Compressor, Embraco, Aspera, EMT43HLP, EMY3111Z, LBP- R134a, R507, 220-240V/1/50Hz, 1/8and HP, displacement 4.85 cm³, motor type RSIR

Category: compressor

written by Amina | 4 February 2025



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Embraco, Aspera, EMT43HLP, EMY3111Z, LBP-R134a, R507, 220-240V/1/50Hz, 1/8and HP, displacement 4.85 cm3, motor type RSIR

Mbsm.pro, Compressor, Embraco, EGYS110CLC, 1/3 hp, lbp, r600a, 263 w, 1.1a

Category: compressor

written by www.mbsm.pro | 4 February 2025



Mbsm.pro, Compressor, Embraco, EGYS110CLC, 1/3 hp, lbp, r600a, 263 w, 1.1a

Mbsm.pro, Embraco, Start Capacitor

Category: expertise

written by www.mbsm.pro | 4 February 2025

VI

Compressor	Capacitor to be used in capillary systems	Capacitor to be used in expansion valve systems
FFI12BX 115V60Hz	378 to 454 μ F (115VAC) or 233 to 280 μ F (150VAC)	378 to 454 μ F (115VAC)
FFI12BX 220V60Hz	124 to 149 μ F (180VAC) or 64 to 77 μ F (250VAC)	124 to 149 μ F (180VAC)
FFI12HBX 115V60Hz	378 to 454 μ F (115VAC) or 233 to 280 μ F (150VAC)	378 to 454 μ F (115VAC)
FFI12HBX 220V60Hz	124 to 149 μ F (180VAC) or 64 to 77 μ F (250VAC)	124 to 149 μ F (180VAC)
FF8.5BX 115V60Hz	270 to 324 μ F (115VAC)	270 to 324 μ F (115VAC)
FF10BX 115V60Hz	270 to 324 μ F (150VAC)	270 to 324 μ F (150VAC)
FF10HBX 115V60Hz	282 to 339 μ F (180VAC)	282 to 339 μ F (180VAC)
FFI12HAX 115V60Hz	378 to 454 μ F (150VAC)	378 to 454 μ F (150VAC)

The relays of the aforementioned compressors have the following characteristics:

- terminals 11 and 13 are longer than

www.Mbsm.pro

Mbsm.pro, Embraco, Start Capacitor

Mbsm.pro, compressor , Embraco, EGUS 80HLP, EGUS80HLP, 1bp, 1/4 hp, r134a

Category: compressor

written by www.mbsm.pro | 4 February 2025



Embraco EGUS 80HLP compressor along with its specifications and details related to LBP (Low Back Pressure) applications:

Specification	Details
Model	EGUS 80HLP
Type	Hermetic Compressor
Refrigerant	R-134a
Voltage	115-127V / 220-240V
Frequency	60 Hz (for 115V) / 50 Hz (for 220V)
Nominal Horsepower	1/4 HP (0.25 HP)
Displacement	6.36 cm ³
Cooling Capacity @ -10°F	840 BTU
Cooling Capacity @ 20°F	1995 BTU
Cooling Capacity @ 45°F	3530 BTU
Power Consumption	Approximately 187 watts (0.24 kW)
Application Type	Designed for LBP applications, adaptable for medium/high back pressure (M/HBP) applications
Typical Uses	<ul style="list-style-type: none"> - Refrigerators - Freezers - Ice machines - Commercial displays and vending machines

This table provides a comprehensive overview of the Embraco EGUS 80HLP compressor, highlighting its specifications, performance metrics, and suitability for low back pressure applications.



EM200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,32	197	6,76	IS010	RSIR	LST	ASHRAE32
EM200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,32	197	6,76	IS010	RSCR - 12 µF	LST	ASHRAE32
EM200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,32	197	6,76	IS010	RSCR - 15 µF	LST	ASHRAE32
EM200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,46	199	6,76	IS010	RSCR - 12 µF	LST	ASHRAE32
EM200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,46	199	6,76	IS010	RSCR - 15 µF	LST	ASHRAE32
EM200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,42	199	6,76	IS010	RSIR	LST	ASHRAE32
EGUS80HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,38	203	6,36	IS010	RSIR	LST	ASHRAE32
EG080HLC	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,59	204	6,44	IS010	RSCR - 12 µF	LST	ASHRAE32

EGAS80HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,24	204	6,44	IS010	RSIR	LST	ASHRAE32
EGAS80HLR	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4+	1,32	205	6,36	IS010	RSIR-CSIR	LST	ASHRAE32
EGX80HLC	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,55	205	6,36	IS010	RSCR - 12 µF	LST	ASHRAE32
EM220HHLT	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,51	205	6,76	IS010	RSCR - 12 µF	LST	ASHRAE32
EM220HHLT	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,51	205	6,76	IS010	RSCR - 15 µF	LST	ASHRAE32
ONE 80HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,44	207	6,36	IS010	RSIR	LST	ASHRAE32
EG200HLP	R-134a	115-127 V 60 Hz 1 -	60 Hz	LBP	1/4	1,32	197	6,76	IS010	RSCR - 12 µF	LST	ASHRAE32

www.Mbsm.pro

Mbsm.pro, Compressor, Aspera , Embraco, NEU6187Z , R134a, 1/3 hp, hbp

Category: compressor

written by www.mbsm.pro | 4 February 2025



Mbsm.pro, Compressor, Aspera , Embraco, NEU6187Z , R134a, 1/3 hp, hbp

Mbsm.pro, compressor, EMBRACO, EMT6144Z, 1/5 hp++, 1/4 hp-, HBP, R134a, 220 – 240 V, 50 Hz

Category: compressor

written by www.mbsm.pro | 4 February 2025



Mbsm.pro, compressor, EMBRACO, EMT6144Z, 1/5 hp++, 1/4 hp-, HBP, R134a, 220 – 240 V, 50 Hz

Mbsm.pro, compressor, NBU1116Y, 1/4 hp, 12.12 cm³, 180 kcal, 209 w, Embraco, lbp, r600a

Category: compressor

written by www.mbsm.pro | 4 February 2025




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, NBU116Y, 1/4 hp, 12.12 cm³, 180 kcal, 209 w, Embraco

**Mbsm.pro, COMPRESSOR, EMBRACO,
FGS80HA, FGS 80HA, r13a, 1/4 hp, 1bp,
820 btu**

Category: compressor

written by www.mbsm.pro | 4 February 2025



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, EMBRACO, FGS80HA, FGS 80HA, r13a, 1/4 hp, lbp, 820 btu

Mbsm.pro, compressor, Embraco,
Fg-95hak, Fg 95hak, 1/3 hp, lbp,
r134a, 300 w, 10.6 cm³

Category: compressor

written by www.mbsm.pro | 4 February 2025



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Embraco, Fg-95hak, Fg 95hak, 1/3 hp, lbp, r134a, 300 w, 10.6 cm³