


Mbsm.pro, File, pdf, How to read the codes of maneurop compressors

Category: Files

written by www.mbsm.pro | 2 April 2022



JK: 1.84	HL: 5.87
JC: 2.33	HM: 6.57
JE: 2.93	HN: 7.38
JF: 3.29	HP: 8.29
JG: 3.69	HS: 10.45
JH: 4.14	HU: 13.15
HJ: 4.65	HV: 14.76
HK: 5.23	HW: 16.57




Private Picture Copyright: WWW.MBSM.PRO

How to read the codes of maneurop compressors This model of maneurop compressors (MT&MTZ) is designed to work on a wide range of medium and high applications, especially the MT

model. It is specially designed to work on modern freons HFC

R407C- **R134a** -R404a-R507A

. It uses polyester oil PZ1 **60**. These compressors have the feature of protecting against liquid returning to the compressor as they have a wide pocket at the entrance to the intake line to evaporate the liquid before entering the piston cylinder. More than 16 models with different capacities starting from 1.84 to 16.57 cubic inches and working to feed 220v as well as 380v



- 1: 208-230 V / 1 ph / 60 Hz
- 3: 200-230 V / 3 ph / 60 Hz
- 4: 400 V / 3 ph / 50 Hz
- 460 V / 3 ph / 60 Hz
- 5: 230 V / 1 ph / 50 Hz
- 6: 230 V / 3 ph / 50 Hz
- 7: 500 V / 3 ph / 50 Hz
- 575 V / 3 ph / 60 Hz
- 9: 380 V / 3 ph / 60 Hz

- كود الإزاحة
- JK: 1.84 HL: 5.87
 - JC: 2.33 HM: 6.57
 - JE: 2.93 HN: 7.38
 - JF: 3.29 HP: 8.29
 - JG: 3.69 HS: 10.45
 - JH: 4.14 HU: 13.15
 - HJ: 4.65 HV: 14.76
 - HK: 5.23 HW: 16.57



Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_mbsmgroun_tn_3687_htmTélécharger

Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP

Category: Files

written by www.mbsm.pro | 2 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP

Mbsm.pro, PDF, File, Sj-42S-SL,
refrigerator, freezer, Sharp, 220 v,
1.1 A, 152 W, 385 L, R134A, 100G,
compressor , 1/5 Hp

Category: Files

written by www.mbsm.pro | 2 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, File, Sj-42S-SL, refrigerator, freezer, Sharp, 220 v, 1.1 A, 152 W, 385 L, R134A, 100G, compressor , 1/5 Hp

Mbsm.pro, PDF, File, MFTS-36HR, Air conditioner, 36000 BTU/h, 4.5 hp, r22

Category: Files

written by www.mbsm.pro | 2 April 2022




Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, File, MFTS-36HR, Air conditioner, 36000 BTU/h, 4.5 hp, r22

Mbsm.pro, Pdf, File, ATET, Compressori, ZEM, WHIRLPOOL, r12, r134a


Category: Files

written by www.mbsm.pro | 2 April 2022




COMPRESSORI
COMPRESSORS
COMPRESSEURS
KOMPRESSOREN

R12



ALTA QUALITÀ: con olio sintetico
HIGH QUALITY: with synthetic oil

R134a



ZEM - o/or WHIRLPOOL

per/for **R12** GAS 230/240 V - 50 Hz


Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Pdf, File, ATET, Compressori, ZEM, WHIRLPOOL, r12, r134a

Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Category: Files

written by www.mbsm.pro | 2 April 2022



Embraco Condensing Units

Unit Model	Motor Type	Expan. Device	Motor HP	Performance (Watts)							HRP Code	Sales Cat			
				-25°C	-20°C	-15°C	-10°C	-5°C	0°C	5°C			10°C	15°C	
R134a MHBP															
UEMT6144Z	CSIR	CV	1/5	-	-	249	308	375	451	533	-	-	208162	20A	
UEMT6160Z	CSIR	CV	1/6	-	-	335	411	499	597	706	-	-	208164	20A	
UEMT6170Z	CSIR	CV	1/4	-	-	359	443	539	646	764	-	-	208166	20A	
UNEK6187Z	CSIR	CV	1/4	-	-	405	503	616	744	887	-	-	208168	20A	
UNEK6210Z	CSIR	CV	1/3	-	-	430	584	789	929	1065	-	-	208170	20A	
UNEK6212Z	CSIR	CV	1/2	-	-	640	800	975	1157	1354	-	-	208172	20A	
UNT6215Z	CSIR	CV	1/2	-	-	705	816	1003	1188	1362	-	-	208180	20A	
UNEK6214Z	CSIR	CV	1/2	-	-	658	826	1004	1192	1395	-	-	208174	20A	
UNT6220Z	CSIR	CV	2/3	-	-	843	1050	1281	1541	1828	-	-	208184	20A	
UNJ6220Z	CSIR	CV	3/4	-	-	994	1256	1529	1843	2154	-	-	207861	20A	
UNT6217Z	CSIR	CV	3/4	-	-	993	1275	1555	1861	2178	-	-	208182	20A	
UNJ6226Z	CSIR	CV	1	-	-	1372	1686	2035	2419	2814	-	-	207868	20A	
R404a MHBP															
UEMT6144GK	CSIR	CV	1/4	-	-	277	338	400	470	543	615	-	-	208186	20A
UEMT6152GK	CSIR	CV	1/4	-	-	301	368	435	504	574	644	-	-	208188	20A
UEMT6165GK	CSIR	CV	1/3	-	-	360	445	525	626	729	815	-	-	208190	20A
UNEK6181GK	CSIR	CV	1/2	-	-	427	530	644	767	900	1040	-	-	208192	20A
UNEK6210GK	CSIR	CV	1/3	-	-	581	670	665	886	1032	1228	-	-	208194	20A
UNEK6213GK	CSIR	CV	1/2	-	-	734	984	1054	1213	1352	1468	-	-	208196	20A
UNEK6217GK	CSIR	CV	1/2	-	-	741	960	1180	1406	1540	1880	-	-	208198	20A
UNT6220GK	CSR	CV	3/4	-	-	793	1024	1262	1508	1754	2009	-	-	208204	20A
UNT6222GK	CSR	CV	3/4	-	-	TBA	TBA	TBA	TBA	TBA	-	-	-	208206	20A
UNT6226GK	CSR	CV	1	-	-	1266	1568	1878	2198	2526	2864	-	-	208202	20A
UNJ9225GK	CSR	CV	1	-	-	1206	1523	1822	2094	2364	2616	-	-	208140	20A
UNJ9225GS	3ph	CV	1	-	-	1206	1523	1822	2094	2364	2616	-	-	208200	20A
UNJ9232GK	CSR	CV	1-1/4	-	-	1467	1855	2219	2550	2879	3186	-	-	208145	20A
UNJ9232GS	3ph	CV	1-1/4	-	-	1467	1855	2219	2550	2879	3186	-	-	208150	20A
UNJ9238GK	CSR	CV	1-1/2	-	-	1817	2297	2748	3157	3565	3963	-	-	208155	20A

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Pdf, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Category: Files

written by www.mbsm.pro | 2 April 2022

R134a		HMBP HBP		50 Hz		R134a compressors compatible with R12														
MODEL	DISPLACEMENT cm ³	POWER hp	APPLICATION	CPR COOLING	VOLTAGE FREQUENCY	MOTOR	STARTING	EXPANSION	REFRIGERATION CAPACITY (°C)											
									COP in W/W 1 W = 0.864 kcal/h = 3.415 BTU/h Evaporating Temperature °C										WEIGHT Kg	DESIGN
									Cecomaf (W)					Ashrae						
									-25	-15	5	10	15	20	7.2	COP				
GLY45RAa	4.56	1/6	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	71	139	373	1.85	452	385	2.25	9	Lb			
GLY45RAb	4.56	1/6	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	71	139	373	2.12	452	385	2.45	9	Lb			
GLY60RAa	5.98	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	108	191	486	2.08	586	500	2.36	9.9	Lc			
GLY60RAb	5.98	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	108	191	486	2.25	586	500	2.60	9.9	Lc			
GLY80RAa	8.10	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	159	275	681	2.17	819	700	2.50	10.4	Lc			
GLY80RAb	8.10	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	159	275	681	2.35	819	700	2.71	10.4	Lc			
GLY90RAa	9.09	1/4	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lc			
GLY90RAb	9.09	1/4	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc			
GLY99RAa (**)	9.95	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld			
GLY99RAb (**)	9.95	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld			
GPY12RAa	12.10	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd			
GPY12RAb	12.10	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd			
GPY14RAa	14.32	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd			
GPY14RAb	14.32	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd			
GPY16RAa	16.15	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd			
GPY16RAb	16.15	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd			

compressors R134a

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

Category: Files

written by www.mbsm.pro | 2 April 2022



Copyright: WWW.MBSM.PRO

The best thank you in Algeria

Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

Mbsm_dot_pro_private_PDF_Mbsm.pro-Baxi-radiators-aluminum-File-pdf-the-best-in-AlgeriaTélécharger



e Copyright : WWW.MBSM.PRO