Mbsm.pro, File, pdf, How to read the codes of maneurop compressors

Category: Files
written by www.mbsm.pro | 2 April 2022





Private Picture Copyright : WWW.MBSM.PRO

How to read the codes of maneurop compressors This model of maneurop compressors (
MT&MTZ)
is designed to work on a wide range of medium and high applications, especially the MT

model. It is specially designed to work on modern freons HFC R407C- R134a -R404a-R507A . It uses polyester oil PZ1 6 0. These compressors have the feature of protecting against liquid returning to the compressor as they have a wide pocket at the entrance to the intake line to evaporate the liquid before entering the piston cylinder. More than 16 models with different capacities starting from 1.84 to 16.57 cubic inches and working to feed 220v as well as 380v



www.mbsm.pro

MT Z 64 HM 4 B VE -

موديل الضاغط

نوعية الزيت (بولي استر) POE

استطاعة الضاغط تقسم الرقم على 12 للحصول على الناتج بالحصان
مثال: 64=12×5.3 hp

كود الإذاحة

JA: 1.84 HL: 5.87
JC: 2.33 HM: 6.57
JE: 2.93 HN: 7.38
JF: 3.29 HP: 8.29
JG: 3.69 HS: 10.45
JH: 4.14 HU: 13.15
HJ: 4.65 HV: 14.76
HK: 5.23 HW: 16.57

كود الفولطاج للمحرك

1: 208-230 V / 1 ph / 60 Hz
3: 200-230 V / 3 ph / 60 Hz
4: 400 V / 3 ph / 50 Hz
460 V / 3 ph / 60 Hz
5: 230 V / 1 ph / 50 Hz
6: 230 V / 3 ph / 50 Hz
7: 500 V / 3 ph / 50 Hz
575 V / 3 ph / 60 Hz
9: 380 V / 3 ph / 60 Hz

كود مؤشر الصنع

وهذا الرمز يشير إلى الضواغط التي تحتوي على خط تعادل الزيت Equalizer وزجاجة البيان للزيت

Option code





Private Picture Copyright : WWW.MBSM.PRO
Mbsm_dot_pro_private_PDF_mbsmgroup_tn_3687_htmTélécharger

Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP

Category: Files
written by www.mbsm.pro | 2 April 2022



Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP

Mbsm.pro, PDF, File, Sj-42S-SL, refrigerator, freezer, Sharp, 220 v, 1.1 A, 152 W, 385 L, R134A, 100G, compressor , 1/5 Hp

Category: Files
written by www.mbsm.pro | 2 April 2022



Mbsm.pro, PDF, File, Sj-42S-SL, refrigerator, freezer, Sharp, 220 v, 1.1 A, 152 W, 385 L, R134A, 100G, compressor , 1/5 Hp

Mbsm.pro, PDF, File, MFTS-36HR, Air conditioner, 36000 BTU/h, 4.5 hp, r22

Category: Files
written by www.mbsm.pro | 2 April 2022




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, MFTS-36HR, Air conditioner, 36000 BTU/h, 4.5 hp, r22

Mbsm.pro, Pdf, File, ATET, Compressori, ZEM, WHIRLPOOL, r12, r134a

Category: Files
written by www.mbsm.pro | 2 April 2022




Mbsm.pro, Pdf, File, ATET, Compressori, ZEM, WHIRLPOOL, r12, r134a

---

Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units


Category: Files
written by www.mbsm.pro | 2 April 2022



Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Category: Files
written by www.mbsm.pro | 2 April 2022



R134a HMBP | HBP 50 Hz — R134a compressors compatible with R12 — GREEN COOLING

MODEL	DISPLACEMENT cm³	POWER hp	APPLICATION	CPR. COOLING	VOLTAGE FREQUENCY	MOTOR	STARTING	EXPANSION	REFRIGERATION CAPACITY (W) COP in W/W 1 W = 0,864 kcal/h = 3,415 BTU/h Evaporating Temperature °C						WEIGHT	DESIGN
									Cecomaf (W)				Ashrae			
									-25	-15	5 W	5 COP	10	7,2 kcal/h	7,2 COP	Kg
GLY45RAa	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	71	139	373	1.55	452	385	2.25	9	Lb
GLY45RAb	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	71	139	373	2.12	452	385	2.45	9	Lb
GLY60RAa	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	106	191	486	2.09	586	500	2.36	9.9	Lc
GLY60RAb	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	106	191	486	2.25	586	500	2.60	9.9	Lc
GLY80RAa	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	159	275	681	2.17	819	700	2.50	10.4	Lc
GLY80RAb	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	159	275	681	2.35	819	700	2.71	10.4	Lc
GLY90RAa	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lc
GLY90RAb	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc
GLY99RAa (**)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld
GLY99RAb (**)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld
GPY12RAa	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd
GPY12RAb	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd
GPY14RAa	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd
GPY14RAb	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd
GPY16RAa	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd
GPY16RAb	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

Category: Files
written by www.mbsm.pro | 2 April 2022



e Copyright : WWW.MBSM.PRO

The best thank you in Algeria

Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

Mbsm_dot_pro_private_PDF_Mbsm.pro-Baxi-radiators-aluminum-File-pdf-the-best-in-AlgeriaTélécharger



e Copyright : WWW.MBSM.PRO