

Mbsm.pro, Compressor, GM35AF, GM55AF,
GM70AF, GM66AF, GM75AF, GM77AF,
GM80AF, GM91AF, GM80AF

Category: compressor

written by www.mbsm.pro | 16 March 2025




Private Picture Copyright : WWW.MBSM.PRO


Explore the detailed specifications and performance metrics of LBP compressors using R134A refrigerant. This guide provides insights into various models, their cooling capacities, efficiency ratings, and motor types, ensuring you find the perfect fit for your refrigeration needs

Mbsm.pro, PDF, Compressor, ZMC, 1/4
HP, LBP, RSIR / RSCR, GM 80 AF,
GM80AF, R-134

Category: Files

written by www.mbsm.pro | 16 March 2025






Compressor, Frigo, Moteur ZMC, 1/4
HP, LBP, RSIR / RSCR, GM 80 AF,
GM80AF, R-134, 198 KCAL, Frigo OCEAN,
100cm/60cm , Ocean, Made in Egipt,
Capacity 295 L, Charge 100G

Category: compressor

written by www.mbsm.pro | 16 March 2025



ABOUT ZMC

WE ARE MISR COMPRESSOR MANUFACTURING CO. (MCMC) A COMPANY ESTABLISHED IN 1988, DEDICATED TO MANUFACTURING OF HERMETIC COMPRESSORS FOR HOUSEHOLD AND COMMERCIAL REFRIGERATION INDUSTRY

MODÈLE: EGM80AF CODE: 508500314016

Données GENERALES

Réfrigérant:	R134a
Application:	LBP
Plage de température d'évaporation:	-30 ° C à -10 ° C
Tension / Fréquence:	220 / 240V / 50 HZ
Refroidissement du compresseur:	Statique
Périphérique d'extension:	Tube capillaire
Quantité d'emballage:	Multi – 96: 120 pièces
Approbations:	CE-VDE-GOST

Données mécaniques

Charge d'huile:	350 cm ³
Configuration du type d'huile:	ester
Viscosité du type d'huile:	19 cSt
Poids:	9,5 kg

Données électriques


Type de moteur:	RSIR / RSCR *
Plage de travail de tension à 50 Hz:	187-264V
Température maximale du moteur:	130 ° C
Courant de rotor bloqué:	14,43 / 8,50 A
Début de la résistance d'enroulement:	15,80 Ω à 25 ° C
Résistance d'enroulement de course:	10,40 Ω à 25 ° C
Phase:	1 ph

Caractéristiques externes

Diamètre intérieur	(mm)
Connecteur d'aspiration	6,5
Connecteur de décharge	4,9
Connecteur de processus	6,5
Matériel	Cuivre

Composants électriques

Dispositif de démarrage:	PTC 14Ω
Protection du moteur:	T0490 / xx



Ocean

Egyptian Italian Appliances



OCDF29514001035

Product Name. DF295 Silver	Code. DFOC295LSL004	Refrigerant R134A - 0.1 Kg
Voltage. 220-230 V	Motor Input. 1.7 A	50 / 60 Hz
Lamp Power. 15 W	Capacity. 295 L	Class. T
Net Wt. 44 Kg	Gross Wt. 49 Kg	Made in Egypt

Ocean

Egyptian Italian for Electrical Appliances



OCDF29514001035

Product Name. DF295 Silver	Code. DFOC295LSL004	Refrigerant R134A - 2.1 Kg
Voltage. 220-230 V	Motor Input. 1.7 A	50 / 60 Hz
Leak Power. 15 W	Capacity. 295 L	Class. T
Net Wt. 44 Kg	Gross Wt. 49 Kg	Made in Egypt





متر في 60

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_EGM80AFTélécharger