Mbsm.pro , Compressor, CR62KQM-TFD-202, Copeland, Hermetic, 5 hp, 3ph

Category: compressor
written by www.mbsm.pro | 18 November 2024



Mbsm.pro , Compressor, CR62KQM-TFD-202, Copeland, Hermetic, 5 hp, 3ph

---

Mbsm.pro, Compressor, CRAQ-0150-PFV-501, Copeland, 1-1/2 HP, 208-230V, 1 PH, 17,000 BTU, R22, R407C, Hermetic

Category: compressor
written by www.mbsm.pro | 18 November 2024




Copeland™ Three Phase Compressor Models

TONNAGE	CR6/5 Ton	CRKQ	CR7	CR1,2,3	CRKF	CRKH	ZRK5/K3
1.5T	CR18K6-TF5	CR18KQ-TF5		CRA1-0150-TF5			
				CRA1-0150-TFC			
	CR18K6-TFD	CR18KQ-TFD		CRA1-0150-TFD			
2T	CR22K6-TF5			CRC1-0175-TF5			ZR21K5-TF5
	CR22K6-TFD						ZR21K5-TFD
	CR24K6-TF5	CR24KQ-TF5		CRD1-0200-TF5			ZR25K5-TF5
	CR24K6-TFD	CR24KQ-TFD		CRD1-0200-TFD			ZR25K5-TFD
	CR28K6-TF5	CR28KQ-TF5	CR28K7-TF5	CRE1-0225-TF5			ZR28K5-TF5
	CR28K6-TFD	CR28KQ-TFD		CRE1-0225-TFD			ZR28K5-TFD
3T	CR30K6-TF5						ZR28K5-TF5
	CR30K6-TFD	CR30KQ-TFD		CRF1-0250-TFD			ZR28K5-TFD
	CR32K6-TF5	CR32KQ-TF5	CR31K7-TF5	CRF1-0250-TF5			ZR32K5-TF5
		CR33KQ-TF5		CRG3-0250-TF5			
	CR32K6-TFD	CR32KQ-TFD		CRG3-0250-TFD			ZR32K5-TFD
		CR33KQ-TFD					
	CR32K6-TFE						ZR32K5-TFE
	CR35K6-TF5	CR34KQ-TF5		CRH3-0275-TF5			ZR32K5-TF5
		CR36KQ-TF5		CRI3-0290-TF5			
	CR35K6-TFD	CR34KQ-TFD		CRH3-0275-TFD			ZR32K5-TFD
		CR36KQ-TFD		CRI3-0290-TFD			
	CR35K6-TFE			CRH3-0275-TFE			ZR32K5-TFE
	CR38K6-TF5	CR37KQ-TF5		CRJ3-0300-TF5			ZR38K5-TF5
	CR38K6-TFD	CR37KQ-TFD		CRJ3-0300-TFD			ZR38K5-TFD
	CR38K6-TFE			CRJ3-0300-TFE			ZR38K5-TFE
3.5T	CR42K6-TF5	CR41KQ-TF5		CRK3-0325-TF5			ZR42K5-TF5
		CRKQ-0325-TF5					
	CR42K6-TFD	CR41KQ-TFD		CRK3-0325-TFD			ZR42K5-TFD
		CRKQ-0325-TFD					
	CR42K6-TFE	CRKQ-0325-TFE		CRK3-0325-TFE			ZR42K5-TFE
4T		CR47KQ-TF5		CRL3-0350-TF5			ZR48K5-TF5
		CR47KQ-TFD		CRL3-0350-TFD			ZR48K5-TFD

Code	Hz-Phase-Volts
PFV	60-1-208/230
PFJ	60-1-265
TF5	60-3-200/230
TFD	60-3-460
TFE	60-3-575

www.Mbsm.pro





copeland-service-cr-compressor-cross-reference-manual-guide-en-us-1569036Download


The compressor model CRAQ-0150-PFV-501 is a Hermetic compressor manufactured by Copeland. It is a 1-phase, 208/230V compressor designed for air conditioning applications. The compressor uses HCFC or R-22 refrigerant and operates at 60Hz. Here are some of the key specifications of the CRAQ-0150-PFV-501 compressor:

- **Capacity:** 18,300 – 23,900 BTU/hr
- **Power:** 1,910 – 1,520 W
- **Current:** 8.8 – 7.0 Amps
- **EER:** 9.6 – 15.7 BTU/Wh
- **Mass Flow:** 268 – 308 lbs/hr
- **Sound Power:** 72 – 77 dBA
- **Vibration:** 1.7 – 2.7 mils (peak-peak)
- **Displacement:** 2.00 in^3/Rev
- **Overall Length:** 9.44 in
- **Overall Width:** 9.13 in
- **Overall Height:** 13.56 in
- **Mounting Length:** 7.50 in
- **Mounting Width:** 7.50 in
- **Mounting Height:** 13.94 in
- **Suction Size:** 5/8 in
- **Discharge Size:** 3/8 in
- **Initial Oil Charge:** 55 oz
- **Oil Recharge:** 51 oz
- **Net Weight:** 61.0 lbs
- **Internal Free Volume:** 345.0 in^3

This compressor is no longer in production and has been replaced by newer, more efficient models. However, it is still a popular choice for replacement applications due to its reliability and performance.

Mbsm.pro, Compressor, Panasonic, Gp21tb, Gp21fb, 5/8 hp, 415 kcal, 351 w (cap/cool), ELECTROLUX, HERMETIC, R134a, LBP, 220-240/1/50

Category: compressor
written by www.mbsm.pro | 18 November 2024



Electrolux ACC cubigel


ELECTROLUX HERMETIC COMPRESSORS - R134a LBP
VOLTAGE 220-240/1/50

Code	Model	Nom. hp	Displacem. cc	Expansion	Ashrae -23,3C° kcal/h	Cecomaf -25C° W
CMP100AC	GD24AA	1/20	2,44	C	41	34
CMP101AC	GD30AA	1/12	3,08	C	62	52
CMP102AC	GD36AA	1/12	3,62	C	72	61
CMP103AC	GD40AA	1/10	4,03	C	82	70
CMP104AC	AS45AA	1/8	4,56	C/V	112	82
CMP105AC	AS60AA	1/6	5,99	C/V	154	114
CMP106AC	AS75AA	1/5	6,64	C/V	176	129
CMP107AC	AS80AA	1/5	7,39	C/V	198	145
CMP108AC	GL45AA	1/8	4,55	C	96	81
CMP109AC	GL50AA	1/7	5,12	C	107	91
CMP110AC	GL60AA	1/6	5,99	C	126	107
CMP111AC	GL70AA	1/5	6,65	C	142	121
CMP112AC	GL75AA	1/5	7,39	C	155	132
CMP113AC	GL80AA	1/5	8,10	C	170	144
CMP114AC	GL90AA	1/5	9,08	C	193	165
CMP115AC	GL99AA	1/4	9,93	C	205	175
CMP116AC	GP12FB	1/3	12,00	C/V	225	190
CMP117AC	GP14FB	3/8	14,00	C/V	270	228
CMP118AC	GP16FB	3/8	16,14	C/V	315	266
CMP119AC	GP18FB	3/7	18,40	C/V	345	291
CMP120AC	GP21FB	2/3	20,72	C/V	415	351
CMP121AC	GVY35AA	1/10	3,36	C/V	84	62
CMP122AC	GVY40AA	1/9	3,87	C/V	107	79
CMP123AC	GVY44AA	1/8	4,38	C/V	122	91
CMP124AC	GVY57AA	1/7	5,73	C/V	150	109
CMP125AC	GVY66AA	1/5	7,00	C/V	181	132
CMP126AC	GVY75AA	1/5	7,52	C/V	205	150
CMP127AC	GQY35AA	1/10	3,66	C/V	91	67
CMP128AC	GQY40AA	1/9	4,01	C/V	104	76
CMP129AC	GQY45AA	1/8	4,56	C/V	121	90

Mbsm.pro, Compressor, Panasonic, Gp21tp, 5/8 hp, 415 kcal, 351 w (cap/cool), ELECTROLUX, HERMETIC, COMPRESSORS, R134a, LBP, 220-240/1/50

Mbsm.pro, HERMETIC, Kulthorn, COMPRESSOR, CA 2435Z-2, 917 w, 28A, 3/4 hp++, 1 hp–, 1ph

Category: compressor,expertise
written by www.mbsm.pro | 18 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, HERMETIC, Kulthorn, COMPRESSOR, CA 2435Z-2, 917 w, 28A, 3/4 hp++, 1

hp–, 1ph

Mbsm.pro, ZEL, Acc, Electrolux, piston, hermetic, compressor, 1/8 hp, 110 w, lbp, 4.4 cm3, 95 kcal, Of789, R134A, 220-240V/50Hz

Category: compressor
written by www.mbsm.pro | 18 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, ZEL, Acc, Electrolux, piston, hermetic, compressor, 1/8 hp, 110 w, 4.4 cm3, 95 kcal, Of789, R134A, 220-240V/50Hz

---

Mbsm.pro, Comptek, hermetic, compressor , MALQD65UHM, r290, lbp, 1/4 hp

Category: compressor
written by www.mbsm.pro | 18 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Start	RSIR
Cooling	S.
Refrigerant	R290
Performance	175W (-35 ° C), 205W (-30 ° C), 265W (-25 ° C), 295W (-23.3 ° C), 335W (-20 ° C), 395W (-15 ° C), 455W (-10 ° C), 510W (-6.7 ° C), 560W (-5 ° C), 635W (0 ° C)
Oil filling	220g
Power HP	1/4
Input power	196W (- 23.3 ° C), 255W (- 6.7 ° C)
The step size	6.5 cm^3



Mbsm.pro, Compressor, hermetic, piston, Embraco, NT2178GK, 3/4 hp, Lbp, 17.40 cm3, R404A, R452A, R507A

Category: compressor
written by www.mbsm.pro | 18 November 2024



Mbsm.pro, Compressor, hermetic, piston, Embraco, NT2178GK, 3/4 hp, Lbp, 17.40 cm3, R404A, R452A, R507A

Compressor, hermetic, piston, Embraco, NEK6214U, 1/2 hp++, hbp, R290, 12,12 cm3

Category: compressor
written by Amina | 18 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Compressor, hermetic, piston, Embraco, NEK6214U, 1/2 hp++, hbp, R290, 12,12 cm3

Hermetic, compressor, Embraco, Aspera, NEK2134GK-A, CSIR, R404A, R507, 1/2 Hp, 8.7 cm3, NEK2134GK, lbp, NEK 2134 U

Category: compressor
written by Amina | 18 November 2024



Hermetic, compressor, Embraco, Aspera, NEK2134GK-A, CSIR, R404A, R507, 1/2 Hp, 8.7 cm3, NEK2134GK, lbp, NEK 2134 U

WP28C, Hermetic, Compressor, 68 w, 2.82 cm3, 0.64 a, r134a, 1/12 hp

Category: compressor
written by Amina | 18 November 2024



Private Picture Copyright : WWW.MBSM.PRO

WP28C, Hermetic, Compressor, 68 w, 2.82 cm3, 0.64 a, r134a, 1/12 hp