

Mbsm.pro, Compressor, Cubigel, Huayi, Electrolux, ZEM, Freezer, ML45TB, HMBP, R404A, R507, 220 – 240V/1/50Hz, 1/5 HP, ++ Big, 1/4 Hp –, CSIR

Category: compressor

written by www.mbsm.pro | 11 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Compressor ACC Cubigel Huayi Electrolux ZEM ML45TB, HMBP – R404A, R507, 220 – 240V/1/50Hz, 1/5 HP, discharge 4.5 cm³, motor type CSIR, oil type ISO VG46 ester, oil charge 300 cm³, 528 W at +5 / +55 °, input power, current 352 W, 2.04A, expansion device: capillar or valve, cooling: fan, weight 10.1 kg

Tecumseh, Compressor, 5/8HP, HMBP – R404A , R448A , R449A, MBP, CAJ9480Z, 230V

Category: compressor

written by www.mbsm.pro | 11 February 2022



Caractéristiques techniques

- Marque : TECUMSEH UNITÉ HERMÉTIQUE
- Modèle : CAJ9480Z-R
- CYLINDRÉE (CM³)15,2
- FLUIDER404A , R448A , R449A
- APPLICATIONHMBP
- PLAGÉ D'APPLICATION-25/+15
- PUISSANCE (W)1159
- PUISSANCE FRIGORIFIQUE (TK+40°C)15/3350 5/2355 -10/1294 -25/609
- TENSION (V)240/1/50
- DÉMARRAGECSR
- I.MAX (A)6,7
- Ø ASPIRATION1/2
- Ø REFOULEMENT5/16
- DIMENSIONS (MM)235x178x280
- Gaz: **R-404a**
- Température/Pression: **Haute Pression**
- Puissance: **5/8 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **15.2 cm³**
- Cons.Énergie -25°C: **496 W**
- Cons.Énergie -10°C: **669 W**
- Cons.Énergie -5°C: **718 W**

- Cons.Énergie 0°C: **762 W**
- Cons.Énergie +5°C: **798 W**
- Cons.Énergie +10°C: **828 W**
- T° De Condensation: **40 °C**
- Capacité Frigorífica -25°C: **524 Kcal/h**
- Capacité Frigorífica -20°C: **692 Kcal/h**
- Capacité Frigorífica -15°C: **887 Kcal/h**
- Capacité Frigorífica -10°C: **1113 Kcal/h**
- Capacité Frigorífica -5°C: **1374 Kcal/h**
- Capacité Frigorífica 0°C: **1677 Kcal/h**
- Capacité Frigorífica 5°C: **2025 Kcal/h**
- Capacité Frigorífica 10°C: **2425 Kcal/h**
- Tipo Test: **EN.12900**

Compresseur L'unité Hermetique – Tecumseh CAJ9480Z – R404A, R449A, R407A, R452A

220 – 240V 1~ 50 Hz

Cylindrée = 15.2 CM3

APPLICATIONS = HBP / MHBP

Moteur type: CSR



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO





● ○ REDMI NOTE 9 PRO
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO



● ○ REDMI NOTE 9 PRO
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO



● ○ REDMI NOTE 9 PRO
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_caj9480Z_2494-speceTélécharger

Compresseur AJ = Le produit de référence associant silence, fiabilité et

efficacité du froid commercial.

Product Code	Model Number	Compressor Horsepower	Compressor Displacement	Cooling Oil Charge
	CAJ9480Z-FZ	5/8 HP	15.2 cm ³ /rev	Fan 475 ml
	CAJ9510Z-FZ	1 HP	18.3 cm ³ /rev	Fan 475 ml
	CAJ9513Z-FZ	1 1/8 HP	24.2 cm ³ /rev	Fan 475 ml
	CAJ4517Z-FZ	1.25 HP	25.95 cm ³ /rev	Fan 475 ml
	TAJ4517Z-TZ	1.25 HP	25.95 cm ³ /rev	Fan 475 ml
	CAJ4519Z-FZ	1.5 HP	34.45 cm ³ /rev	Fan 475 ml
	TAJ4519Z-TZ	1.5 HP	34.45 cm ³ /rev	Fan 475 ml