

Mbsm.pro, Huayi, Compressor, HY131MTU, 235 w, 1/3 hp, lbp, 30 feet, Unionaire, 2 doors, r600a

Category: compressor

written by www.mbsm.pro | 12 June 2022

China Appliance Supplier Inform	HYS69MGU	220~240°	50	ST	6.9	120	1.60	RSCR	
	HYS69MKU	220~240°	50	ST	6.9	120	1.65	RSCR	
	HYS81MKU	220~240°	50	ST	8.1	138	1.65	RSCR	
	HYS55MTU	220~240°	50	ST	5.5	92	1.74	RSCR	
	HYS60MTU	220~240°	50	ST	6.0	100	1.74	RSCR	
	HYS69MTU	220~240°	50	ST	6.9	120	1.72	RSCR	
	HYS81MTU	220~240°	50	ST	8.1	138	1.72	RSCR	
	HYS55MSU	220~240°	50	ST	5.5	93	1.63	RSCR	
	HYS60MSU	220~240°	50	ST	6.0	100	1.63	RSCR	
	HYS69MSU	220~240°	50	ST	6.9	120	1.63	RSCR	
	HYS55MXU	220~240°	50	ST	5.5	93	1.88	RSCR	
	HYS60MXU	220~240°	50	ST	6.0	102	1.88	RSCR	
	HYS69MXU	220~240°	50	ST	6.9	120	1.88	RSCR	
	HYS69MDU	220~240°	50	ST	6.9	122	1.95	RSCR	
	HYS69MKUL42	115°	60	ST	6.9	140	1.65	RSCR	
	HY系列(L B P)								
	HY113MKU	220~240°	50	ST	11.3	203	1.65	RSCR	
	HY131MKU	220~240°	50	ST	13.1	235	1.65	RSCR	
	HY153MKU	220~240°	50	ST	15.3	270	1.65	RSCR	
	HY113MTU	220~240°	50	ST	11.3	203	1.73	RSCR	
HY131MTU	220~240°	50	ST	13.1	235	1.75	RSCR		
HY153MTU	220~240°	50	ST	15.3	270	1.72	RSCR		
HY113MSU	220~240°	50	ST	11.3	206	1.65	RSCR		
HY131MSU	220~240°	50	ST	13.1	240	1.65	RSCR		
HY153MSU	220~240°	50	ST	15.3	272	1.80	RSCR		
HY113MXU	220~240°	50	ST	11.3	208	1.90	RSCR		
HY131MXU	220~240°	50	ST	13.1	245	1.90	RSCR		
华意R134a低背压压缩机参数表									
型号	电压 (V)	频率 (Hz)	冷却方式	汽缸容积 (cm ³)	制冷量 (W)	COP (W/W)	电机类型		
HYE系列(L B P)									
HYE55Y63	220~240°	50~60	ST	5.5	150	1.28	RSIR		
HYE55YG63	220~240°	50~60	ST	5.5	150	1.35	RSCR		
HYE55Y	220~240°	50	ST	5.5	150	1.28	RSIR		
HYE60Y63	220~240°	50~60	ST	6.0	170	1.28	RSIR		

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Huayi, Compressor, HY131MTU, 235 w, 1/3 hp, lbp, 30 feet, Unionaire, 2 doors, r600a

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP

Category: Archivation, compressor

written by www.mbsm.pro | 12 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP

Mbsm.pro, All HUAYI COMPRESSOR in one file, Compressor (with nose), R134a, R600A, Huayi, aluminum wire, 220-240V/50

Category: Archivation,compressor
written by www.mbsm.pro | 12 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, All HUAYI COMPRESSOR in one file, Compressor (with nose), R134a, R600A, Huayi, aluminum wire, 220-240V/50

Mbsm.pro, compressor, HUAYI, R600a, HYB81MHU a, 220-240V 50Hz, 5,5kg, 1/8HP, 8,1cm³, SGL, CHEST, FREEZER, 200L, SGLFR-200E

Category: compressor,Freezer

written by www.mbsm.pro | 12 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, HUAYI, R600a, HYB81MHU a, 220-240V 50Hz, 5,5kg, 1/8HP, 8,1cm³, SGL, CHEST, FREEZER, 200L, SGLFR-200E

Mbsm.pro, Compressor, B43H, HUAYI, 1/7 Hp, LBP, ACC, CUBIGEL, Danfoss, RSIR , r134a

Category: compressor

written by www.mbsm.pro | 12 June 2022



HUAYI

B43H

R134a

220-240V~50/60Hz (5)



A008210



HUAYI COMPRESSOR(JINGZHOU)CO.,LTD.

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, B43H, HUAYI, 1/7 Hp, LBP, ACC, CUBIGEL, RSIR , r134a

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Category: Files

written by www.mbsm.pro | 12 June 2022

R134a		HMBP HBP		50 Hz		R134a compressors compatible with R12														
MODEL	DISPLACEMENT cm ³	POWER hp	APPLICATION	CPI COOLING	VOLTAGE FREQUENCY	MOTOR	STARTING	EXPANSION	REFRIGERATION CAPACITY (°C)										WEIGHT Kg	DESIGN
									COP in W/W 1 W = 0.864 kcal/h = 3.415 BTU/h Evaporating Temperature °C											
									Cecomaf (W)					Ashrae						
									-25	-15	5	10	15	20	7.2	COP	Kg			
GLY45RAa	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	71	139	373	1.95	452	385	2.25	9	Lb			
GLY45RAb	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	71	139	373	2.12	452	385	2.45	9	Lb			
GLY60RAa	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	106	191	486	2.08	586	500	2.36	9.9	Lc			
GLY60RAb	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	106	191	486	2.25	586	500	2.60	9.9	Lc			
GLY80RAa	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	159	275	681	2.17	819	700	2.50	10.4	Lc			
GLY80RAb	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	159	275	681	2.35	819	700	2.71	10.4	Lc			
GLY90RAa	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lc			
GLY90RAb	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc			
GLY99RAa (**)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld			
GLY99RAb (**)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld			
GPY12RAa	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd			
GPY12RAb	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd			
GPY14RAa	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd			
GPY14RAb	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd			
GPY16RAa	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd			
GPY16RAb	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd			

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Mbsm.pro, compressor, Cubigel, Huayi, LBP, R290, 220 – 240V/1/50Hz, 1/3 hp, CSIR

Category: compressor

written by www.mbsm.pro | 12 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, Cubigel, Huayi, LBP, R290, 220 – 240V/1/50Hz, 1/3 hp, CSIR

Mbsm.pro, Huayi, Compressor, B25H,
R134a, LBP, COMPRESSORS -B SERIES,
B25H5 127V, B25H 220V, Water
Dispenser, 220-240V/50HZ, 55w, 1/14
hp, 220-240V/60HZ, 63w, 1/12hp

Category: compressor

written by www.mbsm.pro | 12 June 2022



Mbsm.pro, Huayi, Compressor, B25H, R134a, LBP, COMPRESSORS -B SERIES, B25H5 127V, B25H 220V, Water Dispenser, 220-240V/50HZ, 55w, 1/14 hp, 220-240V/60HZ, 63w, 1/12hp

Mbsm.pro, Compressor, ACC, Cubigel, Huayi, Electrolux, ZEM, MPT14LA, MPT14RA, LBP, R404A, R507, 1/2HP, 220-240V

Category: compressor

written by www.mbsm.pro | 12 June 2022




Private Picture Copyright: WWW.MBSM.PRO

Compressor Tecumseh L` Unite CAJ2432Z, LBP – R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 18.3 cm³, oil type: POE, oil charge: 887 cm³, electrical equipment: CSR, cooling power 381 W at -35 / +40 °C, connection: suction: 1/2 inch, discharge: 5/16 inch, sound level: 56 dBA, start capacitor: 8 8 uF/250V, run capacitor: 15 uF/400V, expansion device: capillary or expansion valve, height:

271 mm, weight: 21.5kg
Type: Low back pressure (LBP)
Refrigerant: R404a/507
Displacement: 14.32cm³
Power: 1/2CV
Voltage: 230V – 50Hz
Single-phase
Motor type: CSR
Weight: 13.4 kg
Evaporation temperature
-40°C: 243W
-30°C: 420W
-25°C: 535W
-10°C: 988W



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_MPT14LATélécharger

Mbsm.pro, Compressor, cubigel, huayi,

ACC, Electrolux, HPY14AA, LBP, R600a, 1/5HP, 220-240V/1/50Hz, 166 W

Category: compressor

written by www.mbsm.pro | 12 June 2022



Private Picture Copyright : WWW.MBSM.PRO

Compressors/Compressors ACC – Electrolux HP14AH, LBP – R600a, Power consumption 1/5HP, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 14.32 cm³, Oil type ISO VG10 Mineral oil, Oil quantity 300 cm³, Power 147 W at -25 / +55 °C, Power consumption 166 W, Power 0.0 W, Cooling capacity

-10 °C -15 °C -20 °C -25 °C -30 °C -35 °C

344	276	216	166	124	92
Shipping Class	Standard				
Scope Of Application	LBP				
Lieferzeit	2-3 Wochen				
Type Of Construction	Piston				
Condensation Temperature	55°C				
Maker	ACC				
Manufacturer No.	HPY14AA				
Displacement In Cm3	14.32				
Measuring Requirements	Ashrae				
Refrigerants	R600a				
Series	HPY				
Condensing Units Compressors	Compressors				
Suspense	220-240V				
Weight In Kg	13				

Compressor ACC Cubigel Huayi Electrolux ZEM HPY14AA, LBP -R600a, 220-240V/1/50Hz, 1/5 HP, discharge 14.32 cm³, motor type RSIR, oil type ISO VG10 mineral, oil charge 300 cm³, 166 W at -25 / +55 °, input power, current 147 W, 0.96 A, expansion device: capillar, cooling: static, weight 11 kg , the statutory warranty period shall apply (24 months), Delivery time Info: with "immediately available" and "scarce stock", usually delivery within 2 days. For "currently not available" delivery time usually 2 weeks or delivery time in urgent cases contact us.

Refrigerant:	R600a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	6,5 mm
Suction:	8,1 mm
Working area:	LBP
Design type:	Hermetic
Model series:	HPY
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 10 Mineral
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions (length × width × height):	20,40 × 16,20 × 19,60 cm
customs tariff number:	84143081
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	HPY14AA
Modelname:	HP14AH

Stroke volume (cm ³):	14,32
Cooling capacity (W):	147
Power (HP):	0,25
Max. Starting current (A):	11,5
Max. Operating current (A):	0,96
Engine type:	RSIR
Note:	Static cooling
Oil quantity (l):	0,3
Compressor type:	Piston
Power range:	-35 C to -10 C
Alternative:	NBM1118Y , EMX70CLC , NBM1116Y
Pressure line (mm):	6,5
Suction line (mm):	8,1





Private Picture Copyright : WWW.MBSM.PRO

[Mbsm_dot_pro_private_PDF_HPYP14AA-1Télécharger](#)

[Mbsm_dot_pro_private_PDF_HPYP14AATélécharger](#)