Mbsm.pro, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

Category: compressor
written by www.mbsm.pro | 7 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor
written by www.mbsm.pro | 7 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor
written by www.mbsm.pro | 7 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX.2, Secop, DANFOSS, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Category: compressor
written by www.mbsm.pro | 7 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

Category: compressor
written by www.mbsm.pro | 7 February 2022

Hitachi Hermetic Compressors

FL Series
STANDARD MODEL
Application & Refrigerant LBP R134a

Model	Nominal Power		F	Cooling Capacity			D	Cooling			O	Wg	Motor Type	Power Source					Dimension
								N	Cooling					1	2	3	4	5	
	HP	W	Hz	W	Kcal/h	BTU/h	cm3		Oil	Fan	cm3	Kg		H	P	R	S	T	Type - H
FL0634	1/12	65	50	78	67	266	3.42				200	6.8		•			•		
			60	90	77	307								•	•	•			Type1-165
FL0739	1/10	75	50	95	82	324	3.94					7.8	RSCR	•			•		
			60	108	93	368								•	•	•			
FL0845	1/8	85	50	105	90	358	4.50				270	8.1		•			•		Type1-179
			60	118	101	403								•	•	•			Type2-180
FL1052	1/6	100	50	120	103	409	5.19	•				8.3		•			•		
			60	140	120	478								•	•	•			
FL1157		110	50	135	116	461	5.70				240	8.7		•			•		
			60	158	136	539							RSIR	•	•	•			Type1-195
FL1262	1/5	125	50	150	129	512	6.23	•			320	9.5	RSCR	•			•		Type2-200
			60	170	146	580							CSIR	•	•	•			
FL1675		160	50	185	159	631	7.47		•	•	300	10.6		•			•		
			60	210	181	717								•	•	•			Type3-211
FL1888	1/4	180	50	215	185	734	8.83		•	•	300	11.1		•			•		
			60	250	215	853								•	•	•			Type4-216

Note All data covered by this catalog are given as general information only.

Since we are constandly improving our product , the specification and availability are subject to change with out notice.

Test Conditions (ASHRAE Condition)	Low back pressure (FL , RL , CL Series)	High back pressure (FH Series)
Evaporating Temperature	-23.3°C (-10°F)	7.2°C (45°F)
Condensing Temperature	54.4°C (130°F)	54.4°C (130°F)
Liquid Temperature	32.2°C (90°F)	46.1°C (115°F)
Return gas Temperature	32.2°C (90°F)	35°C (95°F)
Ambient Temperature	32.2°C (90°F)	35°C (95°F)
Power Source	Rated Voltage	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

---

Mbsm.pro, Huayi, Compressor, B25H, R134a, LBP, COMPRESSORS -B SERIES, B25H5 127V, B25H 220V, Water Dispenser, 220-240V/50HZ, 55w, 1/14 hp, 220-240V/60HZ, 63w, 1/12hp

Category: compressor
written by www.mbsm.pro | 7 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Huayi, Compressor, B25H, R134a, LBP, COMPRESSORS -B SERIES, B25H5 127V, B25H 220V, Water Dispenser, 220-240V/50HZ, 55w, 1/14 hp, 220-240V/60HZ, 63w, 1/12hp

---

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph, DAEWOO,COMPRESSOR R12, CSR, compressor, LBp, 220V 60hz

Category: compressor
written by www.mbsm.pro | 7 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph, DAEWOO,COMPRESSOR, R12, CSR, compressor, LBp, 220V 60hz

---

Mbsm.pro, Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

Category: compressor
written by www.mbsm.pro | 7 February 2022



Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

---

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Category: compressor
written by www.mbsm.pro | 7 February 2022



Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

---

Mbsm.pro, Compressor, ACC, Cubigel, Huayi, Electrolux, ZEM, MPT14LA , MPT14RA, LBP , R404A, R507, 1/2HP, 220-240V

Category: compressor
written by www.mbsm.pro | 7 February 2022




Private Picture Copyright : WWW.MBSM.PRO

Compressor Tecumseh L` Unite CAJ2432Z, LBP – R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 18.3 cm3, oil type: POE, oil charge: 887 cm3, electrical equipment: CSR, cooling power 381 W at -35 / +40 °C, connection: suction: 1/2 inch, discharge: 5/16 inch, sound level: 56 dBA, start capacitor: 8 8 uF/250V, run capacitor: 15 uF/400V, expansion device: capillary or expansion valve, height: 271 mm, weight: 21.5kg

Type: Low back pressure (LBP)
Refrigerant: R404a/507
Displacement: 14.32cm³
Power: 1/2CV
Voltage: 230V – 50Hz
Single-phase
Motor type: CSR
Weight: 13.4 kg
Evaporation temperature
-40°C: 243W
-30°C: 420W
-25°C: 535W
-10°C: 988W



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_MPT14LATélécharger