

# Panasonic, Compressors (Fixed Speed), Q Series, R134a, LBP, QA91C22GAX5, RSIR , 207W , 1/4HP

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 June 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Panasonic, Compressors (Fixed Speed), Q Series, R134a, LBP, QA91C22GAX5, RSIR ,  
207W , 1/4HP

# Cubigel, Danfoss, GL80AAb, GL80AA, R134a, (LBP), compressor 1/5HP, Low-temperature

Category: compressor

written by www.mbsm.pro | 13 June 2020

## Cubigel GL80AAb R134a (LBP) compressor



### Characteristic

Manufacturer	Cubigel
Compressor brand	Cubigel
Model	L
Compressor type	Hermetic piston
The purpose of the compressor	Low-temperature
Refrigeration ratio (EN 12900)	0.88
Performance regulation	No
Power compressor	Phase 1/220 B/50 Hz
Cool performance range (EN 12900), kW	0-1
Cold-performance (T0-35/Tk40), kW	0,103
Height, mm	192
Length, mm	250
Width, mm	200
Net weight, kg	9
Amount of oil, l	0.295
Noise level, dBA	60

[Back to the higher level](#)

Private Picture Copyright : WWW.MBSM.PRO

Cubigel, Danfoss, GL80AAb, R134a, (LBP), compressor 1/5HP, Low-temperature

---

# THG1374Y, TH271-ms-316, 1/4 HP, 192 W, Compressor Tecumseh, LBP

Category: compressor

written by www.mbsm.pro | 13 June 2020

Gas Refrigerante Refrigerant	Modelo del Compresor Compressor Model	Listado de Materiales Bill of Materials	Referencia Comercial Commercial Reference	Desplazamiento Displacement	50 Hz (ASHRAE)		60 Hz (ASHRAE)	
					Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	C.O.P.	Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	E.E.R.
				cm <sup>3</sup> /rev	W	W/W	Btu/h	Btu/Wh
R-134a	THB1324Y	TH324	1/14	2,72	62	0,93	250	3,47
	THG1330Y	TH261	1/10+	3,14	84	1,10	320	4,00
	THG1335Y	TH251	1/8	3,40	92	1,12	370	4,11
	THG1340Y	TH201	1/8+	3,79	104	1,21	425	4,25
	THG1346Y	TH211	1/6	4,23	117	1,12	475	4,20
	THG1352Y	TH221	1/6+	5,01	135	1,20	525	4,37
	THG1358Y	TH231	1/5	5,60	154	1,17	600	4,17
	THG1365Y	TH241	1/5	5,90	167	1,16	640	4,27
	TSB1355Y	TS304	1/5	4,59	140	1,61	610	5,42
	TSB1360Y	TS305	1/5	5,23	149	1,53	640	5,11
	TPH1380Y	TP152	1/5+	6,53	204	1,40	880	5,18
	THG1374Y	TH271	1/4	6,95	192	1,28	760	4,20
	TSB1374Y	TS306	1/4	5,65	167	1,37	700	5,04
	TSB1380Y	TS307	1/4	6,53	191	1,49	820	5,36
	TSB1390Y	TS308	1/3	7,28	215	1,35	930	5,10
	TPH1410Y	TP154	1/3	8,37	270	1,40	1100	4,66
	TPH1413Y	TP155	1/3+	10,86	315	1,29	1275	4,65
TPH1415Y	TP156	1/2	12,52	363	1,34	1450	4,75	
R-600a	AZA1330M	AZ526	1/10	5,59	91	1,00	310	3,83
	TSB1335M	TS406	1/8	5,65	91	1,65	365	5,02
	THG1345M	TH671	1/8+	6,96	108	1,12	430	4,39
	TSB1340M	TS404	1/7	6,53	111	1,59	410	5,07
	TSB1345M	TS407	1/6	7,28	123	1,58	500	5,21
	THG1355M	TH681	1/5	8,20	138	1,35	-	-
	TSB1355M	TS408	1/5	8,36	141	1,65	580	5,69
	TSB1360M	TS409	1/5	9,32	167	1,58	675	5,87
	TSB1365M	TS410	1/4	9,98	179	1,50	725	5,53
	TSB1370M	TS411	1/4	10,87	189	1,58	750	5,64
	TSB1380M	TS412	1/4	11,69	202	1,52	800	5,56
AZ1328D	AZ225	1/10	2,95	73	1,02	280	3,26	
AZ1335D	AZ223	1/8	3,60	91	1,05	360	3,45	
AZ1340D	AZ222	1/8	4,00	105	1,05	410	3,43	

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

THG1374Y, TH271-ms-316, 1/4 HP, 192 W, Compresor Tecumseh , LBP

## Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO FROST

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 June 2020



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO FROST

# COMPRESSEUR, Dongbei, (Donper) ,LBP , S série, S43CZ , 1/7Hp, R134a, RSIR

Category: compressor

written by www.mbsm.pro | 13 June 2020

制冷剂 Refrigerant	应用类型 Application	型号 Model	马力 Power	气缸容积 Displacement	冷却方式 Cooling	电机类型 Motor Type	电源 Power Supply	制冷量 Cooling Capacity											COP		运行电容 Run Capacitor	启动电容 Start Capacitor	
								ASHRAE											CECCOMF	ASH-RAE			CECCOMF
								-35	-30	-25	-23.3	-20	-15	-10	-5	0	-25	-23.3	-25	w/w			w/w
D系列 D Series																							
R134a	LBP	D25CZ	1/14	2.5	S	RSIR	220/50	18	28	42	55	65	86	116	145	182	42	0.95	0.72				
		D30CZ	1/12	3.0	S	RSIR	220/50	25	37	51	66	74	101	136	169	213	50	0.95	0.72				
		D43CZ	1/7	4.3	S	RSIR	220/50	43	66	84	106	114	152	196	250	320	82	1.07	0.81				
		D25BZ	1/10	2.5	S	RSIR	115/60	32	44	57	67	80	100	135	168	214	51	0.95	0.72				
		D30BZ	1/9	3.0	S	RSIR	115/60	36	50	65	72	88	119	150	200	270	55	0.96	0.72				
		D36BZ	1/8	3.6	S	RSIR	115/60	44	65	92	103	109	140	178	228	292	78	1.20	0.91				
直流变频DC Frequency Conversion Range																							
R134a	LBP	W20EZ	1/16	2.0	S	BDM	12-24VDC		28	40	45	56	76	102	130	165	34	1.17	0.89				
		W25EZ	1/14	2.5	S	BDM	12-24VDC		38	57	62	76	100	128	166	210	47	1.15	0.87				
S系列 S Series																							
R134a	LBP	S30CZ	1/12	3.0	S	RSIR	220/50	26	39	53	66	76	102	138	188	232	50	0.95	0.72				
		S36CZ	1/8	3.6	S	RSIR	220/50	35	53	75	90	104	139	180	242	307	68	1.05	0.80				
		S43CZ	1/7	4.3	S	RSIR	220/50	43	66	84	106	114	152	196	250	320	81	1.07	0.81				
		S53CZ	1/6-	5.3	S	RSIR	220/50	46	72	106	118	145	195	246	320	388	90	1.15	0.87				
		S30BZ	1/10	3.0	S	RSIR	115/60	36	50	65	72	88	119	150	200	270	55	0.96	0.73				
		S36BZ	1/7	3.6	S	RSIR	115/60	44	65	92	103	109	140	178	228	292	78	1.10	0.84				
		S43BZ	1/6-	4.3	S	RSIR	115/60	48	74	108	125	150	206	270	336	412	95	1.16	0.88				
		S53BZ	1/6+	5.3	S	RSIR	115/60	50	90	131	145	172	226	300	380	468	110	1.18	0.90				
		SK30CZ	1/10	3.0	S	RSCR	220/50	36	55	74	80	98	132	166			61	1.25	0.95	4			
		SK36CZ	1/8	3.6	S	RSCR	220/50	40	62	86	95	114	158	206			72	1.25	0.95	4			
		SK43CZ	1/6-	4.3	S	RSCR	220/50	46	71	95	115	143	190	245			87	1.30	0.99	4			
		SK53CZ	1/6	5.3	S	RSCR	220/50	48	79	116	130	153	200	260			99	1.30	0.99	4			
		SK36BZ	1/8	3.0	S	RSCR	115/60	40	62	84	95	114	158	200			72	1.25	0.95	12			
		SK36BZ	1/6-	3.6	S	RSCR	115/60	47	73	98	120	138	188	250			91	1.30	0.99	12			
SK43BZ	1/6	4.3	S	RSCR	115/60	52	82	120	140	168	221	293			106	1.35	1.03	12					
SK53BZ	1/5	5.3	S	RSCR	115/60	55	95	138	158	180	237	304			120	1.35	1.03	12					



Private Picture Copyright: WWW.MBSM.PRO

COMPRESSEUR, Dongbei, (Donper) ,LBP , S série, S43CZ , 1/7Hp, R134a, RSIR

www.mbsm.pro, Beko Compressor, MTS170MT, R600A ,Capacity 170 kcal, 1/4HP , 197W ,LBP, LRA 12.6 A ,1PH ,BEKO FRIDGE & FREEZER

Category: compressor

written by www.mbsm.pro | 13 June 2020



Private Picture Copyright: WWW.MBSM.PRO

www.mbsm.pro, Beko Compressor, MTS170MT, R600A ,1/4HP , 1PH ,

## BEKO FRIDGE & FREEZER

### More About This Product

#### Fitting

This product is manufactured and designed to be compatible or used with appliances of the brand or manufacturer listed above, or for selected commercial/domestic applications.

#### Other Information

None, at present.

#### Product Classification

This is a genuine original product made and supplied by the original equipment manufacturer (OEM). In order to maintain a valid warranty it is recommended to always use genuine original products. Genuine original products are specifically manufactured to increase the performance, functionality and life-span of your machine.

#### Manufacturer Information

We stock and supply a range of Beko, Blomberg, Flavel, Leisure Arcelik Group products.

Beko has become one of the fastest growing brands in the UK offering today an extensive product range including refrigeration, laundry, dishwashers and television. Second largest brand in Turkey, its home market, Beko continues to develop the mission and the reputation to serve customers with innovative products that genuinely surprise them, like the New Xpress Washing machine. Beko

has been operating in the UK & Ireland since 1990 and is the UK's Best-selling Large Home Appliance brand. Designed to make your life easier thanks to super-fast programmes and energy saving technology – Beko delivers exceptional value for money, providing smart, innovative and energy efficient home appliances. Beko has achieved an average of 9 out of 10 review score from thousands of customer reviews for its range of American style fridge freezers, Built In Ovens and washing machines.

## Consumables

## Bulk Ordering

This product may be offered in bulk quantities, please refer to the box or pallet quantity in the specification box above. There may be a bulk discount available. In order to benefit from any discount available, add the box or pallet quantity (or multiples thereof) to your basket and the price will be updated automatically.

## Related Items & Substitutes

Where available we may have an alternative or substitute product, or other items we think you may be interested in. Please see below.

## Still Having Trouble?

If the information provided on this page still isn't sufficient for you to be certain it's what you require, please contact us for further assistance.



**TÜRK ELEKTRİK**  
**MTS 170 MT S222-17**

220-240VA

LRA: 12.6 L

58982098 CL 09

R600a

**MTS = SERIE**

170 Capacity En Kcal  
1 kilocalories/hour = 1.163  
watts  
170 Kcal \* 1.163 = 197.71

197 = 1/4 hp



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_ntu170mt-1Télécharger

Compressor, KONOR, gqy90aa, GQR90AA,  
R134a, 220-240V 50Hz, LBP , RSIR,  
10,1kg 1/4HP, 220W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 June 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor, KONOR, GQR90AA, R134a, 220-240V 50Hz, LBP , RSIR, 10,1kg 1/4HP, 220W

---

EGU130HLR, Embraco, ASPERA, 1/3Hp,  
Lbp, Compressor, Hermetic, 313 W, Oil  
Volume (L) 0.18 Oil POE 22 Vladagent,  
R-134, B/Hz/f 220-240 V /50/1

Category: compressor

written by www.mbsm.pro | 13 June 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

EGU130HLR, Embraco, ASPERA, 1/3Hp, Lbp, Compressor, Hermetic, 313 W, Oil Volume (L) 0.18 Oil POE 22 Vladagent, R-134, B/Hz/f 220-240 V /50/1

R134a, FL1568-SL, HITACHI Compressor, 220 v 50Hz, 1/4 Hp, white whale, 18Feet, LBp, 200W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 June 2020

14/8/2556 OVERLOAD RELAY - Hitachi Compressor (Thailand) ,Ltd..htm

FL0739-S*	3.9	94	81	321	270	St		RSIR	7.8	179	
FL0845-S*	4.5	117	100	400	270	St		RSIR	8.1	179	
FL1052-S*	5.2	121	104	413	270	St		RSIR	8.3	179	
FL1152-S*	5.2	136	117	464	260	St		RSCR	8.3	179	
FL1152-S*	5.2	134	115	457	280	St		RSIR	9.3	188	
220-240V 50Hz	FL1157-S*	5.7	136	117	464	240	St	RSIR	8.7	178	
FL1257-S*	5.7	150	129	512	240	St		RSIR	9.3	181	
FL1257-S*	5.7	173	148	591	240	St		RSCR	9.3	181	
FL1262-S*	6.2	145	124	495	310	St		RSIR	10.5	200	
FL1462-S*	6.2	165	142	563	310	St		RSIR	10.5	200	
FL1462-S*	6.2	185	159	632	310	St		RSCR	11.9	216	
FL1568-S*	6.8	180	154	615	310	St		CSIR	11.5	216	
FL1568-S*	6.8	200	172	683	310	St		RSIR	10.5	200	
FL1568-S*	6.8	200	172	683	310	St		RSCR	10.5	200	
FL1875-S*	7.5	215	184	734	335		OC	RSIR	10.8	211	
FL1875-S*	7.5	208	178	710	310			F	RSIR	11.9	216
FL1888-S*	8.8	207	178	707	300		OC	RSIR	11.2	216	
FL2088-S*	8.8	256	220	874	380			F	CSR	11.4	210
FL2088-S*	8.8	245	210	836	300		OC	RSCR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	CSIR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	RSIR	11.6	216	



Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_P\_COM008\_105\_specTélécharger

14/8/2556 OVERLOAD RELAY - Hitachi Compressor (Thailand) ,Ltd..htm

FL0739-S*	3.9	94	81	321	270	St		RSIR	7.8	179	
FL0845-S*	4.5	117	100	400	270	St		RSIR	8.1	179	
FL1052-S*	5.2	121	104	413	270	St		RSIR	8.3	179	
FL1152-S*	5.2	136	117	464	260	St		RSCR	8.3	179	
FL1152-S*	5.2	134	115	457	280	St		RSIR	9.3	188	
220-240V 50Hz	FL1157-S*	5.7	136	117	464	240	St	RSIR	8.7	178	
FL1257-S*	5.7	150	129	512	240	St		RSIR	9.3	181	
FL1257-S*	5.7	173	148	591	240	St		RSCR	9.3	181	
FL1262-S*	6.2	145	124	495	310	St		RSIR	10.5	200	
FL1462-S*	6.2	165	142	563	310	St		RSIR	10.5	200	
FL1462-S*	6.2	185	159	632	310	St		RSCR	11.9	216	
FL1568-S*	6.8	180	154	615	310	St		CSIR	11.5	216	
FL1568-S*	6.8	200	172	683	310	St		RSIR	10.5	200	
FL1568-S*	6.8	200	172	683	310	St		RSCR	10.5	200	
FL1875-S*	7.5	215	184	734	335		OC	RSIR	10.8	211	
FL1875-S*	7.5	208	178	710	310			F	RSIR	11.9	216
FL1888-S*	8.8	207	178	707	300		OC	RSIR	11.2	216	
FL2088-S*	8.8	256	220	874	380			F	CSR	11.4	210
FL2088-S*	8.8	245	210	836	300		OC	RSCR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	CSIR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	RSIR	11.6	216	




Private Picture Copyright : WWW.MBSM.PRO



Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

HITACHI FL1568-SL

.220-240V 50Hz OIL 2008.09.26




SERIAL NO. 22592 HFC-134a

⚠ WARNING | HIGH TEMPERATURE  
ELECTRIC SHOCK

DO NOT TOUCH M15

# CIRCUIT DIAGRAM

GY...GRAY    OR...ORANGE    RD...RED    PK...PINK  
 VT...VIOLET    BR...BROWN    BL...BLUE    BK...BLACK  
 GN/YL...GREEN/YELLOW    YL...YELLOW  
 BK



\*THE PLUG TYPE CAPACITOR PARTS, EARTH PARTS ON CIRCUIT DIAGRAM ARE SUBJECTED TO CHANGE ACCORDING MODEL TYPE



Insulation Blowing Gas:  
Cyclo-Pentane

N02



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

**QB73C12GAW5, 185W, 1/4Hp , RSIR, Q  
Series PANASONIC (Reciprocating Fixed  
Speed), R134a, LBP**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 June 2020

## ■ Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm <sup>3</sup> )	7.3
Voltage (V)	220/240
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	185
COP@ASHRAE	1.26/1.23
Capacity@CECOMAF	-
COP@CECOMAF	-

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

QB73C12GAW5, 185W, 1/4Hp , RSIR, Q Series PANASONIC (Reciprocating Fixed Speed), R134a, LBP