

Mbsm.pro, Compressor, 1/5hp, Low-temperature, hermetic, refrigeration, compressor Embraco, Aspera, (Embrako Aspera), NB3117Z, LBP, R-134a, 174W at $T_i = -23.3\text{C}$, $T_k = 54.4\text{C}$

Category: Archivation,compressor
written by www.mbsm.pro | 11 April 2022

aspera SUCTION →
MADE IN SLOVAKIA
THERMALLY PROTECTED
200-240 V ~ 50 HZ
220 V ~ 60 HZ 1Ø

NB3117Z
285AN48
ESTER OIL 450 CC
R 134a

009597 7603



CE

Mbsm.pro, Compressor, 1/5hp, Low-temperature, hermetic, refrigeration,
compressor Embraco, Aspera, (Embraco Aspera), NB3117Z, LBP, R-134a, 174W at
 $T_i = -23.3C$, $T_k = 54.4C$

**Refrigerator, compressor, E1134CZA,
1/2 hp, E1130CZA, E1121CZA, 3/8HP,
commercial, freezer, R134a**

Category: compressor

written by www.mbsm.pro | 11 April 2022

 **E1121CZA** 
220-240V-50Hz 1PH
THERMALLY PROTECTED

RoHS   SUCTION → 2
R134a

<http://www.dongper.com> A000583

D123810213206602016

Refrigerator, compressor, E1134CZA, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a

Cubigel, Danfoss, GL80AAb, GL80AA, R134a, (LBP), compressor 1/5HP, Low-temperature

Category: compressor

written by www.mbsm.pro | 11 April 2022

Cubigel GL80AAb R134a (LBP) compressor



Characteristic

| | |
|---------------------------------------|---------------------|
| Manufacturer | Cubigel |
| Compressor brand | Cubigel |
| Model | L |
| Compressor type | Hermetic piston |
| The purpose of the compressor | Low-temperature |
| Refrigeration ratio (EN 12900) | 0,88 |
| Performance regulation | No |
| Power compressor | Phase 1/220 B/50 Hz |
| Cool performance range (EN 12900), kW | 0-1 |
| Cold-performance (T0-35/TK40), kW | 0,103 |
| Height, mm | 192 |
| Length, mm | 250 |
| Width, mm | 200 |
| Net weight, kg | 9 |
| Amount of oil, l | 0,295 |
| Noise level, dBA | 60 |

[Back to the higher level](#)

Private Picture Copyright: WWW.MBSM.PRO

Cubigel, Danfoss, GL80AAb, R134a, (LBP), compressor 1/5HP, Low-temperature