

R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

Category: compressor

written by www.mbsm.pro | 23 April 2021



REDMI NOTE 9 PRO
AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

LG, Refrigerator, Compressor,
FC75LBNA, TCA35271202, Inverter,
AR125VC, R134A, 1/3hp, 0-220V 53HZ

Category: compressor

written by www.mbsm.pro | 23 April 2021



LG, Refrigerator, Compressor, FC75LBNA, TCA35271202, Inverter, AR125VC, R134A,
1/3hp, 0-220V 53HZ

ZANUSSI FRIDGE, FREEZER COMPRESSOR, OF605, R 134a, 1/9 HP, LBP, 50w, V0E, OF 605

Category: compressor

written by www.mbsm.pro | 23 April 2021



Private Picture Copyright: WWW.MBSM.PRO

ZANUSSI FRIDGE, FREEZER COMPRESSOR, OF605, R 134a, 1/9 HP, LBP, 50w

COMPRESSOR, DANFOSS, NLE15KTK2,
NLE15KTK2 105H6966, 105H6966, 105H,
6966, 253W, 1/3Hp, LBP, R600,
220V/50, Indesit, Ariston

Category: compressor

written by www.mbsm.pro | 23 April 2021



Private Picture Copyright : WWW.MBSM.PRO


COMPRESSOR, DANFOSS, NLE15KTK2, NLE15KTK2 105H6966, 105H6966, 105H, 6966, 253W,
1/3Hp, LBP, R600, 220V/50, Indesit, Ariston



Compressor, Aspera, Embraco,
EMT60HLP, R134a, 1/5 CV, 220 à 240 V
50 Hz, Cylindrée = 6.76 CM3, LBP,
RSIR

Category: compressor

written by www.mbsm.pro | 23 April 2021

ZK1050

 **Embraco ECU60HLP**

	Thermally Protected	220-240V ~ 50Hz
	12.0LRA 280 ml oil R134a 1PH	



Compressor, Aspera, Embraco, EMT60HLP, R134a, 1/5 CV, 220 à 240 V 50 Hz,
Cylindrée = 6.76 CM3, LBP, RSIR

LG, CSB075NJEG, 1/6HP, R600A, alu wire, refrigerator, compressor, refrigerator, BBS130, BBD230, BBC208S

Category: compressor

written by www.mbsm.pro | 23 April 2021

BUD-DCTAE167	19	CC125-BP	25	CPP330	280	DCPL186-2BD-ETP	33	DCCTCE146	15	DF
BUD-DCTAE186	19	CC128-BB	25	CPP470	280	DCPL186-2BG	33	DCCTCE147	15	DF
BUD-DCTAE187	19	CC128-BB	25	CPP650	280	DCPL187-2BD-ETP	33	DCCTCE148	15	DF
BUD-DCTAE206	19	CC155-BB	25	CPP11000	175	DCPL187-2BG	33	DCCTCE149	15	DF
BUD-DCTAE207	19	CC155-BP	25	CPP12000	175	DCPL187-2BG-ETP	33	DCCTCE150	15	DF
BUD-DCTCE66	19	CC156-BB	25	CPP13000	175	DCPL187-2BD	33	DCCTCE151	15	DF
BUD-DCTCE77	19	CC156-BP	25	CPP14000	175	DCPL166-2BD	33	DCCTCE152	15	DF
BUD-DCTCE106	19	CC186-BB	25	CPP16000	175	DCPL166-2BD-ETP	33	DCCTCE153	15	DF
BUD-DCTCE107	19	CC186-BP	25	CPP19000	175	DCPL166-2BG	33	DCCTCE154	15	DF
BUD-DCTCE128	19	CCA	337	CRP5A	175	DCPL166-2BG-ETP	33	DCCTCE155	15	DF
BUD-DCTCE127	19	CDD1/1	171	CRP20A	175	DCPL167-2BD	33	DCCTCE156	15	DF
BUD-DCTCE146	19	CDD1/2	171	CS6/10	15	DCPL167-2BG	33	DCCTCE157	15	DF
BUD-DCTCE147	19	CDD1/3	171	CS/10	15	DCPL167-2BG-ETP	33	DCCTCE158	15	DF
BUD-DCTCE157	19	CDD1/4	171	CS70	235	DCPL186-2BD	33	DCCTCE159	15	DF
BUD-DCTCE166	19	CDD1/6	171	CSB075NJEG	235	DCPL186-2BD-ETP	33	DCCTCE160	15	DF
BUD-DCTCE167	19	CDD2/1	171	CSR/16	48	DCPL186-2BG	33	DCCTCE161	15	DF
BUD-DCTCE186	19	CDD2/3	171	CSR/18	48	DCPL186-2BG-ETP	33	DCCTCE162	15	DF
BUD-DCTCE187	19	CD-GH-818	137	CSR/20	48	DCPL187-2BD	33	DCCTCE163	15	DF
BUD-DCTCE206	19	CDR-1	90, 229	CT 1758TD	113	DCPL187-2BD-ETP	33	DCCTCE164	15	DF
BUD-DCTCE207	19	CDR-2	90, 229	CT 1760TD	113	DCPL187-2BG	33	DCCTCE165	15	DF
BUD-ETPL83	63	CF4-78ET	339	CTR11000	175	DCPL187-2BG-ETP	33	DCCTCE166	15	DF
BUD-ETPL84	63	CF4-78GP	338	CTR12000	175	DCPL206-2BD	33	DCCTCE167	15	DF
BUD-ETPL103	63	CF0380-37	388	CTR13000	175	DCPL206-2BD-ETP	33	DCCTCE168	15	DF
BUD-ETPL104	63	CF0380-50	388	CTR14000	175	DCPL206-2BG	33	DCCTCE169	15	DF
BUD-ETPL123	63	CH11000	171	CTR16000	175	DCPL206-2BG-ETP	33	DCCTCE170	15	DF
BUD-ETPL124	63	CH12000	171	CTR19000	175	DCPL207-2BD	33	DCCTCE171	15	DF
BUD-ETPL143	63	CH13000	171	CTR21000	175	DCPL207-2BD-ETP	33	DCCTCE172	15	DF
BUD-ETPL144	63	CH14000	171	CTRE11000	175	DCPL207-2BG	33	DCCTCE173	15	DF
BUD-ETTU104	63	CH16000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DCCTCE174	15	DF
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DCCTCE175	15	DF

Private Picture Copyright : WWW.MBSM.PRO

- + CSB057NJEG 1 / 10HP
- + CSB069NJEG 1 / 8HP
- + CSB075NJEG 1 / 6HP



CSB075NJEG

220-240V-50Hz 1PH

THERMALLY PROTECTED

Taizhou LG Electronics Refrigeration Co., Ltd. **MADE IN CHINA**



0L1X11420N08-26S188



R600a

2021/4/8 18:32

BUD-DCTAE167	19	CC125-BP	25	CPP330	280	DCPL166-2BD-ETP	33	DCTCE146	15	DF
BUD-DCTAE186	19	CC128-BB	25	CPP470	280	DCPL166-2BD	33	DCTCE147	15	DF
BUD-DCTAE187	19	CC128-BP	25	CPP650	280	DCPL167-2BD-ETP	33	DCTCE148	15	DF
BUD-DCTAE206	19	CC155-BB	25	CPP11000	170	DCPL167-2BG	33	DCTCE157	15	DF
BUD-DCTAE207	19	CC155-BP	25	CPP12000	170	DCPL167-2BG-ETP	33	DCTCE166	15	DF
BUD-DCTCE66	19	CC156-BB	25	CPP13000	170	DCPL166-2BD	33	DCTCE167	15	DF
BUD-DCTCE77	19	CC156-BP	25	CPP14000	170	DCPL166-2BD-ETP	33	DCTCE168	15	DF
BUD-DCTCE106	19	CC186-BB	25	CPP16000	170	DCPL166-2BG	33	DCTCE187	15	DF
BUD-DCTCE107	19	CC186-BP	25	CPP19000	170	DCPL166-2BG-ETP	33	DCTCE196	15	DF
BUD-DCTCE128	19	CCA	337	CRP5A	170	DCPL167-2BD	33	DCTCE197	15	DF
BUD-DCTCE127	19	CDD1/1	171	CRP20A	170	DCPL167-2BG	33	DDBF163	164,240	DF
BUD-DCTCE146	19	CDD1/2	171	CS6/10	15,350	DCPL167-2BG	33	DDBF163	164,240	DF
BUD-DCTCE147	19	CDD1/3	171	CS/10	15,350	DCPL167-2BG-ETP	33	DE35100	38	DF
BUD-DCTCE157	19	CDD1/4	171	CS70	232	DCPL166-2BD	33	DEF163A	380	DF
BUD-DCTCE166	19	CDD1/6	171	CSB075NJEG	235	DCPL186-2BD-ETP	33	DECEFI14-PM	44	DF
BUD-DCTCE167	19	CDD2/1	171	CSR/16	48	DCPL186-2BG	33	DECE-PM	44	DF
BUD-DCTCE186	19	CDD2/3	171	CSR/18	48	DCPL186-2BG-ETP	33	DEF	44	DF
BUD-DCTCE187	19	CD-GH-818	137	CSR/20	48	DCPL187-2BD	33	DEL-0500	343	DF
BUD-DCTCE206	19	CDR-1	90,229	CT 1758TD	113	DCPL187-2BD-ETP	33	DESSUS-TH168	361	DF
BUD-DCTCE207	19	CDR-2	90,229	CT 1760TD	113	DCPL187-2BG	33	DESSUS-TH207	361	DF
BUD-ETPL83	63	CF4-78ET	339	CTR11000	175	DCPL187-2BG-ETP	33	DEV-FIC	21,305	DF
BUD-ETPL84	63	CF4-78GP	338	CTR12000	175	DCPL206-2BD	33	DIFP90BI	88	DF
BUD-ETPL103	63	CF0380-37	388	CTR13000	175	DCPL206-2BD-ETP	33	DIFP90BL	88	DF
BUD-ETPL104	63	CF0380-50	388	CTR14000	175	DCPL206-2BG	33	DIFP90R	88	DF
BUD-ETPL123	63	CH11000	171	CTR16000	175	DCPL206-2BG-ETP	33	DIFP90VE	88	DF
BUD-ETPL124	63	CH12000	171	CTR19000	175	DCPL207-2BD	33	DIFP90YE	88	DF
BUD-ETPL143	63	CH13000	171	CTR21000	175	DCPL207-2BD-ETP	33	DIPA	163	DF
BUD-ETPL144	63	CH14000	171	CTR11000	175	DCPL207-2BG	33	DIPA600	163	DF
BUD-ETTU104	63	CH16000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DIST91	94	DF
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DIST91A	94	DF

Private Picture Copyright : WWW.MBSM.PRO

Pièces détachées

▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	REF.	€	DÉSIGNATION	REF.	€
Compresseurs					
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte		
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Condenseurs					
Condenseur pour BBC208S, BBD230	BBD230L.08	59	Joint de porte pour BBS130	BBS130L.25	14,60
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Portes vitrées		
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Évaporateurs					
Évaporateur pour BBC208S	BBD230S.47	117	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
Évaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée battante pour BBS130	BBS130L.24	222
Évaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante pour BBC208S	BBD230S.26	205
			Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
			Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
			Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			Roulette pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : WWW.MBSM.PRO

Medium and High Back Pressure Compressors, M/HBP, RSIR, TECUMSEH, 1/5++ HP, R134a, 160g, TWB1374YGS, TW146GY, 220v/50-60, kiriazi defrost, 340L, k350, k350/1, Embraco, ff17.5hak, tw146-gy-486, twb1374ygs

Category: compressor

written by www.mbsm.pro | 23 April 2021

Medium and High Back Pressure Compressors, M/HBP, RSIR, TECUMSEH, 1/5++ HP, R134a, 160g, TWB1374YGS, TW146GY, 220v/50-60, kiriazi defrost, 340L, k350, k350/1, Embraco, ff17.5hak, tw146-gy-486, twb1374ygs

Catalogue, DANFOSS, All Compressor, PDF Catalogs, Documentation

Category: compressor,Files

written by www.mbsm.pro | 23 April 2021



Catalogue, DANFOSS, All Compressor, PDF Catalogs, Documentation

Mbsm_dot_pro_private_PDF_DANFOSS-FRCC.PK_.046.A1.02Télécharger

Mbsm_dot_pro_private_PDF_Danfoss_scroll_compressors_HXX_R410ATélécharger

Mbsm_dot_pro_private_PDF_DANFOSS-1Télécharger

Mbsm_dot_pro_private_PDF_DANFOSSTélécharger

ENGINEERING
TOMORROW

Danfoss

50 and 60Hz Catalogue

Danfoss **Light Commercial**
Refrigeration Compressors
B, U, L, P, X, S Ranges

R134a | R404A | R507 | R600a | R290

Private Picture Copyright : WWW.MBSM.PRO

Compressor Embraco Aspera NEK6210GK,
MBP – R404A, R507, 220 – 240V/1/50Hz,
1/2 HP, discharge 8.77 cm³, motor
type CSIR, lubricant type POE 22,
lubricant charge 350 ml.1318 W at
+7.2 / +54.4 °, expansion device:
capillary or valve, cooling: fan
cooling, weight 11 kg

Category: compressor

written by www.mbsm.pro | 23 April 2021

Embraco aspera

NEK6210GK



THERMALLY PROTECTED

220-240V ~ 50Hz

R 404A

POE OIL 350°C

1 PH

SUCTION

MADE IN SLOVAKIA NO START WITHOUT STARTING DEVICE



958CA51

LX

N10ZGP43

Compressor ASPERA NEK6210GK | NEK 6210 GK

Compressor Embraco Aspera NEK6210GK, MBP – R404A, R507, 220 – 240V/1/50Hz, 1/2 HP, discharge 8.77 cm³, motor type CSIR, lubricant type POE 22, lubricant charge 350 ml.1318 W at +7.2 / +54.4 °, expansion device: capillary or valve, cooling: fan cooling, weight 11 kg

Refrigerant	R404A/R507
Working range[stC] MBP	-20 do +10
Nominal capacity [W] (evaporating temperature +7,2C, Condensing temperatur +54,4C)	1303
Power supply	220-240V 50Hz
Engine type	CSIR
Displacement [cm ³]	8,77
Weight [kg]	11

Evaporating temperature +55 C

Evaporating Temperature	Cooling Capacity +/-5%	Power Consumption +/-5%	Current Consumption +/-5%	Gas Flow Rate +/-5%	Efficiency +/-7%			
°C	(kcal/h)	(W)	(Btu/h)	(W)	(A)	(kg/h)	(kcal/Wh)	(W/W)
-20	384	447	1.525	365	2,36	11,99	1,05	1,22
-15	467	544	1.855	419	2,58	14,69	1,12	1,30
-10	574	668	2.278	470	2,79	18,18	1,22	1,42
-5	704	819	2.795	519	3,00	22,51	1,36	1,58
0	858	998	3.405	565	3,20	27,73	1,52	1,77
5	1.036	1.204	4.109	609	3,40	33,90	1,70	1,98
10	1.237	1.438	4.907	650	3,59	41,06	1,90	2,21

Substitutes for this compressor are: Electrolux ML90TB , L'Unite

Hermetique/Tecumseh AE4450Z

Refrigerant: R404A, R507

Embraco aspera

NEK6210GK



THERMALLY PROTECTED

220-240V ~ 50Hz

R 404A

POE OIL 350CF

1 PH

SUCTION

MADE IN SLOVAKIA NO START WITHOUT STARTING DEVICE



958CA51

LX

N10ZGP43

ALL COMPRESSOR HERMÉTIC EMBRACO IN ONE FILE

Category: compressor

written by www.mbsm.pro | 23 April 2021

COMPRESORES R404A/ R452A BAJA TEMPERATURA. MONOFÁSICAS 220V

MODELO	CM3	EXP	C.V	INT (A)	REFR COMP	MOTOR	TEMP. DE EVAPORACIÓN			PRECIO
							-10°C	-25°C	-30°C	
EMT2117GK	4,50	C	1/4	1,15	F	CSIR	408	210	164	143,00
EMT2121GK	5,20	C	1/3	1,33	F	CSIR	487	258	204	146,00
EMT2125GK	5,96	C-V	1/3	1,57	F	CSIR	562	301	238	158,00
EMT2130GK	6,76	C-V	1/2	1,70	F	CSIR	605	326	257	165,00
NEU2140GK	8,78	C-V	1/2	2,63	F	CSIR	801	421	326	182,00
NEU2155GK	12,11	C-V	3/4	3,79	F	CSIR	1067	557	432	201,00
NEU2168GJ	14,28	C-V	3/4	3,48	F	CSIR	1213	642	496	240,00
NEU2178GK	16,80	C-V	1	4,27	F	CSIR	1416	753	586	287,00
NT2180GK	20,44	C-V	1	3,12	F	CSIR	1573	814	625	330,00
NT2192GK	22,40	C-V	1	4,92	F	CSIR	1693	865	669	365,00
NT2192GK(*)	22,40	C-V	1	4,92	F	CSIR	1693	865	669	345,00
NT2210GK	26,20	C-V	1 1/2	6,43	F	CSIR	2041	1052	804	375,00
NT2210GK(*)	26,20	C-V	1 1/2	6,43	F	CSIR	2041	1052	804	355,00
NT2212GK	27,78	C-V	1 1/2	5,30	F	CSIR	2174	1125	876	380,00
NJ2212GK	34,37	C-V	1 1/2	5,80	F	CSIR	2487	1276	961	419,00
NJ2212GK(*)	34,37	C-V	1 1/2	5,80	F	CSIR	2487	1276	961	394,00



Private Picture Copyright : WWW.MBSM.PRO

EMT22HLP	3,00	C	1/12	0,44	S	RSIR	151	69	50	98,00	
EMT36HLP	3,97	C	1/10	0,56	S	RSIR	203	94	71	102,00	
EMY3111Z	4,85	C	1/8	0,71	S	RSIR	247	117	86	105,00	
EMT49HLP	5,56	C	1/6	0,76	S	RSIR	274	131	98	111,00	
EMY3115Z	6,76	C	1/6	0,99	S	RSIR	341	158	117	112,00	
NEK1116Z	7,37	C	1/5	0,60	S	RSIR	367	172	126	129,00	
NEK1118Z	8,39	C	1/4	0,74	S	RSIR	417	195	144	133,00	
NE2121Z	9,26	C/V	1/4	1,41	F	CSIR	465	217	163	172,00	
NE2130Z	12,11	C/V	1/3	2,07	F	CSIR	613	298	227	186,00	
NE2134Z	14,28	C/V	1/3	2,30	F	CSIR	662	313	234	190,00	
NEK2140Z	16,80	C/V	1/2	2,35	F	CSIR	801	377	284	207,00	
MODELO	CM3	EXP	C.V	INT	(A)	REFR	COMP	MOTOR	TEMP. DE EVAPORACIÓN	PRECIO	
									+5°C 0°C -5°C -10°C		
EMT37HDP	3,40	C	1/8	0,85	S	RSIR	343	245	228	113,00	
EMT45HDR	3,97	C	1/8	0,95	S	CSIR	402	284	229	184	121,00
EMT50HDP	4,50	C	1/6	1,05	S	RSIR	456	374	303	242	120,00
EMT6144Z	5,20	C/V	1/5	1,38	F	RSIR	549	395	367	294	123,00
EMT6160Z	6,76	C/V	1/4	1,74	F	RSIR	696	504	469	377	127,00
EMT6170Z	7,69	C/V	1/4	2,03	F	RSIR	771	559	522	418	134,00
NEU6187Z	10,00	C/V	1/3	2,61	F	RSIR	918	654	600	477	151,00
NEU6210Z	12,12	C/V	1/3	3,15	F	RSIR	1170	955	770	615	163,00
NEU6212Z	14,30	C/V	1/2	3,90	F	RSIR	1365	1114	894	707	174,00
NEU6214Z	16,80	C/V	1/2	4,21	F	RSIR	1569	1292	1047	836	199,00
NT6217Z	20,44	C/V	3/4	4,73	F	RSIR	1795	1256	1173	938	292,00
NT6220Z	22,37	C/V	3/4	5,24	F	RSIR	1897	1554	1260	1010	323,00
NJ6220Z	26,11	C/V	3/4	5,71	F	RSIR	2202	1780	1419	1104	386,00

NJ6220Z () 26,11 C/V 3/4 5,71 F RSIR 2202 1780 1419 1104 379,00 NJ6226Z 34,38 C/V 1 5,95 F CSR 2852 2340 1892 1497 439,00 NJ6226Z() 34,38 C/V 1 5,95 F CSR 2852 2340 1892 1497 410,00

COMPRESORES R404A/ R452A BAJA TEMPERATURA. MONOFÁSICAS 220V

MODELO	CM3	EXP	C.V	INT (A)	REFR COMP	MOTOR	TEMP. DE EVAPORACIÓN			PRECIO
							-10°C	-25°C	-30°C	
EMT2117GK	4,50	C	1/4	1,15	F	CSIR	408	210	164	143,00
EMT2121GK	5,20	C	1/3	1,33	F	CSIR	487	258	204	146,00
EMT2125GK	5,96	C-V	1/3	1,57	F	CSIR	562	301	238	158,00
EMT2130GK	6,76	C-V	1/2	1,70	F	CSIR	605	326	257	165,00
NEU2140GK	8,78	C-V	1/2	2,63	F	CSIR	801	421	326	182,00
NEU2155GK	12,11	C-V	3/4	3,79	F	CSIR	1067	557	432	201,00
NEU2168GJ	14,28	C-V	3/4	3,48	F	CSIR	1213	642	496	240,00
NEU2178GK	16,80	C-V	1	4,27	F	CSIR	1416	753	586	287,00
NT2180GK	20,44	C-V	1	3,12	F	CSIR	1573	814	625	330,00
NT2192GK	22,40	C-V	1	4,92	F	CSIR	1693	865	669	365,00
NT2192GK(*)	22,40	C-V	1	4,92	F	CSIR	1693	865	669	345,00
NT2210GK	26,20	C-V	1 1/2	6,43	F	CSIR	2041	1052	804	375,00
NT2210GK(*)	26,20	C-V	1 1/2	6,43	F	CSIR	2041	1052	804	355,00
NT2212GK	27,78	C-V	1 1/2	5,30	F	CSIR	2174	1125	876	380,00
NJ2212GK	34,37	C-V	1 1/2	5,80	F	CSIR	2487	1276	961	419,00
NJ2212GK(*)	34,37	C-V	1 1/2	5,80	F	CSIR	2487	1276	961	394,00



Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF8compresores_hermeticos_embraco_2019Télécharger