

R134a, Hitachi, Compressor, (R012-Series), FL06s34-tab, FL0739-SQ, FL0847-SD, FL1152-SB, FL1257-SR, FL14S62-TAD, FL1568-SQ, FL20S88-TAC, FL1888-SE, CL0545-SZ, CL1297-SA, CL1310-SA, CL1588-DZ, CL1610-DL

Category: compressor

written by www.mbsm.pro | 15 December 2020

Code No.	Model	HP	Capacity (W)	Current (A)	Efficiency COP (w/w)	Voltage / Frequency
R134a Models						
R012001	FL 06S34-TAB	1/12	85	0.70	0.93	220V – 240V / 50Hz
R012002	FL 0739-SQ	1/10	114	0.72	1.20	
R012003	FL 0847-SD	1/8	130	0.83	1.19	
R012005	FL 1152-SB	1/6	143	0.82	1.27	
R012006	FL 1257-SR	1/5	160	0.90	1.25	
R012007	FL 14S62-TAD	1/5	175	0.95	1.30	
R012008	FL 1568-SQ	1/4	200	1.11	1.30	
R012009	FL 20S88-TAC	1/3	255	1.50	1.25	
R012010	FL1888-SE	1/3	245	1.51	1.25	
R600a Models						
	CL 0545-SZ	1/12	62	0.70	1.12	220V – 240V / 50Hz
	CL 1297-SA	1/5	156	0.90	1.46	
	CL 1310-SA	1/5+	163	0.95	1.48	
R600a Models (Inverter)						
	CL 1588-DZ	1/6	134	0.83	1.62	220V – 240V / 50Hz
	CL 1610-DL	1/5	160	0.90	1.65	

Private Picture Copyright: WWW.MBSM.PRO

R134a, Hitachi, Compressor, (R012-Series), FL06s34-tab, FL0739-SQ, FL0847-SD, FL1152-SB, FL1257-SR, FL14S62-TAD, FL1568-SQ, FL20S88-TAC, FL1888-SE, CL0545-SZ, CL1297-SA, CL1310-SA, CL1588-DZ, CL1610-DL

Code No.	Model	HP	Capacity (W)	Current (A)	Efficiency COP (w/w)	Voltage / Frequency
R134a Models						
R012001	FL 06S34-TAB	1/12	85	0.70	0.93	220V – 240V / 50Hz
R012002	FL 0739-SQ	1/10	114	0.72	1.20	
R012003	FL 0847-SD	1/8	130	0.83	1.19	
R012005	FL 1152-SB	1/6	143	0.82	1.27	
R012006	FL 1257-SR	1/5	160	0.90	1.25	
R012007	FL 14S62-TAD	1/5	175	0.95	1.30	
R012008	FL 1568-SQ	1/4	200	1.11	1.30	
R012009	FL 20S88-TAC	1/3	255	1.50	1.25	
R012010	FL1888-SE	1/3	245	1.51	1.25	
R600a Models						
	CL 0545-SZ	1/12	62	0.70	1.12	220V – 240V / 50Hz
	CL 1297-SA	1/5	156	0.90	1.46	
	CL 1310-SA	1/5+	163	0.95	1.48	
R600a Models (Inverter)						
	CL 1588-DZ	1/6	134	0.83	1.62	220V – 240V / 50Hz
	CL 1610-DL	1/5	160	0.90	1.65	

Private Picture Copyright : WWW.MBSM.PRO

FLO6S34

85 Watts

R134a

220V

HITACHI Compressor

LBP

FREEZING

COOLING

Satisfaction 100% Guarantee

1/12HP 220V

RECIPROCATING COMPRESSOR

CE RoHS

Private Picture Copyright : WWW.MBSM.PRO

Pompe De Relevage Climatisation

Category: Solutions,Technologie

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright : WWW.MBSM.PRO

L'humidité de l'air se condense sur les surfaces froides. C'est notamment ce qui arrive avec les systèmes de climatisation. Il faut donc évacuer les « condensats ». Le plus simple et le plus fiable est de pouvoir les évacuer sous l'action de leur propre poids, de manière dite gravitaire. Mais ce n'est pas toujours possible.


Il faut alors utiliser une pompe de relevage de condensats qui va permettre d'aspirer l'eau et de la refouler vers une canalisation d'évacuation des eaux usées. Celle-ci peut dès lors se trouver au-dessus du bac de condensats du climatiseur. Il existe trois types de pompes pour les relevages de condensats de climatisation : à piston oscillant, centrifuges (débits importants) ou péristaltiques (la compression d'un tube par un galet aspire les condensats). Généralement, pour les appareils courant, une pompe à piston suffit. C'est aussi le système le plus compact et discret.



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



LBP , 1/5Hp, HIGHLY, compressor, C-
BF061L4A, Low Voltage start
160V-260V, RSIR/RSCR, 170W

Category: compressor

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright : WWW.MBSM.PRO

LBP , 1/5Hp, HIGHLY, compressor, C-BF061L4A, Low Voltage start 160V-260V, RSIR/RSCR, 170W

HUAYI, Refrigeration Compressor ,HYE69Y63, R134A, LBP, 195W, 1/4Hp , RSIR

Category: compressor

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright : WWW.MBSM.PRO

HUAYI, Refrigeration Compressor ,HYE69Y63,R134A, LBP, 195W, 1/5Hp , RSIR,

Compressor coolant ,
104L2123,Compresseur Danfoss SC18CL –
R404A, R449A, R407A,
R452A,R404a/R507, SC18CL, 220-240V
50Hz, LBP/MBP, 5/8HP , CSR,LRA 20A,
3.25A , 715W, 210*85 freezer

Category: compressor

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright : WWW.MBSM.PRO

Compressor coolant , 104L2123,Compresseur Danfoss SC18CL – R404A, R449A, R407A, R452A,R404a/R507, SC18CL, 220-240V 50Hz, LBP/MBP, 5/8HP , CSR,LRA 20A, 3.25A , 715W

Compressor, ACC Cubigel, Huayi,
Electrolux, ZEM GL99AA, GL99AA, LBP ,
R134a, 220-240V/1/50Hz, 1/4 HP,
discharge 9.93 cm³, motor type RSIR,
LRA 14.4A,

Category: compressor

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor, ACC Cubigel, Huayi, Electrolux, ZEM GL99AA, LBP , R134a,
220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm³, motor type RSIR, LRA 14.4A,

C-B Compressors, Kulthorn, 1/5 HP, C-bz176L6Z, Refrigeration Compressor, R134A, 176W, ,Original Specification, 220-220V/50Hz, 220V/60Hz, Low Back Pressure

Category: compressor

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright : WWW.MBSM.PRO

C-B Compressors, Kulthorn, 1/5 HP, C-bz176L6Z, Refrigeration Compressor, R134A, 176W, ,Original Specification, 220-220V/50Hz, 220V/60Hz, Low Back Pressure

Embraco, Compressor, Fridge, Refrigerator, 1/5HP, LBP, 1/6++, mbp R134a, FFI7.5HAK, 220-240V/50HZ

Category: compressor

written by www.mbsm.pro | 15 December 2020



Embraco FFI 7.5HAK



CE

THERMALLY PROTECTED

14.5/14 LRA

R 134a 1.8H

220V~
50-60Hz



NPTC

JOINVILLE-SC
MADE IN BRAZIL



513200370 FAB 1 04/APR/01 F01NDMB6



R 134a

Embraco, Compressor, Fridge, Refrigerator, 1/4HP LBP, R134a, FFI7.5HAK,
220-240V/50HZ

1/8hp refrigeration compressor, R134a, KONOR ZANUSSI, GQR45AG, LBP, RSIR

Category: compressor

written by www.mbsm.pro | 15 December 2020



Private Picture Copyright: WWW.MBSM.PRO

1/8hp refrigeration compressor, R134a, KONOR ZANUSSI, GQR45AG, LBP, RSIR

Cubigel, Danfoss, GL80AAb, GL80AA, R134a, (LBP), compressor 1/5HP, Low- temperature

Category: compressor

written by www.mbsm.pro | 15 December 2020

Cubigel GL80AAb R134a (LBP) compressor



Characteristic

Manufacturer	Cubigel
Compressor brand	Cubigel
Model	L
Compressor type	Hermetic piston
The purpose of the compressor	Low-temperature
Refrigeration ratio (EN 12900)	0,88
Performance regulation	No
Power compressor	Phase 1/220 B/50 Hz
Cool performance range (EN 12900), kW	0-1
Cold-performance (T0-35/Tk'40), kW	0,103
Height, mm	192
Length, mm	250
Width, mm	200
Net weight, kg	9
Amount of oil, l	0,295
Noise level, dBA	60

[Back to the higher level](#)

Private Picture Copyright: WWW.MBSM.PRO

Cubigel, Danfoss, GL80AAb, R134a, (LBP), compressor 1/5HP, Low-temperature