


Mbsm.pro, compressor, BRE4-0750-TFD-510, Copeland, 7.5 HP, 460V, 3 PH, R22, R134A, R407C, Scroll Compressor, Copeland Compressor

Category: compressor

written by www.mbsm.pro | 23 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, BRE4-0750-TFD-510, Copeland, 7.5 HP, 460V, 3 PH, R22, R134A, R407C, Scroll Compressor, Copeland Compressor

Mbsm.pro, Moteur aspiration de surface, Ir80-160/f, Saer, 10 hp, 400 v, 3 ph

Category: Technologie

written by www.mbsm.pro | 23 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Moteur aspiration de surface, Ir80-160/f, Saer, 10 hp, 400 v, 3 ph

**Mbsm.pro, Unionaire, Refrigerator,
RN-350VS-C20, RN-350 M, 350 L,
compressor, 1/5 hp, 130 w, r600a, 42
G, 0.87A**

Category: Refrigerator

written by www.mbsm.pro | 23 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Unionaire, Refrigerator, RN-350VS-C20, RN-350 M, 350 L, compressor, 1/5 hp, 130 w, r600a, 42 G, 0.87A

Mbsm.pro, Donper, Compressor, R600A, L88CY, 1/5 hp, 1bp

Category: compressor

written by www.mbsm.pro | 23 January 2024

Condor

 **L88CY1** 
220-240V~50Hz 1PH
THERMALLY PROTECTED 
  
<http://www.donper.com> 

220320003580102311

Mbsm.pro, Donper, Compressor, R600A, L88CY, 1/5 hp, lbp

Mbsm.pro, Bristol, Compressor,
H24B17QABJA, 17000 btu, 1.5 hp, r22,
Capillary Size (0.060), Capillary
Length 33"

Category: air conditioner,compressor
written by www.mbsm.pro | 23 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Bristol, Compressor, H24B17QABJA, 17000 btu, 1.5 hp, r22, Capillary
Size (0.060), Capillary Length 33"

Mbsm.pro, compressor, Sanyo, Rotary,
Split system air conditioner,
Compressors, C-R221H5S, S6231526791,

24000 btu, R22, 3 hp, 2 ton

Category: air conditioner,compressor
written by www.mbsm.pro | 23 January 2024

SANYO



MODEL C-R221H5S

CODE 80687145

SELF-PROTECT



CHINA RESOURCES SANYO (SHENYANG) COMPRESSOR CO., LTD.

沈阳三洋压缩机有限公司

WARNING-SERVICEMAN

- 1. FIELD SERVICE LEAK TEST PRESSURE MUST NOT EXCEED 400 PSI.
 - 2. THE COMPRESSOR MUST BE GROUNDED.
 - 3. DO NOT OPERATE WITHOUT PROTECTIVE COVER OVER TERMINALS.
- DISCONNECT ALL POWER BEFORE REMOVING THE PROTECTIVE COVER.

CAUTION

COMPRESSOR HOUSING MAY REACH 100°C WITH THERMAL PROTECTOR.
APPROVED BY SANYO AND TESTED IN ACCORDANCE WITH ISO 9001.

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Sanyo, Rotary, Split system air conditioner, Compressors, C-R221H5S, S6231526791, 24000 btu, R22, 3 hp, 2 ton

Mbsm.pro, Refrigerator, All Size Condenser Length Details in table with Feet

Category: expertise, Pictures

written by www.mbsm.pro | 23 January 2024



Mbsm.pro, Refrigerator, All Size Condenser Length Details in table with Feet

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B, inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input, cooling 293 btu to 904 , 1/3 hp, r600a, lbp

Category: compressor

written by www.mbsm.pro | 23 January 2024




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B, inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input, cooling 293 btu to 904 , 1/3 hp, r600a, lbp

**Mbsm.pro, compressor, Secop,
SC18CLX.2, 104L2197, Danfoss R404A,
R507, 3/4 hp, lbp**

Category: compressor

written by www.mbsm.pro | 23 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Secop, SC18CLX.2, 104L2197, Danfoss R404A, R507, 3/4 hp, 1bp

Mbsm.pro, Toshiba, Rotary,
refrigerator ,compressor,
PH360X3C-4KTS1, 1.5T++, 2,5 hp, 1 ph,
r22

Category: compressor

written by www.mbsm.pro | 23 January 2024

PH350X3C - 4KTS1



TOSHIBA

Mbsm.pro, Toshiba, Rotary, refrigerator ,compressor, PH360X3C-4KTS1, 1.5T++, 3
hp, 1 ph, r22