

SECOP SC21G COMPRESSOR

Category: Refrigeration

written by www.mbsm.pro | 11 January 2026



Private Picture Copyright : WWW.MBSM.PRO

Secop SC21G is a high-performance hermetic reciprocating compressor designed for commercial refrigeration and freezing applications using R134a refrigerant. This guide covers detailed specifications, technical parameters, and installation requirements for 220-240V/50Hz systems at up to 1.3 amperes.

Samsung MSE4A1Q-L1G AK1, hermetic reciprocating refrigerator compressor

Category: Refrigeration

written by www.mbsm.pro | 11 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The Samsung MSE4A1Q-L1G AK1 is a hermetic reciprocating refrigerator compressor designed for domestic LBP applications with R600a refrigerant and a nominal cooling capacity around 175–180 W at ASHRAE conditions, equivalent to roughly 1/4 hp. Engineers value this model for its efficient RSCR motor and robust design.□

Carrier Inverter AC Error Codes, Indoor and Outdoor Protection

Category: air conditioner

written by www.mbsm.pro | 11 January 2026

Error Display



Indoor duplity	Outdoor LED Flash	Error Information
E0	* 25 Times	Indoor unit EEPROM parameter error
E2	* 27 Times	Zero-crossing signal detection error
E4	* 28 Times	The indoor fan spersing sperating outside thcutl or short circuit
E5	* 28 Times	Eraporator coil temperature sensor is open circuit or short circuit
EC	* 30 Times	Refrigerant leakage detected
E1	* 2 Times	Indoor/outdoor units communication error
F1	* 11 Times	Outdoor ambient temperature sensor is open circuit or short circuit
F2	* 10 Times	Condeneer coil temperature sensor is open circuit or short circuit
F3	* 8 Times	Compressor discharge temperature sensor is open circuit or short circuit
F4	* 1 Time	Outdoor unit EEPROM parameter error
F5	* 12 Times	Outdoor DC fan molor fault
F6	* 9 Times	Compressor Suction temperature sensor fault
L3	* 33 Times	Drive phase curent overload fault
L4	* 34 Times	Phase current sampling fault
P0	* 6 Times	IPM module fault
F2	* 7 Times	Compressor shell temperature overheat protection
F4	* 4 Times	Compressor starting abnormal
P4	* 5 Times	Compressor out-of-step abnormal
F0	* 13 Times	Outdoor AC current protection
L1	* 31 Times	Drive bus vollage overload protection
L2	* 32 Times	Drive bus vollage over-low protection
F1	* 15 Times	Outdoor Over-high/Over-low AC voltage protection
P5	* 14 Times	Compressor phase current protection
P6	* 18 Times	Outdoor Over-high/Over-low DC voltage protection
P7	* 17 Times	IPM temperature over heat protection
P8	* 18 Times	Compressor discharge temperature overheat protection
P9	* 19 Times	Cooling indoor unit anti-freezing protection
PU	* 20 Times	Cooling outdoor coil overheat protection
PE	* 21 Times	Heating indoor coll overheat protection
PC	* 22 Times	Cooling outdoor ambient temperature over-low protection
PH	* 23 Times	Heating outdoor ambient temperature over-high protection

* Flash


2020C1030020

Carrier inverter air conditioners use detailed error codes to protect the compressor, sensors, and inverter electronics. Codes such as E0, F0, P0, and P6 reveal EEPROM faults, outdoor AC current problems, IPM module errors, and DC bus voltage issues, giving HVAC technicians a clear roadmap for safe, accurate troubleshooting and long-term system reliability.

Coil Rewinding, Universal Motor, 550 W

Category: Global Electric

written by www.mbsm.pro | 11 January 2026



Private Picture Copyright : WWW.MBSM.PRO

Coil rewinding for a 550-watt universal mixer-grinder motor with a 48 mm core is more than just replacing burnt copper. The technician must reproduce the original 210+80 turn field coils with SWG 25 wire, respect the high-medium-low speed connections, and follow best rewinding practices to keep torque, speed, and temperature under control.

LG Inverter AC Error Codes: Indoor and Outdoor Unit Professional Guide

Category: air conditioner

written by www.mbsm.pro | 11 January 2026



Model: Inverter AC

Indoor Unit

ERROR CODE	DISCRIPTION
1	Indoor unit room temperature sensor error
2	Indoor unit inlet pipe sensor error
3	Wired remote control error
4	Float switch error
5	Communication error between indoor and outdoor units
6	Indoor unit outlet pipe sensor error
9	Indoor unit EEPROM error
10	Indoor unit BLDC fan motor lock
12	Indoor unit middle pipe sensor error

Outdoor Unit

ERROR CODE	DISCRIPTION
21	DC Peack (IPM) fault
22	CT2 (Max CT)
23	DC link low voltage
26	DC Comp position error
27	PSC fault
29	Comp phase over current
32	Inverter compressor D pipe overheat
34	High pressure sensor high
35	Low pressure sensor low
36/38	Refrigerant leak detection
37	Exceed the compression ration limit
40	CT sensor error
41	Discharge pipe sensor error
42	Low pressure sensor error
43	High presure sensor error
44	Outdoor air sensor error
45	Cond middle pipe sensor Error
46	Suction pipe sensor Error
51	Excess capacity (Mismatch between IDU and odu unit)
53	Communication error
61	Cond. Pipe high
62	Heat sink sensor temp. High



67	BLDC motor fan lock
72	Detect 4 way valve transfer failure
93	Communication error

Private Picture Copyright : WWW.MBSM.PRO


LG inverter air conditioner error codes give technicians a precise window into what is happening inside both indoor and outdoor units. From simple room

temperature sensor faults to complex IPM and DC peak alarms, decoding these numbers correctly is critical for fast, safe, and accurate HVAC troubleshooting on modern LG split systems.

HVAC Basics: Compressors, Ducts, Filters, and Real-World Applications

Category: Refrigeration

written by www.mbsm.pro | 11 January 2026



Private Picture Copyright : WWW.MBSM.PRO

HVAC basics start with understanding how compressors, ducts, and filters work together to move heat and clean air in any building. From reciprocating and scroll compressors to rectangular and circular ducts, each choice affects comfort, energy efficiency, and reliability in residential, commercial, industrial, and data center applications.

Brass Male Flare Union Fittings for Refrigeration and HVAC Systems

Category: Mbsmpro

written by www.mbsm.pro | 11 January 2026

What is it called



Private Picture Copyright : WWW.MBSM.PRO

Brass male flare union fittings are essential components in refrigeration and HVAC systems, providing reliable mechanical connections between flared copper tubes without the need for brazing. These brass flare unions support a wide operating temperature range and are widely used for service connections, line extensions, and removable joints in air-conditioning and refrigeration installations.

Electrical unit conversion reference

table: HP to watts, KVA to amps, tons refrigeration to kW

Category: Global Electric

written by www.mbsm.pro | 11 January 2026

1 HP	746 WATT
1 AMPS	240 WATT, {V=240}
1 HW	1000 WATT
1 KW	0.746 KW
1 KVA	1.74 AMPS, {P.F=0.8}
1 AMPS	0.8 KW
1 KW	0.24 KW, [V=240]
1 KW	1.25 KVA
1 UNITS	1.341 HP
1 UNITS	0.7188 KVA [V=415]
1 GΩ	1 KWH
1 kΩ	1000 WATTS
1 KW	1000 WH
1 WATT	0.001 KVA
1 kΩ	1000 Ω
1 kΩ	1000 kΩ
1 M	100,000 Ω
1 Ω	1.001 KW
1 KVA	1.391 AMPS
1 TON	3.517 KW
1 KVA	1000 VA
1 M	1.74 AMPS
1 kΩ	1000 Ω
1 kΩ	1000 kΩ
1 Ω	0.000001 MΩ
1 KVA	1.391 AMPS
1 TON	3.517 KW
1 KVA	1000 VA




Private Picture Copyright : WWW.MBSM.PRO

Electrical unit conversions are essential knowledge for HVAC technicians and refrigeration engineers. This comprehensive reference guide provides quick access to conversion formulas, technical specifications, and practical examples for comparing power ratings, calculating system requirements, and optimizing equipment selection across different measurement standards.

Mitsubishi Ashiki MUY-JX22VF electrical technical data interpretation

Category: air conditioner

written by www.mbsm.pro | 11 January 2026



Private Picture Copyright : WWW.MBSM.PRO

Master the skill of reading AC nameplate specifications with this comprehensive technical guide. Learn to decode model numbers, interpret voltage and amperage ratings, identify refrigerant types, calculate cooling capacity, determine tonnage, and understand all electrical information displayed on your air conditioning unit nameplate.

ORIENT Inverter AC Error Codes

Category: air conditioner

written by www.mbsm.pro | 11 January 2026



Model : Inverter AC

Error Code	Faults
E1	Room Temperature sensor faulty
E2	Outdoor coil temperature sensor fault
E3	Indoor coil temperature sensor fault
E4	Indoor fan motor or DC Motor feedback fault
E5	Indoor & Outdoor communication error
E6	Sliding door fault
E8	Display board and main control board communication error
E9	Humidity sensor failure
EA	Indoor fan zero crossing detection fault
Eb	Indoor EEPROM fault
F0	Outdoor DC Fan motor fault
F1	IPM modular fault
F2	PFC modular fault
F3	Compressor operation fault
F4	Exhaust temperature sensor fault
F5	Compressor top cover protection
F6	Outdoor ambient temperature sensor fault
F7	Over / under voltage protection
F8	Outdoor modular communication fault
F9	Outdoor EEPROM fault
FA	Suction temperature sensor fault
Fb	Indoor DC motor fault (Floor standing)
FC	Four way valve switching fault
Fd	Outdoor fan zero crossing detection fault
P2	High voltage protection
P3	Lack of fluid protection
P4	Outdoor coil prevent overload protection
P5	Exhaust protection
P6	Protection from high temperature
P7	Anti freezing protection

Discover comprehensive troubleshooting for ORIENT inverter AC systems. This complete error code guide covers E-series, F-series, P-series, and L-series fault codes with detailed solutions for sensor issues, communication failures, compressor problems, and electrical protection systems affecting your cooling performance.