

Mitsubishi, Electric, fixed  
frequency, NH41VNHT 2.55HP, single-  
phase, 220V, rotary, air condition,  
26000 btu/h

Category: expertise

written by Amina | 22 October 2023



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC CO.

REFRIGERANT COMPRESSOR

MODEL **NH41VNHT**

MANUFACTURING DATE 16092016

POWER SOURCE  
220-240V 1~ 50Hz

POWER INPUT 2410 W AT 50 Hz

LRA 70/77 A

REFRIGERANT R-22

OIL 1.30 L

AP 2.74 MPa

SP 10.5 MPa

THERMALLY PROTECTED

Mitsubishi, Electric, fixed frequency, NH41VNHT 2.55HP, single-phase, 220V, rotary, air condition, 26000 btu/h

---

Mbsm.pro, Compressor, an36vbfmt, Mitsubishi, 3.55 hp, r140a, 33000 btu, 220 v, 1ph

Category: compressor

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, an36vbfmt, Mitsubishi, 3.55 hp, r140a, 33000 btu, 220 v, 1ph

---

Mbsm.pro, R-410A, Fixed Speed, Rotary, Compressor, Mitsubishi, NN21YDAMT, 1.74 hp, 18000 btu, 3 Ph,


# 380 v

Category: compressor

written by Jamila | 22 October 2023



**SIAM COMPRESSOR  
INDUSTRY CO., LTD.**



**REFRIGERANT COMPRESSOR  
MODEL NN21YDAMT**

**MANUFACTURING DATE 05112016**

**POWER SOURCE**

**380-415V 3~ 50Hz**

**460V 3~ 60Hz**

**POWER INPUT 1780 W AT 50 Hz**

**LRA 31/33 A**

**REFRIGERANT R-410A**

**OIL 1.20 L**

**AP 4.15 MPa**

**SP 15.0 MPa**

**THERMALLY PROTECTED**

**MADE IN THAILAND**



Mbsm.pro, R-410A, Fixed Speed, Rotary, Compressor, Mitsubishi, NN21YDAMT, 1.74 hp, 18000 btu, 3 Ph, 380 v

---

## Mbsm.pro, Compressor, Mitsubish, Mitsubishi, Rotary, TS31VAEC, R22, 1.5 Ton, 18000BTU, 1 PH, 220 v

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 22 October 2023



Mbsm.pro, Compressor, Mitsubish, Mitsubishi, Rotary, TS31VAEC, R22, 1.5 Ton, 18000BTU, 1 PH, 220 v

---

## Compresseur, Mitsubishi, Electric MITSUBISHI, RH174VHAC, 9000 BTU/heure (2,6 kW), 220-240V 50Hz, R22

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 22 October 2023



Private Picture Copyright: WWW.MBSM.PRO

Modèle – Mitsubishi Electric RH 174 VHAC (9000Btu)

Productivité – 9000 BTU/heure (2,6 kW)

Alimentation – 220-240V 50Hz

Réfrigérant (fréon) – R22

Entre vannes – 15 cm


Hauteur compresseur – 22 cm

Diamètre compresseur – 13 cm

#mbsmpro

Mbsm\_dot\_pro\_private\_PDF\_pdf\_RH174VHACTélécharger

Mbsm\_dot\_pro\_private\_picture\_RH174VHACTélécharger



Private Picture Copyright: WWW.MBSM.PRO

# Specification for r-22 Compressor, Ph Rotary Models Specification, PH41VPJT, 2 Ton, Mitsubishi Rotary Compressor, 24000BTu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 22 October 2023

MITSUBISHI ELECTRIC GROUP

MODEL PH4TJTJT

MANUFACTURING DATE 03152019

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT 2355 W AT 50 Hz

LRA 59/64

REFRIGERANT R-22

OIL 0.90L

AP 2.74

SP 10.5

THERMALLY PROTECTED

MADE IN THAILAND

Galaxy Z Flip3 5G

Private Picture Copyright : WWW.MBSM.PRO

# Product Specification

Horse Power	2 Ton
Brand	Mitsubishi
Compressor Technology	Rotary Compressor

Rental Available	No
Spares Available	No
Is It Portable	Yes
Installation/After Sales Service Available	No
Cylinder	1
Warranty	1 Year
Phase	Single
Weight	28 Kg
No. Of Cylinder	1
Cylinder Type	Round
Voltage	220 V
Material	Copper
Accessories	No
Application	AC
Color	Black



# REFRIGERANT COMPRESSOR

MODEL PH41VPJT

DATE	28022004	PHASE	
VOLT AC	220-240		
FREQ.	50 Hz	L.R.A.	59/64 A
REFRIGERANT	R-22	OIL	MS-32N1
AP	28 $\text{Kg/cm}^2$	SP	84 $\text{Kg/cm}^2$



PH41VPJT A0019344AA

LICENSED BY MITSUBISHI ELECTRIC  
SIAM COMPRESSOR INDUSTRY CO., LTD.

MADE IN  
THAILAND

# Mitsubishi, Refrigeration, Compressor, for chiller, JH527YEB, 10HP, 380 à 420 V 50 Hz, 460 V 60 Hz, 29,7 kW, 74 kg, R22

Category: compressor, Non classé

written by www.mbsm.pro | 22 October 2023

Model	Horsepower	Power KW	Refrigeration capacity			Voltage	Weight	Highth
	HP		Frequency	KW	(kcal/h)		kg	mm
JH512-Y	4HP	3.2	50Hz	13.1	11.3	N.T.Y.X. J	48.5	390.4
			60Hz	15.6	13.4			
JH513-Y	5HP	3.75	50Hz	14.3	12.3	N.T.Y.X. J	49	390.4
			60Hz	17	14.6			
JH515-Y	5.5HP	4.1	50Hz	16.3	14	N.T.Y.X. J	49	390.4
			60Hz	19.3	16.6			
JH516-Y	6HP	4.5	50Hz	17.1	15.2	T.Y	49	390.4
			60Hz	20.7	17.8			
JH517-Y	6.33HP	4.75	50Hz	18.7	16.1	T.Y.X.J	49	390.4
			60Hz	22	18.9			
JH518-Y	6.5HP	4.85	50Hz	19.9	17.1	T.Y.X	54.5	415.4
			60Hz	23.3	20			
JH519-Y	7.5HP	5	50Hz	21.3	18.3	T.Y.X.J	54.5	415.4
			60Hz	24.9	21.4			
JH521-Y	7.5HP	5.5	50Hz	23.3	20	T.Y.X.J	54.5	415.4
			60Hz	27.6	23.7			
JH522-Y	8HP	6	50Hz	25.1	21.6	T.Y.X	54.5	415.4
			60Hz	29.2	25.1			
JH525-Y	9.33HP	7	50Hz	27.3	23.5	T.Y.X.J	74.5	441.6
			60Hz	32	27.5			
JH527-Y	10HP	7.5	50Hz	29.7	25.5	T.Y.X.J	74.5	441.6
			60Hz	34.8	29.9			
JH529-Y	10.67HP	8	50Hz	31.9	27.4	T.Y.X	74.5	441.6




Private Picture Copyright : WWW.MBSM.PRO

Mitsubishi Refrigeration Compressor JH527YEB 10HP

Données techniques

Model	Horsepower	Power	Refrigeration capacity			Voltage	Weight	Highth
	HP		KW	Frequenc y	KW			
JH512-Y	4HP	3.2	50Hz	13.1	11.3	N.T.Y.X. J	48.5	390.4
			60Hz	15.6	13.4			
JH513-Y	5HP	3.75	50Hz	14.3	12.3	N.T.Y.X. J	49	390.4
			60Hz	17	14.6			
JH515-Y	5.5HP	4.1	50Hz	16.3	14	N.T.Y.X. J	49	390.4
			60Hz	19.3	16.6			
JH516-Y	6HP	4.5	50Hz	17.1	15.2	T.Y	49	390.4
			60Hz	20.7	17.8			
JH517-Y	6.33HP	4.75	50Hz	18.7	16.1	T.Y.X.J	49	390.4
			60Hz	22	18.9			
JH518-Y	6.5HP	4.85	50Hz	19.9	17.1	T.Y.X	54.5	415.4
			60Hz	23.3	20			
JH519-Y	7.5HP	5	50Hz	21.3	18.3	T.Y.X.J	54.5	415.4
			60Hz	24.9	21.4			
JH521-Y	7.5HP	5.5	50Hz	23.3	20	T.Y.X.J	54.5	415.4
			60Hz	27.6	23.7			
JH522-Y	8HP	6	50Hz	25.1	21.6	T.Y.X	54.5	415.4
			60Hz	29.2	25.1			
JH525-Y	9.33HP	7	50Hz	27.3	23.5	T.Y.X.J	74.5	441.6
			60Hz	32	27.5			
JH527-Y	10HP	7.5	50Hz	29.7	25.5	T.Y.X.J	74.5	441.6
			60Hz	34.8	29.9			
JH529-Y	10.67HP	8	50Hz	31.9	27.4	T.Y.X	74.5	441.6



Private Picture Copyright : WWW.MBSM.PRO

## Production Description

compresseur de réfrigération mitsubishi  
modèle JH527YEB pour refroidisseur

Modèle	jh527yeb
Puissance en chevaux (Hp)	10,0
Réfrigérant	R22
An	2019
Couleur	Noir
Moq	1
type	Piston
Poids (kg)	74,5
Origine	JAPON
Emballage	Dessin animé / caisse en bois



# REFRIGERANT COMPRESSOR

JH527YEB

MODEL

VOLT. 380~415 400~460 V	PHASE	3
REFRIGERANT R-22	FREQ.	50 / 60 Hz
AP 1.3 MPa	SP	3.9 MPa
DP 1.3 MPa	DT	-30 °C

DATE 2007 02

SERIAL 79722112

MITSUBISHI ELECTRIC CORPORATION  
JAPAN





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)