# Mbsm.pro, File, pdf, How to read the codes of maneurop compressors

written by Lilianne | 2 April 2022
How to read the codes of maneurop compressors This model of maneurop compressors (
MT&MTZ)
is designed to work on a wide range of medium and high applications,
especially the MT

model. It is specially designed to work on modern freons HFC R407C- R134a -R404a-R507A

. It uses polyester oil PZ1 6 0. These compressors have the feature of protecting against liquid returning to the compressor as they have a wide pocket at the entrance to the intake line to evaporate the liquid before entering the piston cylinder. More than 16 models with different capacities starting from 1.84 to 16.57 cubic inches and working to feed 220v as well as 380v



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP



Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP

Mbsm.pro, PDF, File, Sj-42S-SL, refrigerator, freezer, Sharp, 220 v, 1.1 A, 152 W, 385 L, R134A, 100G, compressor, 1/5 Hp



Mbsm.pro, PDF, File, Sj-42S-SL, refrigerator, freezer, Sharp, 220 v, 1.1 A, 152 W, 385 L, R134A, 100G, compressor , 1/5 Hp

Mbsm.pro, PDF, File, MFTS-36HR, Air conditioner, 36000 BTU/h, 4.5 hp, r22



Mbsm.pro, PDF, File, MFTS-36HR, Air conditioner, 36000 BTU/h, 4.5 hp, r22

### Mbsm.pro, Pdf, File, ATET, Compressori, ZEM, WHIRLPOOL, r12, r134a

written by Lilianne | 2 April 2022




Mbsm.pro, Pdf, File, ATET, Compressori, ZEM, WHIRLPOOL, r12, r134a

Mbsm.pro, PDF, Files, EG AS100HLR, Compressor, Lbp, 1/3 Hp, EMBARACO

COMPRESSOR DEFINITION				
	4, 12,	MID!	3/0	
Designation EG AS100HLF Nominal Voltage/Frequency 220-240 V 50- Engineering Number 513701174			5	, é
A - APPLICATION / LIMIT WORKING CONDITIONS				
	Hermetic reciprocating compr R-134a	ressor		7
	220-240 / 50-60	EV//U=1		₹,
, , , , , , , , , , , , , , , , , , , ,		[V/Hz]	_	
	Low Back Pressure	/ 049F to 449F)		1
	-35°C to -10°C	(-31°F to 14°F)		
,	RSIR			
• • •	LST - Low Starting Torque			
•	Capillary tube			
8 Compressor cooling		Operating vo		
0.4.1.00.000.4.1.1.1.1.1.1.1.1.1.1.1.1.1	F	50 Hz	60 Hz	
*** (*- ** ************************	Fan	198 to 264 V	-	
	Fan	198 to 264 V	-	
0.0 TIBI (02 00 Timbioni tomporataro)	-	-	-	
or tribi (to oo tambioni tomporataro)	•	-	-	
9 Maximum condensing pressures/temperature				
9.1 Operating (gauge)	16.2	[kgf/cm,] (230 psig)	/ °CC - °CF	

Mbsm.pro, PDF, Files, EG AS100HLR, Compressor, Lbp, 1/3 Hp, EMBARACO

## Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units



Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

#### Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

R134	a	HI	MBP	HBF	50 Hz				4		134a	compre	SSOFS	compa	tible wi	th R12			
						GREEN C	DOLIN	G	U	V	¥.	4	11	1					
MODEL. DISPLACEMENT		POWER	APPLICATION	CPR COOLING	VOLTAGE	MOTOR	STARTING	EXPANSION	REFRIGERATION CAPACE  COP in W/W  1 W = 0.864 kcs/h = 3,415  Evaporating flumperatu  Coccumat (W)					415 BTU/h			DESIGN		
-	7							7	5			7,2							
	cm <sup>3</sup>	hp						M	-25	-15-	-W	COP	10	kcal/h	COP	Kg			
GLY45RAa	4.56	1/6	HMBP	F	220-240V 50Hz -1	CSIR	R	C-V	71	139	373	1.85	452	385	2.25	9	Lb		
GLY45RAb	4.56	1/6	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	71	139	373	2.12	452	385	2.45	9	Lb		
GLY60RAa	5.98	1/5	HMBP	F	220-240V 50Hz -1	CSIR	R	C-V	106	191	486	2.06	586	500	2.36	9.9	Lo		
GLY60RAb	5.98	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	100	197	486	2.25	586	500	2.60	9.9	Lc	8 g	
GLY80RAa	8.10	1/5	HMBP	F.	220-240V 50Hz ~1	CSIR	R	C-V	150	275	681	2.17	819	700	2.50	10.4	Lc	H134a	
GEY80RAb	8.10	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	6-V	159	275	681	2.35	819	700	2.71	10.4	Lc	8	
GLY90RAa	9.09	1/4	HMBP	F	220-240V 50Hz -1	CSIR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lo		
GLY90RAb	9.09	1/4	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc		
GLY99RAa (**)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	В	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld		
GLY99RAb (**)	9.95	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld		
GPY12RAa	12.10	3/8	HMBP	F.	220-240V 50Hz -1	CSIR	B	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd.		
GPY12RAb	12.10	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd		
GPY14RAa	14.32	3/8	HMBP	F	220-240V 50Hz -1	CSIR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd		
GPY14RAb	14.32	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd		
GPY16RAa	16.15	3/8	HMBP	F	220-240V 50Hz -1	CSIR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd		
GPY16RAb	16.15	3/8	HMBP	F.	220-240V 50Hz ~1	CSR	B	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd	Hivor Mindows	

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

## Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

written by Lilianne | 2 April 2022

The best thank you in Algeria Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

Mbsm\_dot\_pro\_private\_PDF\_Mbsm.pro-Baxi-radiators-aluminum-File-pdf-the-best-in-AlgeriaTélécharger



e Copyright: WWW.MBSM.PRO

### Mbsm.pro, Pdf, Book, Catalog, Electrolux, Compressor, r12, R22

written by Lilianne | 2 April 2022

Mbsm\_dot\_pro\_private\_PDF-Electrolux-Compressor-r12-R22-1ph-1Télécharger