

**GMCC, PE50h1f-9, Compressor,
RSCR, 220V-240V-50hz, R134A,
LBP, 153W, 1/5HP**

written by Lilianne | 20 December 2020



111010100005361716C00566

PE50H1F-9

GMCC

THERMALLY
PROTECTED
R134a

PE50H1F-9

220V-240V~50Hz, 1Ph

RoHS



612000531B4SVL1LMD




ANHUI MEIZHI COMPRESSOR CO., LTD

E	PE35E1F-9	3.5	ST	RSCR	220V~50Hz	95	1.50	CB	AI	174
	PE40E1H-9	4.0	ST	RSCR	220V~50Hz	115	1.40	---	AI	175
	PE45E1F-9	4.5	ST	RSCR	220V~50Hz	120	1.50	---	AI	175
	PE50E1H-9	5.0	ST	RSCR	220V~50Hz	136	1.40	---	AI	175
	SE25E1R-9	2.5	ST	RSIR	220V~50Hz	55	1.00	---	AI	160
	SE30E1M-9	3.0	ST	RSIR	220V~50Hz	75	1.15	CB	AI	165
	SE35E1M-9	3.5	ST	RSIR	220V~50Hz	95	1.30	---	AI	165
	SE40E1H-9	4.0	ST	RSIR	220V~50Hz	108	1.35	CB	AI	174
	SE40E1K-9	4.0	ST	RSIR	220V~50Hz	108	1.25	CB	AI	165
	SE45E1J-9	4.5	ST	RSIR	220V~50Hz	120	1.35	CB	AI	174
	SE59E1H-9	5.9	ST	RSIR	220V~50Hz	160	1.38	---	AI	174
H	PE40H1C-9	4.0	ST	RSCR	220V~50Hz	110	1.65	---	AI	178
	PE45H1F-9	4.5	ST	RSCR	220V~50Hz	130	1.50	CB	AI	178
	PE50H1C-9	5.0	ST	RSCR	220V~50Hz	153	1.63	CB	AI	178
	PE50H1F-9	5.0	ST	RSCR	220V~50Hz	153	1.50	---	AI	178
	PE55H1D-9	5.5	ST	RSCR	220V~50Hz	170	1.60	---	AI	178
	PE55H1F-9	5.5	ST	RSCR	220V~50Hz	163	1.55	CB	AI	178
	PE55H1C-9	6.5	ST	RSCR	220V~50Hz	190	1.65	---	AI	178



Private Picture Copyright : WWW.MBSM.PRO



测试工况 TESTING CONDITIONS

测试工况 Test Condition	低背压LBP ASHRAE	中背压MBP ASHRAE	高背压HBP ASHRAE
蒸发温度Evap.Temp.℃	-23.3	-6.7	7.2
环境温度Amb.Temp.℃	32.2	35	35
冷凝温度Cond.Temp.℃	54.4	54.4	54.4
吸气温度SuctionTemp.℃	32.2	35	35
过冷温度SubcoolingTemp.℃	32.2	46	46

启动方式 Motor Type	电源类型 Power
P	RSCR 220V~240V
S	RSIR 220V~240V
E	RSCR 100V, 115V
F	RSIR 100V, 115V
K	CSR/CSIR 220V~240V
C	CSR/CSIR 100V, 115V
D	DC变频 DC Inverter 220V~240V 100V~115V

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_pe50h1f-9Télécharger
Mbsm_dot_pro_private_PDF_pe50h1f-9-2Télécharger
Mbsm_dot_pro_private_PDF_pe50h1f-9-3Télécharger