

# GMCC, PE50h1f-9, Compressor, RSCR, 220V-240V-50hz, R134A, LBP, 153W, 1/5HP

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 20 December 2020

E	PE35E1F-9	3.5	ST	RSCR	220V-50Hz	95	1.50	CB	AJ	174
	PE40E1H-9	4.0	ST	RSCR	220V-50Hz	115	1.40	----	AJ	175
	PE45E1F-9	4.5	ST	RSCR	220V-50Hz	120	1.50	----	AJ	175
	PE50E1H-9	5.0	ST	RSCR	220V-50Hz	136	1.40	----	AJ	175
	SE25E1R-9	2.5	ST	RSIR	220V-50Hz	55	1.00	----	AJ	165
	SE30E1M-9	3.0	ST	RSIR	220V-50Hz	75	1.15	CB	AJ	165
	SE35E1M-9	3.5	ST	RSIR	220V-50Hz	95	1.30	----	AJ	165
	SE40E1H-9	4.0	ST	RSIR	220V-50Hz	108	1.35	CB	AJ	174
	SE40E1K-9	4.0	ST	RSIR	220V-50Hz	108	1.25	CB	AJ	165
	SE45E1J-9	4.5	ST	RSIR	220V-50Hz	120	1.35	CB	AJ	174
SE50E1H-9	5.0	ST	RSIR	220V-50Hz	160	1.38	----	AJ	174	
H	PE40H1C-9	4.0	ST	RSCR	220V-50Hz	110	1.65	----	AJ	178
	PE45H1F-9	4.5	ST	RSCR	220V-50Hz	130	1.50	CB	AJ	178
	PE50H1C-9	5.0	ST	RSCR	220V-50Hz	153	1.63	CB	AJ	178
	PE50H1F-9	5.0	ST	RSCR	220V-50Hz	153	1.50	----	AJ	178
	PE55H1D-9	5.5	ST	RSCR	220V-50Hz	170	1.60	----	AJ	178
	PE55H1F-9	5.5	ST	RSCR	220V-50Hz	163	1.55	CB	AJ	178
	PE55H1C-9	6.5	ST	RSCR	220V-50Hz	190	1.65	----	AJ	178





**GMCC**

THERMALLY  
PROTECTED  
R134a

**PE50H1F-9**

220V-240V~50Hz, 1Ph

RoHS



612000531B4SVL1LMD



ANHUI MEIZHI COMPRESSOR CO., LTD

E	PE35E1F-9	3.5	ST	RSCR	220V-50Hz	95	1.50	CB	AI	174
	PE40E1H-9	4.0	ST	RSCR	220V-50Hz	115	1.40	---	AI	175
	PE45E1F-9	4.5	ST	RSCR	220V-50Hz	120	1.50	---	AI	175
	PE50E1H-9	5.0	ST	RSCR	220V-50Hz	136	1.40	---	AI	175
	SE25E1R-9	2.5	ST	RSIR	220V-50Hz	55	1.00	---	AI	165
	SE30E1M-9	3.0	ST	RSIR	220V-50Hz	75	1.15	CB	AI	165
	SE35E1M-9	3.5	ST	RSIR	220V-50Hz	95	1.30	---	AI	165
	SE40E1H-9	4.0	ST	RSIR	220V-50Hz	108	1.35	CB	AI	174
	SE40E1K-9	4.0	ST	RSIR	220V-50Hz	108	1.25	CB	AI	165
	SE45E1J-9	4.5	ST	RSIR	220V-50Hz	120	1.35	CB	AI	174
H	PE59E1H-9	5.9	ST	RSIR	220V-50Hz	160	1.38	---	AI	174
	PE40H1C-9	4.0	ST	RSCR	220V-50Hz	110	1.65	---	AI	178
	PE45H1F-9	4.5	ST	RSCR	220V-50Hz	130	1.50	CB	AI	178
	PE50H1C-9	5.0	ST	RSCR	220V-50Hz	153	1.63	CB	AI	178
	PE50H1F-9	5.0	ST	RSCR	220V-50Hz	153	1.50	---	AI	178
	PE55H1D-9	5.5	ST	RSCR	220V-50Hz	170	1.60	---	AI	178
	PE55H1F-9	5.5	ST	RSCR	220V-50Hz	163	1.55	CB	AI	178
PE65H1C-9	6.5	ST	RSCR	220V-50Hz	190	1.65	---	AI	178	



Private Picture Copyright : WWW.MBSM.PRO

P Z 90 H 1 Y - 4

冷媒种类 Refrigerant
Z R600a
E R134a
A R290

排气容积 Displacement
9.0cc

效率级别 Efficiency Level
1 低背压LBP
M 中背压MBP
H 高背压HBP

系列名 Series
H E C V K

电源规格 Power
J 100V-50/60Hz
U 115V-60Hz
B 127V-60Hz
M(3) 220V-240V-50Hz 208V-240V-60Hz
无 220V-240V-50Hz
4 220V-240V-50/60Hz
9 220V-240V-50/60Hz(宽电压)
N 220V-240V-60Hz
P 208V-240V-60Hz
E 115V-127V-60Hz
H 100V-50/60Hz 127V-60Hz

启动方式 Motor Type	电源类型 Power
P RSCR	220V-240V
S RSIR	220V-240V
E RSCR	100V, 115V
F RSIR	100V, 115V
K CSR/CSIR	220V-240V
C CSR/CSIR	100V, 115V
D DC变频 DC Inverter	220V-240V 100V-115V

#### 测试工况 TESTING CONDITIONS

测试工况 Test Condition	低背压LBP ASHRAE	中背压MBP ASHRAE	高背压HBP ASHRAE
蒸发温度Evap.Temp.℃	-23.3	-6.7	7.2
环境温度Amb.Temp.℃	32.2	35	35
冷凝温度Cond.Temp.℃	54.4	54.4	54.4
吸气温度SuctionTemp.℃	32.2	35	35
过冷温度SubcoolingTemp.℃	32.2	46	46

Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_pe50h1f-9Télécharger  
Mbsm\_dot\_pro\_private\_PDF\_pe50h1f-9-2Télécharger  
Mbsm\_dot\_pro\_private\_PDF\_pe50h1f-9-3Télécharger