www.mbsm.pro, Té multicouche ,à sertissage ,en double ,reduit ,16 16 / 26 26 /20 20

Category: Plomberie,Tester ok
written by www.mbsm.pro | 29 December 2018
www.mbsm.pro, Te multicouche ,a sertissage ,en double ,reduit ,16 16 / 26 26 /20 20

---

www.mbsm.pro , Full Form of Short Answer , Electric , climatisation , Terms

Category: Solutions,Technologie
written by www.mbsm.pro | 29 December 2018
www.mbsm.pro , Full Form of Short Answer , Electric , climatisation , Terms

---

الشاعر التونسي إمرأة تارخية , قصيدة , Mbsm.pro , Poète Tunisien , Mounir Ben Salah Miled , منير بن صالح ميلاد

Category: News
written by Jamila | 29 December 2018



يا امرأة
أدخلتني التاريخ
على يديها
وأشعلت ذُبالي
وباركت وَمقِي
ووضعتني
تحت هُدّاب الدّمِقْسِ
بين ذراعيها
وأوقفت خَلَجَ عيني
ومنعت عَنّي حقائبي
وحرّرت أثيثها
من العقاص
لتأسرني به
بين نهديها

للشاعر التونسي مرئيات في فلسفة عينيك Mbsm.pro , Poète Tunisien Mounir Ben Salah Miled منير بن صالح ميلاد

Category: News
written by www.mbsm.pro | 29 December 2018



في عينيك
رقّة الفجر
تَتْرَع كؤوس الندى
عـــــــــطرا
وروح الربيع
تختال في شعابي
في صمت
تُؤْنقُ الأرض
رائعات ورد وزهرا
وحياة في حقل العمر
في سحرها القدسيّ
تماطلت سَكْرا

---

www.mbsm.pro , Liste des codes secrets sur Android

Category: Non classé,Technologie
written by mahdi miled | 29 December 2018
*#06# – IMEI du téléphone
#0# – Menu d’informations (ne fonctionne pas sur tous les téléphones)
##4636#*#* – Menu d’informations
##34971539#*#* – Menu d’informations sur l’appareil photo
##1111#*#* – Version software FTA
*#12580*369# – Infos sur le logiciel et sur le hardware
*#7465625# – Statut de verrouillage de l’appareil
##232338#*#* – Montre l’adresse MAC de l’appareil

MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP , 1PH , 220-240 V 50 Hz

Category: Solutions,Tester ok
written by Jamila | 29 December 2018
MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP , 1PH , 220-240 V 50 Hz

- Puissance en cheval 1/6 CV
- Cylindrée 5.99 cm³
- 220-240 V 50 Hz
- Gaz R134a LBP
- Température d’utilisation max. 32°C
- Avec boitier et système de démarrage

La photo montre l’aspect du compresseur, pas son étiquette réelle

Codes fabricants
- ACC-GL60AA
- ACC-GL60AB
- ACC-GL60AH
- CUBIGEL-GL60AA
- CUBIGEL-GL60AB
- CUBIGEL-GL60AH
- MONDIAL ELITE-4106004
- MONDIAL ELITE-1147031
- Embraco Aspera- B1112Z

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm_dot_pro_private_PDF_GL60AATélécharger
Mbsm_dot_pro_private_PDF_-GL60AATélécharger

Private Picture Copyright : WWW.MBSM.PRO

Type: Hermetic piston compressorsProducer: ACCSeries: HMBP
Model: GL60AA

General data

Refrigerant:	R134a
Discharge element:	C
Cooling:	S
Maximum ambient temperature [ºC]:	43

Compressor's data

Cylinder capacity [cm³]:	6
Displacement [m³/h]:	1
Weight [kg]:	9,1
Oil charge [cm³]:	265
Oil type:	ISO VG 19 ESTER

Engine's data

Engine type:	RSIR
Power [KM]:	1/6
Starting element:	LST
Power supply:	220V 50Hz
Voltage range:	187-264
Locked rotor current [A]:	9,9
Running winding resistance (25ºC) [Ω]:	15,6
Starting winding resistance (25ºC) [Ω]:	21,31

Electrical data

Relays:	3003
Shielding element:	MRA38028, T0508, AF18FU
Starting capacitor volume [µF]:	

Connections

	milimeters	inches
Suction tube:	6,5	
Service tube:	6,5	
Discharge tube:	4,9	

Mbsm.pro , Qb73c15gax5 ,R134a , Refrigeration Compressor ,1/4 Hp, Panasonic compressor catalogue, QB series , 1Ph , 220V 50Hz

Category: Solutions,Tester ok
written by Jamila | 29 December 2018

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Qb73c15gax5 ,R134a , Refrigeration Compressor ,1/4 Hp, Panasonic compressor catalogue, QB series , 1Ph , 220V 50Hz

Rated voltage / Frequency	Model	ASHRAE								Voltage range
		50Hz				60Hz				
		Capacity		COP - W/W		Capacity		COP – W/W		
		W	kcal/hr	RSIR	RSCR	W	kcal/hr	RSIR	RSCR	
220V 50Hz/60Hz	QB51C99GAX0	128	110	1.14	-	157	135	1.17	-	170V-250V 50Hz 187V-242V 60Hz
	QB57C11GAX0	146	126	1.18	-	175	151	1.22	-	
	QB66C16GAX0	165	142	1.20	-	200	172	1.27	-	
	QB77C18GAX0	202	174	1.21	-	224	193	1.27	-	
	QB91C24GAX0	236	203	1.19	-	255	219	1.22	-	
220V 50Hz	QB66C13GAX5	165	142	1.19	-					170V-250V
	QB73C15GAX5	185	159	1.19	-					
	QB77C16GAX5	202	174	1.22	-					
	QB91C19GAX5	236	203	1.25	-					

Rated voltage / Frequency	Model	ASHRAE								Voltage range
		50Hz				60Hz				
		Capacity		COP - W/W		Capacity		COP – W/W		
		W	kcal/hr	CSIR	RSCR	W	kcal/hr	CSIR	RSCR	
220V 50z/60Hz	QB110C25CAX0	273	235	1.18	-	279	240	1.19	-	170V-250V 50Hz 198V-242V 60Hz

PictureS Mbsm Dot Pro : www.mbsm.pro

PictureS Mbsm Dot Pro : www.mbsm.pro

Panasonic — Compressor R134a QB series

Performance DATA

Application & Refrigerant LBP R134a

Voltage	Model	Displacement cm^3	*2) Capacity (W) Evaporating temperature -30°C	-25°C	-23.3°C	-20°C	-15°C	*3) C.O.P. Run. capa. NO	YES	*4) Motor type	Compressor cooling *5) ST	OC	FC	Net weight kg ST/FC	OC	Oil charge cm^3 ST/FC	OC
*6) 100V 50/60Hz	QB57C88RA00	5.65	118	161	178	213	271	1.27	1.33	RSIR/RSCR	O	-	O	9.1	-	250	-
	QB66C12CA00	6.55	119	164	185	219	293	1.19	-	CSIR	-	-	O	8.8	-	250	-
	QB66C13RA00	6.55	133	182	200	239	304	1.28	1.37	RSIR/RSCR	O	-	O	9.4	-	280	-
	QB86C18TA00	8.56	170	226	248	295	376	-	1.35	CSCR	-	-	O	9.9	-	280	-
	QB91C18CA00	9.07	163	226	251	303	394	-	1.21	CSIR	-	-	O	9.6	-	250	-
220V 50Hz	QB66C13GAX5	6.55	108	149	165	200	263	1.23	-	RSIR	O	-	-	9.2	-	250	-
	QB73C15GAX5	7.27	121	167	185	224	294	1.23	-	RSIR	O	O	-	9.7	9.9	250	300
	QB77C16GAX5	7.69	131	182	202	245	319	1.26	-	RSIR	O	O	-	9.8	10.0	250	300
	QB86C18GAX5	8.56	145	200	222	268	347	1.26	-	RSIR	O	O	O	9.9	10.1	250	300
	QB91C19GAX5	9.07	154	213	236	285	372	1.29	-	RSIR	-	O	O	10.2	10.5	250	300
	QB110C25GAX5	10.86	176	246	273	331	432	1.18	-	RSIR	-	O	O	10.4	10.6	250	300
*4) 220-240V 50Hz	QB51C74GAW5	5.10	84	116	128	153	196	1.21	-	RSIR	O	-	-	9.7	[illegible]	250	-
	QB57C87GAW5	5.65	97	132	146	175	225	1.23	-	RSIR	O	-	[illegible]	[illegible]	[illegible]	[illegible]	-
	QB66C97GAW5	6.55	108	149	165	200	263	1.25	-	RSIR	O	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	QB73C12GAW5	7.27	121	167	185	224	294	1.26	-	RSIR	O	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	QB77C13GAW5	7.69	131	182	202	245	319	1.27	-	RSIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	QB86C13GAW5	8.56	145	200	222	268	347	1.27	-	RSIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	QB91C16GAW5	9.07	154	213	236	285	372	1.28	-	RSIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

www.mbsm.pro
PictureS Mbsm Dot Pro : www.mbsm.pro



Mbsm_dot_pro_private_PDF_Panasonic-compressor-catalogue-QB-seriesTélécharger

Mbsm.pro , Fn77q17g , 1/4Hp , Electrostar , R12 Refrigerator Compressors , 220V/50-60Hz , 1Ph ,for Refrigerator/Freezer

Category: Solutions,Tester ok
written by Jamila | 29 December 2018

Mbsm.pro , Fn77q17g , 1/4Hp , Electrostar , R12 Refrigerator Compressors , 220V/50-60Hz , 1Ph ,for Refrigerator/Freezer

PictureS Mbsm Dot Pro : www.mbsm.pro

1)SO60LKAA OR equivalent in 1/10 HP

2)FN43Q88G OR equivalent in 1/8 HP

3)FN51Q10G OR equivalent in 1/6 HP

4)FN57Q12G OR equivalent in 1/5 HP

5)FN66Q14G OR equivalent in 1/5 HP Powerful

6)FN77Q17G OR equivalent in 1/4 HP

7)FN91Q20G OR equivalent in 1/4 HP Powerful

8)FN110Q24G OR equivalent in 1/3 HP

www.mbsm.pro

PictureS Mbsm Dot Pro : www.mbsm.pro

Compressor tests - Calorimeter

Type / Parameter		FN77Q17G 1)	QA77C17GAX5		QA91C22GAX5	
Evaporation temp.	[°C]	LBP -23,3	LBP -25 2)	-23,3	LBP -25	-23,3
Refrigerant		R12	R134a		R134a	
Qo						
CECOMAF	[W]		116,7		135	
ASHRAE	[W]	191		154,2		187,1
ASHRAE	[kcal/h]	165		132,6		161
P_1						
CECOMAF	[W]		144,1		166,4	
ASHRAE	[W]	180		148,4		171,4
COP						
CECOMAF	[W/W]		0,81		0,81	
ASHRAE	[W/W]	1,06		1,04		1,09
Start test						
cold tw = 32 °C		-	o.k		o.k	
warm tw = 100 °C		-	o.k		o.k	

1) Leaflet data, original compressor

2) average two compressors, measuring

www.mbsm.pro

PictureS Mbsm Dot Pro : www.mbsm.pro

1)SO60LKAA OR equivalent in 1/10 HP
2)FN43Q88G OR equivalent in 1/8 HP
3)FN51Q10G OR equivalent in 1/6 HP
4)FN57Q12G OR equivalent in 1/5 HP
5)FN66Q14G OR equivalent in 1/5 HP Powerful
6)FN77Q17G OR equivalent in 1/4 HP
7)FN91Q20G OR equivalent in 1/4 HP Powerful
8)FN110Q24G OR equivalent in 1/3 HP

PictureS Mbsm Dot Pro : www.mbsm.pro

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro ,Jx58lhs5-k , DAEWOO COMPRESSOR ,FOR REFRIGERATOR ,1/5 Hp , 220/240 V , R134A

Category: Solutions,Tester ok
written by Jamila | 29 December 2018

Mbsm.pro ,Jx58lhs5-k , DAEWOO COMPRESSOR ,FOR REFRIGERATOR ,1/5 Hp , 220/240 V , R134A

٨:٣٧ م | ٠,٢ك.ب/ث

كتالوج كباس

3 jx58lhs5

JX58LHS5-K

O	N	M	L	K	A	
	290	R134a	LBP		HPL25YE-5-K	78
	290	R134a	LBP		HPL25YE-5-L	79
						80
						81
						82
	كمية الزيت	الفريون	التطبيق		MODEL	83
				W 7.2+		84
	290	R134a	LBP		HKL27YE-5	85
	290	R134a	LBP		HPL27YE-5	86
	290	R134a	LBP		HPL27YE-5-K	87
	290	R134a	LBP		HSL27YE-5A	88
	290	R134a	LBP		HKL30YE-5	89
	290	R134a	LBP		HPL30YE-5	90
	290	R134a	LBP		HPL30YE-5-K	91
	290	R134a	LBP		HSL30YE-5	92
	290	R134a	LBP		DH70LHP5	93
	290	R134a	LBP		DH80LHP5	94
	290	R134a	LBP		DH90LHK5	95
	290	R134a	LBP		DH99LHP5	96
	290	R134a	LBP		DH90LHP5	97
	290	R134a	LBP		DH120LHG5	98
	290	R134a	LBP		DH126LHG5	99
	290	R134a	LBP		DM99LHK5	100
	230	R134a	LBP		JX41LHP5-K	101
	230	R134a	LBP		JX41LHS5	102
	230	R134a	LBP		JX46LHS5	103
	230	R134a	LBP		JX51LHS5-K	104
	230	R134a	LBP		JX51LHS5	105
	230	R134a	LBP		JX51LHT5	106
	230	R134a	LBP		JX55LHP5-K	107
	230	R134a	LBP		JX55LHS5-K	108
	230	R134a	LBP		JX58LHK5	109
	230	R134a	LBP		JX58LHP5	110
	230	R134a	LBP		JX58LHP5-K	111
	230	R134a	LBP		JX58LHS5	112
	230	R134a	LBP		JX58LHS5-K	113
	230	R134a	LBP		JX58LHS5A	114
						115

+ كويبجيل هواي دايو

Private Picture Copyright : WWW.MBSM.PRO

PictureS Mbsm Dot Pro : www.mbsm.pro

Vue d'ensemble

Description rapide

Point d'origine:	Gwangju, South Korea	Marque nom:	daewoo	Numéro de Type:	Jx58lhs5-k
Type:	Compresseur frigorifique	Application:	Pièces de réfrigération	Certification:	CE
alternatif:	compresseur				

Capacité d'approvisionnement

Capacité d'approvis...30000 Piece/Pieces per Day

Emballage et livraison

Détails d'emballage	Palettisation
Port	Busan, Korea
Délai :	4weeks

PictureS Mbsm Dot Pro : www.mbsm.pro

Specifications

DAEWOO COMPRESSOR FOR REFRIGERATOR

* R134a/lbp
-Origine: Corée

Nominale Tension [V-hz]	HP	Modèle	Moteur Type	Refroidissement Capacité [W]	Puissance Entrée [W]	COP [W/w]	Refroidissement Type
220/240-50	1/5	JX58LHS5-K	Rsir	163	145	1.12	ST
	1/4	HPL25YE-5-K	Rscr	203	171	1.19	ST
	1/3	HPL30YE-5-K	Rscr	257	207	1.24	ST

* Réduit la température du moteur
* Mise à jour pompe fiabilité
* Réduction de Bruit Niveau
* Amélioration de la capacité de protection

PictureS Mbsm Dot Pro : www.mbsm.pro

Description rapide

Point d'origine:
Gwangju, South Korea

Marque nom:
daewoo

Numéro de Type:
Jx58lhs5-k

Type:
Compresseur frigorifique

Application:
Pièces de réfrigération

Certification:

CE

alternatif:
compresseur

Capacité d’approvisionnement

Capacité d’approvisionnement:
30000 Piece/Pieces per Day

Emballage et livraison

Détails d’emballage
Palettisation

Port
Busan, Korea

Délai : :
4weeks

Specifications

DAEWOO COMPRESSOR FOR REFRIGERATOR
*** R134a/lbp**
-Origine: Corée

Nominale Tension [V-hz]	HP	Modèle	Moteur Type	Refroidissement Capacité [W]	Puissance Entrée [W]	COP [W/w]	Refroidissement Type
220/240-50	1/5	JX58LHS5-K	Rsir	163	145	1.12	ST
	1/4	HPL25YE-5-K	Rscr	203	171	1.19	ST
	1/3	HPL30YE-5-K	Rscr	257	207	1.24	ST

* Réduit la température du moteur
* Mise à jour pompe fiabilité
* Réduction de Bruit Niveau
* Amélioration de la capacité de protection

Mbsm.pro, 1/5 HP ,170 w, SL23YE-5, DAEWOO, HERMETIC COMPRESSOR ,Turkey Refrigeration & Heat , R12

Category: Solutions,Tester ok
written by Jamila | 29 December 2018

Mbsm.pro, 1/5 HP ,170 w, SL23YE-5, DAEWOO, HERMETIC COMPRESSOR ,Turkey Refrigeration & Heat , R12

PictureS Mbsm Dot Pro : www.mbsm.pro

PictureS Mbsm Dot Pro : www.mbsm.pro

Product Details | **Company Profile** | Inquiry Records(4)

Our Company is since 1969. All Refrigerant parts Trade. All refrigerants products import export. Air Condition Compressor, Other parts, Freezer Room parts, insulation, valfe, all refrigerant, in Turkey. . .

Basic Information

Business Type:	Trading Company, Distributor/Wholesaler
Product/Service (We Sell):	Refrigerant Parts,Air COnditioner,Copper,Heat Exhancer,Refrigerator,Condensing Unit,Condenser,Compressor
Number of Employees:	11 - 50 People

Trade & Market

Main Markets:	Eastern Europe,Southeast Asia,Africa,Mid East,Eastern Asia,Western Europe

Factory Information

Factory Location:	Keresteci Recep Sk. No.10

www.mbsm.pro

PictureS Mbsm Dot Pro : www.mbsm.pro

Product Details | Company Profile | Inquiry Records(4)

Item specifics

Place of Origin: Seoul South Korea
JX51LHS5: 1/6 - ST
Port: ISTANBUL
HSL21YE-5-C: 1/5 - OC
HGH25YE-5: 1/4 - ST
HGH23YE-5: 1/5 - ST
HSL25YE-5-C: 1/4 - OC
Certification: CE
DM99HHG5: 3/8 - ST
Type: Refrigeration Compressor
Application: Refrigeration Parts

PictureS Mbsm Dot Pro : www.mbsm.pro

Ohter 134A

FREON R134A GASES.
220V - 50~60HZ
LBP and HBP Application

MODEL	CC/REV	(W)	(Kcal)
JX51LHS5	5,1	129	111
HSL21YE-5-C	6,7	176	151
HSL25YE-5-C	7,7	198	170
HGH23YE-5	7,0	659	567
HGH25YE-5	7,7	803	691
DM99HHG5	9,9	1093	940

PictureS Mbsm Dot Pro : www.mbsm.pro