

# Compressor 1/10 HP R-134A Samsung CD130

Category: pro

written by [www.mbsm.pro](http://www.mbsm.pro) | 11 September 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Refrigeration, Compressor, 1/10 HP, R-134A, 220V, Samsung

---

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP

Category: Archivation,compressor  
written by www.mbsm.pro | 11 September 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP

Mbsm.pro, Compressor, 1/5hp, Low-temperature, hermetic, refrigeration, compressor Embraco, Aspera, (Embrako Aspera), NB3117Z, LBP, R-134a, 174W at  $T_i = -23.3C$ ,  $T_k = 54.4C$

Category: Archivation,compressor  
written by www.mbsm.pro | 11 September 2022

**aspera** SUCTION →  
MADE IN SLOVAKIA  
THERMALLY PROTECTED  
200-240 V ~ 50 HZ  
220 V ~ 60 HZ 1Ø

NB3117Z  
285AN48  
ESTER OIL 450 CC  
R 134a

009597 7603  
CE



Mbsm.pro, Compressor, 1/5hp, Low-temperature, hermetic, refrigeration, compressor Embraco, Aspera, (Embrako Aspera), NB3117Z, LBP, R-134a, 174W at  $T_i = -23.3C$ ,  $T_k = 54.4C$

---

Mbsm.pro, Compressor, DAEW00  
Compressor, Zed7003-9009H, NW108LHG4,  
R-134a, 1/2HP, 230V, Lbp, Single-  
Phase, Lra 11.7, 391 W, 336 Kcal/h,  
1333 BTU/h, CSIR

Category: Archivation, compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 11 September 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, DAEW00 Compressor, Zed7003-9009H, NW108LHG4, R-134a, 1/2HP, 230V, Lbp, Single-Phase, Lra 11.7, 391 W, 336 Kcal/h, 1333 BTU/h, CSIR

---

Mbsm.pro, Compressor, NE2130Z,

# R-134a, 1/3HP, 230V, Embraco, LBP

Category: air conditioner

written by [www.mbsm.pro](http://www.mbsm.pro) | 11 September 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, NE2130Z, R-134a, 1/3HP, 230V, Embraco, LBP

---

# Mbsm.pro, Compressor, Tecumseh, TP1390YS, TP101-KS-015, 1/4 hp, lbp, R-134a, TPA1390YKS, TPA1390YXA, TP Series Compressors

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 11 September 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Tecumseh, TP1390YS, TP101-KS-015, 1/4 hp, lbp, R-134a, TPA1390YKS, TPA1390YXA, TP Series Compressors

---

# GP14TB, R-134a, 3/8HP++, 230V, Haute Pression, CUBIGEL/HUAYI, Décalage: 14.17 cm<sup>3</sup>

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 11 September 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

- CUBIGEL/HUAYI
- Original

## Données techniques

- Modèle: GP14TB
- Gaz: R-134a
- Température/Pression: Haute Pression
- Puissance: 3/8 HP
- Type De Courant: Monophasé
- Fréquence: 50 Hz
- Type De Compresseur: Hermétique
- Décalage: 14.17 cm<sup>3</sup>

- Cons.Énergie -10°C: **366 W**
- Cons.Énergie -5°C: **406 W**
- Cons.Énergie 0°C: **448 W**
- Cons.Énergie +5°C: **491 W**
- Cons.Énergie +10°C: **536 W**
- T° De Condensation: **40 °C**
- Capacidad Frigorífica -15°C: **489 Kcal/h**
- Capacidad Frigorífica -10°C: **634 Kcal/h**
- Capacidad Frigorífica -5°C: **800 Kcal/h**
- Capacidad Frigorífica 0°C: **986 Kcal/h**
- Capacidad Frigorífica 5°C: **1193 Kcal/h**
- Capacidad Frigorífica 7.2°C: **1291 Kcal/h**
- Capacidad Frigorífica 10°C: **1421 Kcal/h**
- Tipo Test: **Ashare 46**



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

3070051	alternative part number	605011	رقم القطعة
GP14TB	type	R134a	refrigerant
W 566	power input	HP 3/8	power
CSIR	motor system	cm <sup>3</sup> 14	cylinder capacity
mm 203.6	height	V 220-240	voltage
W 643	power at -5°C	W 497	power at -10°C
W 999	power at +5°C	W 810	power at 0°C
W 271	power at -20°C	W 191	power at -25°C
W 1209	power at +10°C	W 373	power at -15°C
HMBP	application	ASHRAE	test method
C° 43	.ambient temperature max	Hz 50	frequency
		kg 11.5	weight



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_gp14tb-1Télécharger

Mbsm\_dot\_pro\_private\_PDF\_gp14tbTélécharger

---

# Reciprocating Compressors, LBP – Low Back Pressure, R-134a, TECUMSEH, 1/3hp, TP1410YS,

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 11 September 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## TPH1410YHS

Wholesale and retail Tecumseh/Taikang compressor, Tecumseh/Taikang piston compressor model: TPH1410YHS, type: low back pressure, refrigerant: R-134a, power supply voltage: 230V ~ 50Hz, provide Tecumseh/taikang TPH1410YHS model,

specifications, parameters, Picture, price and other data. Taikang is the world's leading manufacturer of hermetic compressors and condensers in household and commercial refrigeration and air conditioning applications  
Product model: TPH1410YHS  
Refrigerant: R-134a  
Power frequency: 50Hz  
Power supply voltage: 230V ~ 50Hz  
Product Type: Low back pressure



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_TP1410YS-Télécharger  
Mbsm\_dot\_pro\_private\_PDF\_TPH1410YGSTélécharger

Sangchai refrigeration, Fl series, Rl series, Cl series, Hitachi Compressor, FL1675-sc, 1/5 Hp, R-134A, Low back pressure, 160 w, Displacement 7.5 cm cube, 220-240 v 50 hz

Category: compressor

written by www.mbsm.pro | 11 September 2022

**Hitachi Hermetic Compressors**

**FL Series**

**STANDARD MODEL**

Application & Refrigerant LBP R134a

Model	Nominal Power		Cooling Capacity				D cm3	Cooling			O cm3	Wg Kg	Motor Type	Power Source					Dimension Type - H
	HP	W	F Hz	W	Kcal/h	BTU/h		N	Oil	Fan				1 2 3 4 5					
														H	P	R	S	T	
FL0634	1/12	65	50	78	67	266	3.42				200	6.8		•			•		Type1-165
			60	90	77	307								•	•	•			
FL0739	1/10	75	50	95	82	324	3.94				270	7.8		•			•		Type1-179 Type2-180
			60	108	93	368								•	•	•			
FL0845	1/8	85	50	105	90	358	4.50				270	8.1	RSIR RSCR	•			•		Type1-179 Type2-180
			60	118	101	403								•	•	•			
FL1052	1/6	100	50	120	103	409	5.19	•			240	8.3	CSIR	•			•		Type1-195 Type2-200
			60	140	120	478								•	•	•			
FL1157	1/6	110	50	135	116	461	5.70				240	8.7		•			•		Type1-195 Type2-200
			60	158	136	539								•	•	•			
FL1262	1/5	125	50	150	129	512	6.23	•			320	9.5		•			•		Type3-211 Type4-216
			60	170	146	580								•	•	•			
FL1675	1/5	160	50	185	159	631	7.47		•	•	300	10.6		•			•		Type3-211 Type4-216
			60	210	181	717								•	•	•			
FL1888	1/4	180	50	215	185	734	8.83		•	•	300	11.1		•			•		Type3-211 Type4-216
			60	250	215	853								•	•	•			

Private Picture Copyright: WWW.MBSM.PRO

Sangchai refrigeration, Fl series, Rl series, Cl series, Hitachi Compressor, FL1675-sc, 1/5 Hp, R-134A, Low back pressure, 160 w, Displacement 7.5, 220-240 v 50 hz



**Hitachi Hermetic Compressors**

**FL Series**

**STANDARD MODEL**

Application & Refrigerant LBP R134a


Model	Nominal Power		Cooling Capacity				D	Cooling			O	Wg	Motor Type	Power Source					Dimension
	HP	W	Hz	W	Kcal/h	BTU/h		cm3	N	Oil				Fan	cm3	Kg	1	2	
FL0634	1/12	65	50	78	67	266	3.42				200	6.8		•			•		Type1-165
			60	90	77	307								•	•	•			
FL0739	1/10	75	50	95	82	324	3.94				270	7.8		•			•		
			60	108	93	368								•	•	•			
FL0845	1/8	85	50	105	90	358	4.50				270	8.1	RSIR	•			•		Type1-179
			60	118	101	403								•	•	•			Type2-180
FL1052	1/6	100	50	120	103	409	5.19	•			240	8.3	CSIR	•			•		
			60	140	120	478								•	•	•			
FL1157	1/6	110	50	135	116	461	5.70				240	8.7		•			•		
			60	158	136	539								•	•	•			Type1-195
FL1262	1/5	125	50	150	129	512	6.23	•			320	9.5		•			•		Type2-200
			60	170	146	580								•	•	•			
FL1675	1/5	160	50	185	159	631	7.47		•	•	300	10.6		•			•		Type3-211
			60	210	181	717								•	•	•			
FL1888	1/4	180	50	215	185	734	8.83		•	•	300	11.1		•			•		Type4-216
			60	250	215	853								•	•	•			

Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

## Detail of Label



Private Picture Copyright: WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_Hitachi-catalogueTélécharger  
Mbsm\_dot\_pro\_private\_PDF\_FL1675Télécharger

# Compresseurs, réfrigération, EMBRACO, 1/4 HP, EGX80HLC, RSCR, 6,36 cm<sup>3</sup>, 187 watts, R-134a

Category: compressor  
written by www.mbsm.pro | 11 September 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Type de moteur: RSCR  
Cylindrée: 6,36 cm <sup>3</sup>  
Type de lubrifiant: IS010  
Charge de lubrifiant: 230 ml  
Couple de démarrage: LST

## Caractéristiques

catégorie de produitCompresseurs de réfrigération et compresseurs de climatisation

Capacité0,24 kW (0,3196 ch)

La puissance d'entrée 187 watts

Évaluation du réfrigérant R-134a EER1,55

Source d'énergie 115/60/1

Options de réfrigérant R134a



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

### Caractéristiques

catégorie de produit	Compresseurs de réfrigération et compresseurs de climatisation
Capacité	0,24 kW (0,3196 ch)
La puissance d'entrée	187 watts
Évaluation du réfrigérant	R-134a
EER	1,55
Source d'énergie	115/60/1
Options de réfrigérant	R134a



### Plus d'information

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_EGU80HLC-FT007183\_1Télécharger