

Mbsm.pro, Compressor, AW703ET-094-A4, Tecumseh, 2 hp, R-22, R-407C, hbp, 1ph

Category: compressor

written by www.mbsm.pro | 10 November 2024



The **AW703ET-094-A4** is a model of compressor produced by Tecumseh, specifically designed for air conditioning and high back pressure (HBP) applications. Here are the key specifications:

Specifications

- **Type:** Reciprocating Compressor
- **Application:** Suitable for air conditioning (AC) and high back pressure (HBP) systems.
- **Refrigerants:** Compatible with R-22 and R-407C.
- **Power:**
 - **Horsepower:** 2 HP
 - **Voltage:**
 - 200-220V at 50Hz
 - 208-230V at 60Hz
- **Cooling Capacity:** Approximately 18,800 BTU.
- **Design:** Hermetic type, meaning it is sealed to prevent refrigerant leakage.



_AW703ET-094-A4Download

Mbsm.pro, Compressor , Air
Conditioning, r22, Tecumseh,
AGC5568EXG, AG144UT-001-J7, 5-1/2 HP,

4 ton, R-22, 56700 btu, HBP/AC, 460V
3ph 60Hz 380-420V

Category: air conditioner,compressor
written by www.mbsm.pro | 10 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor , Air Conditioning, r22, Tecumseh, AGC5568EXG, AG144UT-001-J7, 5-1/2 HP, 4 ton, R-22, 56700 btu, HBP/AC

CR47KQ, CR47KQ-TFD-970-COPW, CR47KQ-TFD, 3.5 hp, 3 ph, r22, 400v, 47000 btu

Category: compressor
written by www.mbsm.pro | 10 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Hermetic, CR47KQ, Compressor, Series: CR, 47000 BTU/hr, 10.034 cfm, 460 VAC, 6.9 amp, 4 ton Tonnage, 60 Hz, 3 PH, 3500 rpm, 4 hp, 4540 watt, R-22, R-404A, R-407C

Mbsm.pro, Compressor, Copeland, CI20KQ-PFV, 240v/ 230/PH1/60hz , 1.5 hp, R-22 , 18,300, A/C

Category: compressor

written by www.mbsm.pro | 10 November 2024




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, CI20KQ-PFV, 240v/ 230/PH1/60hz , 1.5 hp, R-22 , 18,300, A/C

**Mbsm.pro, Air conditioner,
Compressor, 24000 btu, 3RV416H2AAF,
R-22, 220-240V, Sanyo**

Category: compressor

written by www.mbsm.pro | 10 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air conditioner, Compressor, 24000 btu, 3RV416H2AAF, R-22, 220-240V, Sanyo

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 – Phase, 380/420 V , CR QR Series

Category: compressor

written by www.mbsm.pro | 10 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 - Phase, 380/420 V , CR QR Series

Mbsm.pro, Compressor, Tecumseh, AW704ET-094-A4, AWG5522EXN, 2 HP, RECIPROCATING Compressor, 200-208-220-230/60-50/1, R-22, 28000

btu/h

Category: air conditioner,compressor
written by www.mbsm.pro | 10 November 2024



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, AW704ET-094-A4, AWG5522EXN, 2 HP, RECIPROCATING Compressor, 200-208-220-230/60-50/1, R-22, 28000 btu/h

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Category: compressor
written by www.mbsm.pro | 10 November 2024



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Mbsm.pro, COPLAND, Compressor, KCJ511HAE, KCJ511HAE-BXXX, HBP, 1-3/8 hp big ++, R-22, 230 V, 50 Hz, 1PH, FAN, 350 ft³ / m

Category: compressor

written by www.mbsm.pro | 10 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Technical Specification

Cooling Capacity (Btu/hr) 11275

Cooling Capacity (w) 3302

HP 1-3/8

LRA 54

COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9

Length/Width, mm 235/179

Height, mm 264

Net Weight, kg 21.5

Stub Suction, inch 5/16

Stub Discharge, inch 5/16

Oil Quantity, l 0.9

Base mounting (hole dia), mm NA (0.0)

Sound Pressure @ 1m (HT), dBA 57
Sound Power (HT), dBA 68
COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)
Locked Rotor Current, A 25
Default Enclosure Class IP 21 (IEC 34)
ACCESSORIES OPTIONAL
Mounting Grommets Standard
Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright : WWW.MBSM.PRO

Horse Power
50HZ
Brand
COPLAND
Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_KCJ511HAETélécharger

Mbsm_dot_pro_private_PDF_KCJ511HAE-1Télécharger