

Mbsm.pro, Compressor, Efl120E13DGH,
1/3 hp, r600a, 70g, 317w, 220v,
57–240hz, EFI120E13DGH(80RPS),
Reciprocating Compressors (Variable
Speed), Dc compressor Panasonic
(inverter), Refrigerator-Freezer
Panasonic, NR-B53V1, 615 L

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w, 220v, 57-240hz, EF120E13DGH(80RPS), Reciprocating Compressors (Variable Speed), Dc compressor Panasonic (inverter), Refrigerator-Freezer Panasonic, NR-B53V1, 615 L

Mbsm.pro, Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Category: compressor

written by www.mbsm.pro | 21 January 2022



孔贤电气机械天津压缩机有限公司
中国天津港保税区(空港保税B区)1号
电话 +86 22 84881086
传真 +86 22 84881087
邮箱 mbsm@mbm.com

ZANUSSI ELETTROMECCANICA COMPRESSOR TIANJIN CO.,LTD
ADDRESS: 1613 BAOJING ROAD, TIANJIN FREE TRADE ZONE
(AIRPORT INDUSTRIAL PARK), TIANJIN CITY, P.R. CHINA
ZIP CODE: 300308
PHONE: +86 22 84881086
FAX: +86 22 84881087

GENERAL CATALOGUE ZEL ACC COMPRESSORS COMPRESSORS

R600a - R134a
All solutions inside.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Mbsm.pro, Compressor, cubigel, huayi, ACC, Electrolux, HPY14AA, LBP, R600a, 1/5HP, 220-240V/1/50Hz, 166 W

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Compressors/Compressors ACC – Electrolux HP14AH, LBP – R600a, Power consumption 1/5HP, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 14.32 cm³, Oil type ISO VG10 Mineral oil, Oil quantity 300 cm³, Power 147 W at -25 / +55 °C, Power consumption 166 W, Power 0.0 W, Cooling capacity

-10 °C	-15 °C	-20 °C	-25 °C	-30 °C	-35 °C
344	276	216	166	124	92

Shipping Class	Standard
Scope Of Application	LBP
Lieferzeit	2-3 Wochen
Type Of Construction	Piston
Condensation Temperature	55°C

Maker	ACC
Manufacturer No.	HPY14AA
Displacement In Cm3	14.32
Measuring Requirements	Ashrae
Refrigerants	R600a
Series	HPY
Condensing Units Compressors	Compressors
Suspense	220-240V
Weight In Kg	13

Compressor ACC Cubigel Huayi Electrolux ZEM HPY14AA, LBP -R600a, 220-240V/1/50Hz, 1/5 HP, discharge 14.32 cm³, motor type RSIR, oil type ISO VG10 mineral, oil charge 300 cm³, 166 W at -25 / +55 °, input power, current 147 W, 0.96 A, expansion device: capillar, cooling: static, weight 11 kg , the statutory warranty period shall apply (24 months), Delivery time Info: with "immediately available" and "scarce stock", usually delivery within 2 days. For "currently not available" delivery time usually 2 weeks or delivery time in urgent cases contact us.

Refrigerant:	R600a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	6,5 mm
Suction:	8,1 mm
Working area:	LBP
Design type:	Hermetic
Model series:	HPY
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 10 Mineral
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions (length × width × height):	20,40 × 16,20 × 19,60 cm
customs tariff number:	84143081
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	HPY14AA
Modelname:	HP14AH
Stroke volume (cm ³):	14,32
Cooling capacity (W):	147
Power (HP):	0,25
Max. Starting current (A):	11,5
Max. Operating current (A):	0,96
Engine type:	RSIR

Note:	Static cooling
Oil quantity (l):	0,3
Compressor type:	Piston
Power range:	-35 C to -10 C
Alternative:	NBM1118Y , EMX70CLC , NBM1116Y
Pressure line (mm):	6,5
Suction line (mm):	8,1





Private Picture Copyright : WWW.MBSM.PRO

[Mbsm_dot_pro_private_PDF_HPYP14AA-1Télécharger](#)

[Mbsm_dot_pro_private_PDF_HPYP14AATélécharger](#)

Compressor, r600a, 1/5HP, LBP, 149W, htk12aa, Electrolux, Brandt, 220-240V 50Hz, Run Capacitor: 4.0 μ F (5.0 μ F as alternative) , Motor type

RSCR/RSIR

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright : WWW.MBSM.PRO

compressor/compressor ACC – Electrolux HTK12AA, LBP – R600a, Power consumption 1/5HP++, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 11.1 cm³, Oil type mineral oil, Oil quantity 170 cm³, Power 116 W at -25 / +55°C, Power consumption 149 W, Current 0.77, Weight 8.6Cooling capacity

-10 °C -15 °C -20 °C -25 °C -30 °C -35 °C

300 240 188 144 107 78

Shipping Class

Standard

Scope Of Application	LBP
Lieferzeit	2-3 Wochen
Type Of Construction	Piston
Condensation Temperature	55°C
Maker	ACC
Manufacturer No.	HPY12AA
Displacement In Cm3	11.1
Measuring Requirements	Ashrae
Refrigerants	R600a
Series	HPY
Condensing Units Compressors	Compressors
Suspense	220-240V
Weight In Kg	12.7

1. Be the first to review this product

[Mbsm_dot_pro_private_PDF_HTK12AA-1-1Télécharger](#)

[Mbsm_dot_pro_private_PDF_HTK12aa-1Télécharger](#)



Private Picture Copyright : WWW.MBSM.PRO

Verdichter - Cubigel

R-600a, LBP

Hermetische Verdichter für Kapillarrohrbetrieb.
Hochleistungs-Verdichter mit Betriebskondensatoren.
LBP Temperaturbereich -30 °C bis -10 °C.
Netzspannung 220 - 240 V / 50 Hz.



Artikelnr.	Typ	Leistung (PS)	Kälteleistung [W] T _e -25 °C, T _k +45 °C	
				-25
47-32 HQY45AA	HQY 45 AA	1/12		52
47-32 HQY55AA	HQY 55 AA	1/9		62
47-32 HQY70AA	HQY 70 AA	1/8		80
47-32 HQY80AA	HQY 80 AA	1/7		99
47-32 HQY90AA	HQY 90 AA	1/7		109
47-32 HQY99AA	HQY 99 AA	1/6		119
47-32 HPY12AA	HPY 12 AA	1/5		144
47-32 HPY14AA	HPY 14 AA	1/5		166
47-32 HPY16AA	HPY 16 AA	1/4		181

Gesamtkatalog jetzt anfordern unter info@kaeltepartner.net!

 **Hinweis: Bilder Können vom Produkt abweichen**

Private Picture Copyright: WWW.MBSM.PRO

LG, CSB075NJEG, 1/6HP, R600A, alu
wire, refrigerator, compressor,
refrigerator, BBS130, BBD230, BBC208S

Category: compressor

written by www.mbsm.pro | 21 January 2022

BUD-DCTAE166	19	CC125-BP	25	CPP330	280	DCPL186-2BD-ETP	33	DCCTCE146	15	DF
BUD-DCTAE167	19	CC128-BB	25	CPP470	280	DCPL186-2BG	33	DCCTCE147	15	DF
BUD-DCTAE186	19	CC128-BP	25	CPP650	280	DCPL187-2BD-ETP	33	DCCTCE148	15	DF
BUD-DCTAE187	19	CC155-BB	25	CPP11000	280	DCPL187-2BG	33	DCCTCE149	15	DF
BUD-DCTAE206	19	CC155-BP	25	CPP12000	280	DCPL187-2BG-ETP	33	DCCTCE150	15	DF
BUD-DCTAE207	19	CC156-BB	25	CPP13000	280	DCPL166-2BD	33	DCCTCE151	15	DF
BUD-DCTCE66	19	CC156-BP	25	CPP14000	280	DCPL166-2BG	33	DCCTCE152	15	DF
BUD-DCTCE77	19	CC186-BB	25	CPP16000	280	DCPL166-2BG-ETP	33	DCCTCE153	15	DF
BUD-DCTCE106	19	CC186-BP	25	CPP19000	280	DCPL166-2BG-ETP	33	DCCTCE154	15	DF
BUD-DCTCE107	19	CCA	337	CRP5A	280	DCPL167-2BD	33	DCCTCE155	15	DF
BUD-DCTCE128	19	CDD1/1	171	CRP20A	280	DCPL167-2BG	33	DCCTCE156	15	DF
BUD-DCTCE127	19	CDD1/2	171	CS6/10	15	DCPL167-2BG-ETP	33	DCCTCE157	15	DF
BUD-DCTCE146	19	CDD1/3	171	CS70A	232	DCPL186-2BD	33	DCCTCE158	15	DF
BUD-DCTCE147	19	CDD1/4	171	CSB075NJEG	235	DCPL186-2BD-ETP	33	DCCTCE159	15	DF
BUD-DCTCE157	19	CDD1/6	171	CSR/16	48	DCPL186-2BG	33	DECEFF14-PM	44	DF
BUD-DCTCE166	19	CDD2/1	171	CSR/18	48	DCPL186-2BG-ETP	33	DECEFF-PM	44	DF
BUD-DCTCE167	19	CDD2/3	171	CSR/20	48	DCPL187-2BD	33	DEF	44	DF
BUD-DCTCE186	19	CD-GH-818	137	CT 1758TD	113	DCPL187-2BD-ETP	33	DEL-0500	343	DF
BUD-DCTCE187	19	CDR-1	90, 229	CT 1760TD	113	DCPL187-2BG	33	DESSUS-TH168	361	DF
BUD-DCTCE206	19	CDR-2	90, 229	CTR11000	175	DCPL187-2BG-ETP	33	DESSUS-TH207	361	DF
BUD-DCTCE207	19	CF4-78ET	339	CTR12000	175	DCPL206-2BD	33	DEV-FIC	21, 305	DF
BUD-ETPL83	63	CF4-78GP	338	CTR13000	175	DCPL206-2BD-ETP	33	DIFP90BI	88	DF
BUD-ETPL84	63	CF0380-37	388	CTR14000	175	DCPL206-2BG	33	DIFP90BL	88	DF
BUD-ETPL103	63	CF0380-50	388	CTR16000	175	DCPL206-2BG-ETP	33	DIFP90R	88	DF
BUD-ETPL104	63	CH11000	171	CTR19000	175	DCPL207-2BD	33	DIFP90VE	88	DF
BUD-ETPL123	63	CH12000	171	CTR21000	175	DCPL207-2BD-ETP	33	DIFP90YE	88	DF
BUD-ETPL124	63	CH13000	171	CTRE11000	175	DCPL207-2BG	33	DIPA	163	DF
BUD-ETPL143	63	CH14000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DIPA600	163	DF
BUD-ETPL144	63	CH16000	171	CTRE13000	175	DCPLV128-1BD	37	DIST91	94	DF
BUD-ETTU104	63	CH21000	171					DIST91A	94	DF
BUD-ETTU124	63									DF

Private Picture Copyright : WWW.MBSM.PRO

- + CSB057NJEG 1 / 10HP
- + CSB069NJEG 1 / 8HP
- + CSB075NJEG 1 / 6HP



2021/4/8 18:32

BUD-DCTAE167	19	CC125-BP	25	CPP330	280	DCPL166-2BD-ETP	33	DCTCE146	15	DF
BUD-DCTAE186	19	CC128-BB	25	CPP470	280	DCPL166-2BD	33	DCTCE147	15	DF
BUD-DCTAE187	19	CC128-BP	25	CPP650	280	DCPL167-2BD-ETP	33	DCTCE148	15	DF
BUD-DCTAE206	19	CC155-BB	25	CPP11000	170	DCPL167-2BD	33	DCTCE157	15	DF
BUD-DCTAE207	19	CC155-BP	25	CPP12000	170	DCPL167-2BD-ETP	33	DCTCE166	15	DF
BUD-DCTCE66	19	CC156-BB	25	CPP13000	170	DCPL166-2BD	33	DCTCE167	15	DF
BUD-DCTCE77	19	CC156-BP	25	CPP14000	170	DCPL166-2BD-ETP	33	DCTCE168	15	DF
BUD-DCTCE106	19	CC186-BB	25	CPP16000	170	DCPL166-2BD	33	DCTCE169	15	DF
BUD-DCTCE107	19	CC186-BP	25	CPP19000	170	DCPL166-2BD-ETP	33	DCTCE170	15	DF
BUD-DCTCE128	19	CCA	337	CRP5A	170	DCPL167-2BD	33	DCTCE171	15	DF
BUD-DCTCE127	19	CDD1/1	171	CRP20	170	DCPL167-2BD-ETP	33	DDBF163	164,240	DF
BUD-DCTCE146	19	CDD1/2	171	CS6/10	15,35	DCPL167-2BD	33	DDBF164	164,240	DF
BUD-DCTCE147	19	CDD1/3	171	CS/10	15,35	DCPL167-2BD-ETP	33	DE35160	38,115	DF
BUD-DCTCE157	19	CDD1/4	171	CS70	232	DCPL166-2BD	33	DEF165A	380,115	DF
BUD-DCTCE166	19	CDD1/6	171	CSB075NJEG	235	DCPL186-2BD-ETP	33	DECEFI14-PM	44	DF
BUD-DCTCE167	19	CDD2/1	171	CSR/16	48	DCPL186-2BG	33	DECEFI-PM	44	DF
BUD-DCTCE186	19	CDD2/3	171	CSR/18	48	DCPL186-2BG-ETP	33	DEF	44	DF
BUD-DCTCE187	19	CD-GH-818	137	CSR/20	48	DCPL187-2BD	33	DEL-0500	343	DF
BUD-DCTCE206	19	CDR-1	90,229	CT 1758TD	113	DCPL187-2BD-ETP	33	DESSUS-TH168	361	DF
BUD-DCTCE207	19	CDR-2	90,229	CT 1760TD	113	DCPL187-2BG	33	DESSUS-TH207	361	DF
BUD-ETPL83	63	CF4-78ET	339	CTR11000	175	DCPL187-2BG-ETP	33	DEV-FIC	21,305	DF
BUD-ETPL84	63	CF4-78GP	338	CTR12000	175	DCPL206-2BD	33	DIFP90BI	88	DF
BUD-ETPL103	63	CF0380-37	388	CTR13000	175	DCPL206-2BD-ETP	33	DIFP90BL	88	DF
BUD-ETPL104	63	CF0380-50	388	CTR14000	175	DCPL206-2BG	33	DIFP90R	88	DF
BUD-ETPL123	63	CH11000	171	CTR16000	175	DCPL206-2BG-ETP	33	DIFP90VE	88	DF
BUD-ETPL124	63	CH12000	171	CTR19000	175	DCPL207-2BD	33	DIFP90YE	88	DF
BUD-ETPL143	63	CH13000	171	CTR21000	175	DCPL207-2BD-ETP	33	DIPA	163	DF
BUD-ETPL144	63	CH14000	171	CTR11000	175	DCPL207-2BG	33	DIPA600	163	DF
BUD-ETTU104	63	CH16000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DIST91	94	DF
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DIST91A	94	DF

Private Picture Copyright : WWW.MBSM.PRO

Pièces détachées

▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	REF.	€	DÉSIGNATION	REF.	€
Compresseurs					
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte		
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Condenseurs					
Condenseur pour BBC208S, BBD230	BBD230L.08	59	Joint de porte pour BBS130	BBS130L.25	14,40
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Portes vitrées		
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Évaporateurs					
Évaporateur pour BBC208S	BBD230S.47	117	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
Évaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée battante pour BBS130	BBS130L.24	222
Évaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante pour BBC208S	BBD230S.26	205
			Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
			Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
			Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			Roulette pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : WWW.MBSM.PRO

Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

Mbsm.pro, Donper, Hermetic,
Compressor , R600a, Lj126Cy,
lu126cy1, 1/3 Hp, R600a

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Donper, Hermetic, Compressor , R600a, Lj126Cy, lu126cy1, 1/3 Hp, R600a

Compressor, Zanussi, HLY80AA, 1/7Hp, 220-240V 50Hz ~1, R600a, ZEM, Low Back Pressure, RSIR

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Technical Data Sheet

Compressor model HLY80AAa

Voltage 220-240V 50Hz ~1

Refrigerant R600a

APPLICATION COMPRESSOR MOTOR

Application Low Back Pressure Displacement 8,10 cm³ Nominal Power 1/7 hp

Refrigerant R600a Diameter 24,29 mm Voltage/Frequency 220-240V 50Hz
Evaporating Temp. -35,0 °C to -10,0 °C Stroke 17,47 mm Voltage range 187-264 V
Expansion Capillar Net Weight 9,45 Kg Type RSIR
Comp. Cooling Static Oil type ISO VG 10 MINER Phase number 1 PH
Max. ambient temp. 43,0 °C Oil charge 205 cm³ Locked Rotor Amps (LRA) 8,60 A
Max. Cont. Current (MCC) 1,00 A
Main W. resist. at 25°C 22,02 Ω
Start W. resist. at 25°C 22,53 Ω

NOMINAL PERFORMANCE

ASHRAE CECOMAF

Cooling Capacity 113 kCal/h 99 W
COP 1,41 W/W 1,11 W/W
EER 1,22 kCal/Wh 0,96 kCal/Wh
Input Power 93 W 89 W
Current 0,62 A 0,60 A

TEST CYCLE CONDITIONS

ASHRAE CECOMAF

LBP (B) LBP (A)

Evaporating temp. -23,3 °C -25,0 °C
Condensing temp. 55,0 °C 55,0 °C
Liquid temp. 32,0 °C 55,0 °C
Ambient temp. 32,0 °C 32,0 °C
Suction temp. 32,0 °C 32,0 °C
Voltage/Frequency 220 V 50 Hz 220 V 50 Hz

ELECTRICAL COMPONENTS

Relay Option 1

Reference PTC K100

Voltage 200-240 V

Resistance 14.00 Ω

Protector Option 1 Option 2 Option 3 Option 4

Reference MSP318LZ 4TM189NFBYY T0462 AE37FJ

Current 5,90 A 5,50 A 6,20 A 5,90 A

Time check 7,5-14 seg 5-15 seg 7,5-14 seg 7,5-14 seg

Disc temp. (Open/Close) 120,00 / 61,00 °C 120,00 / 61,00 °C 110,00 / 62,00 °C
115,00 / 62,00 °C

Mbsm_dot_pro_private_PDF_HLY80aa_danfoss_HLY80AAa_R600a_220_50Télécharger



Private Picture Copyright : WWW.MBSM.PRO



ZEM 3 HLY 80 AA 0051
220-240V~ 50Hz
R 600 a   
1 146
0613689 

←SUCTION 

Compressor, nbu1118y, réfrigérateur,
brandt, BRANDT, MA-45CA562COMP-KU950,
R600a, 1/4 Ch, 11,2 cm³, ACC,
HMK12AA, SECOP, EMBRACO, NBU1118Y
DANFOSS, NLE13KK3

Category: Non classé

written by www.mbsm.pro | 21 January 2022

Embraco® NBU1118Y

THERMALLY PROTECTED		0-240V-50Hz
CE	800a	
MIN. OIL 200°C / PH		

SUCKTION SKM NO START WITHOUT STARTING DEVICE



815DA42 16/SEP/08 PA8LCI0P

CAUTION RISK OF FIRE



R 600a

Compressor, nbu1118y, réfrigérateur, brandt, BRANDT, MA-45CA562COMP-KU950,
R600a, 1/4 Ch, 11,2 cm³, ACC, HMK12AA, SECOP, EMBRACO, NBU1118Y DANFOSS,
NLE13KK3

Modèles d'appareils concernés: 42X0249 – DZN4710XE – DZN4710XE/1 Pièce d'origine
constructeur

Référence : MA-45CA562COMP-KU950

COMPRESSEUR R600a – 1/4 Ch – 11,2 cm³

ACC HMK12AA SECOP

Equivalent :

EMBRACO NBU1118Y

DANFOSS NLE13KK3 – NLE15K – HMK12AA

ELECTROLUX HP16AH

SECOP HMK12AA

Embraco® NBU1118Y

THERMALLY PROTECTED		0-240V-50Hz
CE	800a	
MIN. OIL 200°C / 375°F		

SUCKTION SKM NO START WITHOUT STARTING DEVICE



815DA42 16/SEP/08 PA8LCI0P

CAUTION RISK OF FIRE



R 600a



Private Picture Copyright: WWW.MBSM.PRO

[Mbsm_dot_pro_private_PDF_NBU1118y-ametist-produse-doc1702-5Télécharger](#)

[Mbsm_dot_pro_private_PDF_NBU1118y-EMBRACO-ASPERATélécharger](#)

[Mbsm_dot_pro_private_PDF_NBU1118y-embraco-r600-compressorsTélécharger](#)