

Secop TLES6FT.3 R134a 1/5 HP LBP Compressor Specifications and Replacement Guide

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026



Private Picture Copyright : WWW.MBSM.PRO

The Secop TLES6FT.3 is a cornerstone of modern domestic refrigeration. This 1/5 HP, R134a compressor is engineered in Slovakia for Low Back Pressure applications, offering a cooling capacity of 149W. Known for its quiet operation and energy efficiency, it is the ideal choice for medium-sized refrigerators and deep freezers looking for long-term reliability.

Samsung RT47CB663222 Compressor Specifications R600a 1/5 HP Cooling Capacity Inverter Refrigerator Spare Parts

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026

WWW.MBSM.PRO



SmartThings

RT47CB663222MA 01

SmartThings icons: person, book, headset

RT47CB663222MA 01

SAMSUNG

Compressor, Circulation d'air forcé, Sans glace, Réfrigérateurs-congérateurs type II
 نوع الضغط، دوران الهواء القسري، خالية من الثلج، مستهلكات الطاقة

Modèle	RT47CB663222	النموذج
Volume brut(L)	476 L	الحجم الإجمالي
Tension nominale/Fréquence	220-240 V~ / 50 Hz	الجهد الاسمي / التردد
Courant nominal	2.0 A	تيار الاسمي
Alimentation fabrication de glace	-	التعبئة كعريشة لصنع الثلج
La puissance de dégivrage	-	قوة إزالة الجليد
Congélateur	140 W (220 V~), 150 W (230-240 V~)	الجمد
Réfrigérateur	-	تلاجم التبريد
Classe climatique	T	عزل التبريد
Réfrigérant	R-600a, 60 g	حزق التبريد
Isolation du gaz de soufflage	CYCLOPENTANE	عزل التجميد
Pouvoir de congélation	5.0 kg/24 hr	مدة ارتفاع درجة الحرارة [°C]
Durée de montée en température	13 hr	
Volume utile(L) Total / المجموع / حجم الثلاجة	460	Congélateur / التجميد / Réfrigérateur / التلاجم / Deux étoiles / 6
Puissance de la lampe Congélateur/Réfrigérateur	LED / LED	قوة السطاح / التجميد / التلاجم

anrt
MR00039143ANRT2023

Fabriqué en Thaïlande

RT47CB663222MA REV.01

Private Picture Copyright : WWW.MBSM.PRO

This technical guide explores the Samsung RT47CB663222 refrigerator, a high-efficiency 460-liter unit utilizing R-600a refrigerant. Operating on a 220-240V 50Hz supply, this inverter-driven system is designed for Low Back Pressure applications. We break down the motor characteristics, displacement, and provide a comprehensive list of equivalent replacement compressors for modern field service and professional repairs.

Comptek QD65H Compressor 1/6 HP R134a L/MBP Technical Specifications and Replacement Guide

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026



Private Picture Copyright : WWW.MBSM.PRO

The Comptek QD65H is a high-performance 1/6 HP reciprocating compressor designed for R134a systems. Ideal for refrigerators between 180 and 250 liters, it offers a cooling capacity of 160W at -23.3°C. This professional guide covers its electrical characteristics, COP efficiency metrics, and provides a comprehensive list of equivalent models for seamless field replacement.

LG MA57LBJG Compressor 1/6 HP R134a LBP Technical Specifications and Replacements

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026




Private Picture Copyright : WWW.MBSM.PRO

The LG MA57LBJG is a high-performance 1/6 HP compressor designed for R134a refrigerant in Low Back Pressure (LBP) applications. Ideal for domestic freezers, it delivers 160W of cooling capacity at -23.3°C. This guide provides comprehensive technical data, winding details, and a full cross-reference list for professional refrigeration technicians and engineers.

Panasonic QB86C18GAX5: The Reliable Powerhouse of Tropical Refrigeration

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026



Private Picture Copyright : WWW.MBSM.PRO

The Panasonic QB86C18GAX5 is a 1/4 HP reciprocating compressor engineered for high-efficiency Low Back Pressure (LBP) applications. Using R134a refrigerant and a displacement of 8.6cc, it delivers a cooling capacity of 201W. This guide provides technicians with essential technical data, including amperage, displacement, and a comprehensive cross-reference list for modern repairs.

Role of Current Relays in Compressor

Ignition

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026

CHARACTERISTIC TABLES OF VARIOUS START AND PROTECTION STEMS

CURRENT RELAYS



Model	Compressor horse (HP)	Terminal	Apply current(I)	Applied current (A)
117U 2010	1/3	5	4.5	4.5
117U 2100	1/4	6	3	3.6
117U 2104	1/5	4	6.6	6.5
117U 2050	1/2	1	14	1.4

THERMAL OVERLOAD PROTECTORS



Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Max Connect current (A)	12.5	9	9.8	7.5	7	5
Max Connect current (A)	19	16	14	3.5	3.5	3.5
Max release (A)	5	4.75	4	3.5	3	3.3



THERMAL OVERLOAD PROTECTORS

Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Power Model 151	12.5	9	8	7.5	7.5	7
Max connect current (A)	6	4.05	3.65	4	3.5	3.5
Release current (A)	5	4.75	4	3.5	3	3

Compressor power (HP)	Compressor power (HP)	Max connect current (A)	Minimum release
1/2	8583	6.63	1.93
1/3	BEA15	2.8	2.8
1/4	BEA10	3.8	3.6
1/5	BGA11	1.25	3.25
1/5	BGA11	1.75	3.55



THERMAL OVERLOAD PROTECTOR CAPS

Compressor power (HP)	Overload current (A)	Movement temperature	Applied current (1133+10%)	Reply return numment temperatures
5	35	125±10°C	JET+TEW	60±10°C
1/2	30		JET+TEW	
1/4	25		JET+TEW	

Private Picture Copyright : WWW.MBSM.PRO

Selecting the right electrical components is the heartbeat of refrigeration maintenance. When a compressor fails to start or constantly trips, the culprit is often a mismatched Current Relay or a fatigued Thermal Overload Protector. Ensuring these parts align perfectly with the compressor's horsepower (HP) and amperage rating is vital for long-term system reliability.

Role of Current Relays in Compressor

Ignition

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026

CHARACTERISTIC TABLES OF VARIOUS START AND PROTECTION STEMS

CURRENT RELAYS



Model	Compressor horse (HP)	Terminal	Apply current(I)	Applied current (A)
117U 2010	1/3	5	4.5	4.5
117U 2100	1/4	6	3	3.6
117U 2104	1/5	4	6.6	6.5
117U 2050	1/2	1	14	1.4

THERMAL OVERLOAD PROTECTORS



Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Max Connect current (A)	12.5	9	9.8	7.5	7	5
Max Connect current (A)	19	16	14	3.5	3.5	3.5
Max release (A)	5	4.75	4	3.5	3	3.3



THERMAL OVERLOAD PROTECTORS

Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Power Model	151					
Max connect current (A)	6	4.05	3.65	4	3.5	3.5
Release current (A)	5	4.75	4	3.5	3	3

Compressor power (HP)	Compressor power (HP)	Max connect current (A)	Minimum release
	8583	6.83	1.93
1/2	BEA15	2.8	2.8
1/3	BEA10	3.8	3.6
1/4	BGA11	1.25	3.25
1/5	BGA11	1.75	3.55



THERMAL OVERLOAD PROTECTOR CAPS

Compressor power (HP)	Overload current (A)	Movement temperature	Applied current (1133+10%)	Reply return nument temperatures
5	35	125±10°C	JET+TEW_	60±10°C
1/2	30		JET+TEW	
1/4	25		JET+TEW	



Private Picture Copyright : WWW.MBSM.PRO

Selecting the right electrical components is the heartbeat of refrigeration maintenance. When a compressor fails to start or constantly trips, the culprit is often a mismatched Current Relay or a fatigued Thermal Overload Protector. Ensuring these parts align perfectly with the compressor's horsepower (HP) and amperage rating is vital for long-term system reliability.

Embraco NEU2178GK, compressor

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026



Private Picture Copyright : WWW.MBSM.PRO

The Embraco NEU2178GK is the definitive choice for 1 HP commercial freezing applications. Featuring a robust CSR motor and 16.8cc displacement, this R404A compressor delivers high starting torque for demanding environments. This guide details the electrical requirements, installation tips, and how it compares to Secop and Tecumseh alternatives.

The ECQ VP115 Vacuum Pump

Category: Equipment

written by www.mbsm.pro | 1 February 2026



Private Picture Copyright : WWW.MBSM.PRO

The ECQ Vacuum Pump VP115 is the ideal tool for the artisan bricoleur. With 2 CFM displacement and a durable 1/4 HP motor, it perfectly balances portability and power for residential AC and fridge repairs. This guide covers specifications, maintenance, and why 100% copper winding matters for your daily work.

SCE SCOOP

Category: Refrigeration

written by www.mbsm.pro | 1 February 2026

SCE Compressor

SECOP



- 01 - Compressor cover
- 02 - Suction connector
- 03 - Discharge connector
- 04 - Counterweight screw
- 05 - Slinger
- 06 - Counterweight
- 07 - Upper bearing
- 08 - Crankshaft
- 09 - Con-rod
- 10 - Wrist pin
- 11 - Piston
- 12 - Internal discharge tube
- 13 - Screw
- 14 - Discharge muffler gasket
- 15 - Crankcase
- 16 - Valve plate gasket
- 17 - Suction valve
- 18 - Discharge valve
- 19 - Discharge valve stopper
- 21 - Cylinder head gasket
- 22 - Suction muffler
- 23 - Cylinder head
- 24 - Cylinder head screw
- 25 - Rotor
- 26 - Oil pump
- 27 - Stator
- 28 - Stator case
- 29 - Suspension spring
- 30 - Compressor housing
- 31 - Hermetic terminal
- 32 - Base plate

Private Picture Copyright : WWW.MBSM.PRO

Understanding the inner workings of a Secop SCE hermetic compressor is essential for any refrigeration technician or engineer. This comprehensive guide breaks down the complex internal components—from the crankshaft to the valve plate—providing a detailed exploded view. Whether you are troubleshooting or studying mechanical design, our professional analysis offers the clarity needed for modern cooling systems.