

# High Efficiency Refrigerator , Compressor , Lbp , QD65H , 1/5HP , 60Hz , 6.5CC, 185W , R134a , LBP Piston Reciprocating

Category: Technologie, Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 19 April 2020



Picture5 Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

High Efficiency Refrigerator , Compressor , Lbp , QD65H , 1/5HP 60Hz 6.5CC 185W

---

## QD110H , Chest Freezer Compressor

# ,1/3HP ,220V/50Hz ,R134A

Category: Technologie,Tester ok  
written by www.mbsm.pro | 19 April 2020



PictureS Mbsm Dot Pro : www.mbsm.pro

1/3HP Refrigeration Compressor 220V/50Hz R134A  
AC Compressor: R134A Hermetic LBP Piston Reciprocating Compressor

Model: WQ110H  
Power Supply: 220-240/50-60V/Hz  
Displacement: 11CC  
Nominal Power: 1/3HP  
Rated Power: 233W  
Cooling Capacity: 280W  
COP: 1.20W/W  
Motor Type: RSIR  
Starting relay: Starting Relay/PTC  
Starting Capacitor: / $\mu$  F  
Running Capacitor: / $\mu$  F  
Cooling Type: F  
Application: LBP  
Certificate: 3C  
1X20'FCL: 1600PCS



**Application:**

LBP: Low back pressure; Refrigerator, Freezer, Wine cooler

MBP: Medium Back Pressure; Air-conditioner, vending machine

HBP: High Back Pressure: Air-conditioner, ice maker

LBP ASHRAE Test Condition:

Evaporation Temperature: -23.3 °C

Condensing Temperature: 54.4 °C

Subcooling Temperature: 32.2 °C

Ambient Temperature: 32.2 °C

MBP ASHRAE Test condition:

Evaporation Temperature: -5 °C

Condensing Temperature: 54.4 °C

Ambient Temperature: 35 °C

Subcooling Temperature: 46.1

Suction Temperature: 35 °C

HBP ASHRAE Test condition:

Evaporation Temperature: 7.2°C

Condensing Temperature: 54.4°C

Ambient Temperature: 35°C

Subcooling Temperature: 46.1°C

Suction Temperature: 35°C

Parameter Variation Range:

Cooling Capacity: ≥ 95%

Input Power: ≤ 115%

Current: ≤ 110%

COP: ≥ 95%

Cooling Type:

S: Natural cooling

F1: Fan cooling, 200mm fan diameter, 1.5m/s air speed

F2: Fan cooling, 200mm fan diameter, 3m/s air speed

---

**www.mbsm.pro , Original New, ASD53K,  
Original New 1/6HP, R134a, LBP,  
Wanbao, Refrigerator, compressor,  
China, R134A, 220V/50Hz, 1PH, 144W,  
Huaguang, Refrigerator Reciprocating**

Category: Solutions,Technologie,Tester ok

written by Jamila | 19 April 2020



Picture5 Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

[www.mbsm.pro](http://www.mbsm.pro) , Original New, ASD53K, Original New 1/6HP, R134a, LBP, Wanbao, Refrigerator, compressor, China, R134A, 220V/50Hz, 1PH, 144W, Huaguang, Refrigerator Reciprocating

www.mbsm.pro , ASD65 , R134A  
,220V/50Hz ,1/5HP 173W ,Huaguang  
,Refrigerator, Compressor ,LBP

Category: Solutions,Tester ok  
written by www.mbsm.pro | 19 April 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

[www.mbsm.pro](http://www.mbsm.pro) , ASD65 , R134A , 220V/50Hz , 1/5HP 173W , Huaguang , Refrigerator , Compressor , LBP

# Mbsm.pro , Compressors ZMC, EGL90AA, R-134a ,1/4 HP LBP, 220 – 240 V

Category: Solutions,Tester ok  
written by www.mbsm.pro | 19 April 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Mbsm.pro , Compressors ZMC, EGL90AA, R-134a ,1/4 HP LBP, 220 – 240 V

## BRAND

◦ – ZMC

## TECHNICAL SPECIFICATIONS :

- MODEL: EGL 90 AA
- POWER: 1/4 Hp
- VOLTAGE: 220 – 240 V
- WATT: 227.00 W
- REFRIGERANT GAS: R 134
- K.CAL: 195.00 Cal.

**Features :** The compressors form the basis of the refrigerant system and function to compress the gas from the evaporation to the condensation pressure.

## USAGE PLACES :

It is used in Refrigerator devices belonging to all brands and models.

# INSTRUCTIONS FOR USE:

Zmc EGL90AA;It is recommended to be used by a specialist authorized or authorized service.



Picture5 Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_catalogo\\_cubigel\\_R134aTélécharger](#)  
[Mbsm\\_dot\\_pro\\_private\\_PDF\\_cubigel-katalogTélécharger](#)

Mbsm.pro , Fn77q17g , 1/4Hp ,  
Electrostar , R12 Refrigerator  
Compressors , 220V/50-60Hz , 1Ph , for  
Refrigerator/Freezer

Category: Solutions,Tester ok  
written by Jamila | 19 April 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Mbsm.pro , Fn77q17g , 1/4Hp , Electrostar , R12 Refrigerator Compressors , 220V/50-60Hz , 1Ph ,for Refrigerator/Freezer



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

- 1)S060LKAA OR equivalent in 1/10 HP
- 2)FN43Q88G OR equivalent in 1/8 HP
- 3)FN51Q10G OR equivalent in 1/6 HP
- 4)FN57Q12G OR equivalent in 1/5 HP
- 5)FN66Q14G OR equivalent in 1/5 HP Powerful
- 6)FN77Q17G OR equivalent in 1/4 HP
- 7)FN91Q20G OR equivalent in 1/4 HP Powerful
- 8)FN110Q24G OR equivalent in 1/3 HP



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Compressor tests - Calorimeter

| Parameter         | Type     | FN77Q17G 1)  | QA77C17GAX5         | QA91C22GAX5      |
|-------------------|----------|--------------|---------------------|------------------|
| Evaporation temp. | [°C]     | LBP<br>-23,3 | LBP<br>-25 2) -23,3 | LBP<br>-25 -23,3 |
| Refrigerant       |          | R12          | R134a               | R134a            |
| Qo                |          |              |                     |                  |
| CECOMAF           | [W]      |              | 116,7               | 135              |
| ASHRAE            | [W]      | 191          | 154,2               | 187,1            |
| ASHRAE            | [kcal/h] | 165          | 132,6               | 161              |
| P1                |          |              |                     |                  |
| CECOMAF           | [W]      |              | 144,1               | 166,4            |
| ASHRAE            | [W]      | 180          | 148,4               | 171,4            |
| COP               |          |              |                     |                  |
| CECOMAF           | [W/W]    |              | 0,81                | 0,81             |
| ASHRAE            | [W/W]    | 1,06         | 1,04                | 1,09             |
| Start test        |          |              |                     |                  |
| cold tw = 32 °C   |          | -            | o.k                 | o.k              |
| warm tw = 100 °C  |          | -            | o.k                 | o.k              |

1) Leaflet data, original compressor

2) average two compressors, measuring




PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

- 1)S060LKAA OR equivalent in 1/10 HP
- 2)FN43Q88G OR equivalent in 1/8 HP
- 3)FN51Q10G OR equivalent in 1/6 HP
- 4)FN57Q12G OR equivalent in 1/5 HP
- 5)FN66Q14G OR equivalent in 1/5 HP Powerful
- 6)FN77Q17G OR equivalent in 1/4 HP
- 7)FN91Q20G OR equivalent in 1/4 HP Powerful
- 8)FN110Q24G OR equivalent in 1/3 HP



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

---

# Mbsm.pro , Jx58lhs5-k , DAEWOO COMPRESSOR , FOR REFRIGERATOR , 1/5 Hp , 220/240 V , R134A

Category: Solutions, Tester ok  
written by Jamila | 19 April 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Mbsm.pro , Jx58lhs5-k , DAEWOO COMPRESSOR , FOR REFRIGERATOR , 1/5 Hp , 220/240 V ,  
R134A



< > 🔍 ✕ 3

jx58lhs5



∨ JX58LHS5-K

fx

| O | N          | M       | L       | K      | A           |     |
|---|------------|---------|---------|--------|-------------|-----|
|   | 290        | R134a   | LBP     |        | HPL25YE-5-K | 78  |
|   | 290        | R134a   | LBP     |        | HPL25YE-5-L | 79  |
|   |            |         |         |        |             | 80  |
|   |            |         |         |        |             | 81  |
|   |            |         |         |        |             | 82  |
|   |            |         |         |        | MODEL       | 83  |
|   | كمية الزيت | الفريون | التطبيق | W 7.2+ |             | 84  |
|   | 290        | R134a   | LBP     |        | HKL27YE-5   | 85  |
|   | 290        | R134a   | LBP     |        | HPL27YE-5   | 86  |
|   | 290        | R134a   | LBP     |        | HPL27YE-5-K | 87  |
|   | 290        | R134a   | LBP     |        | HSL27YE-5A  | 88  |
|   | 290        | R134a   | LBP     |        | HKL30YE-5   | 89  |
|   | 290        | R134a   | LBP     |        | HPL30YE-5   | 90  |
|   | 290        | R134a   | LBP     |        | HPL30YE-5-K | 91  |
|   | 290        | R134a   | LBP     |        | HSL30YE-5   | 92  |
|   | 290        | R134a   | LBP     |        | DH70LHP5    | 93  |
|   | 290        | R134a   | LBP     |        | DH80LHP5    | 94  |
|   | 290        | R134a   | LBP     |        | DH90LHK5    | 95  |
|   | 290        | R134a   | LBP     |        | DH99LHP5    | 96  |
|   | 290        | R134a   | LBP     |        | DH90LHP5    | 97  |
|   | 290        | R134a   | LBP     |        | DH120LHG5   | 98  |
|   | 290        | R134a   | LBP     |        | DH126LHG5   | 99  |
|   | 290        | R134a   | LBP     |        | DM99LHK5    | 100 |
|   | 230        | R134a   | LBP     |        | JX41LHP5-K  | 101 |
|   | 230        | R134a   | LBP     |        | JX41LH55    | 102 |
|   | 230        | R134a   | LBP     |        | JX46LH55    | 103 |
|   | 230        | R134a   | LBP     |        | JX51LH55-K  | 104 |
|   | 230        | R134a   | LBP     |        | JX51LH55    | 105 |
|   | 230        | R134a   | LBP     |        | JX51LHT5    | 106 |
|   | 230        | R134a   | LBP     |        | JX55LHP5-K  | 107 |
|   | 230        | R134a   | LBP     |        | JX55LH55-K  | 108 |
|   | 230        | R134a   | LBP     |        | JX58LHK5    | 109 |
|   | 230        | R134a   | LBP     |        | JX58LHP5    | 110 |
|   | 230        | R134a   | LBP     |        | JX58LHP5-K  | 111 |
|   | 230        | R134a   | LBP     |        | JX58LH55    | 112 |
|   | 230        | R134a   | LBP     |        | JX58LH55-K  | 113 |
|   | 230        | R134a   | LBP     |        | JX58LH55A   | 114 |
|   |            |         |         |        |             | 115 |
|   |            |         |         |        |             | 116 |




كويجيل

هواي

دايو





## Vue d'ensemble

### Description rapide

Point d'origine: Gwangju, South Korea    Marque nom: daewoo    Numéro de Type: Jx58lhs5-k  
Type: Compresseur frigorifique    Application: Pièces de réfrigération    Certification: CE  
alternatif: compresseur

### Capacité d'approvisionnement

Capacité d'approvis...30000 Piece/Pieces per Day

### Emballage et livraison

Détails d'emballage Palettisation  
Port Busan, Korea  
Délai : ⌚: 4weeks



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

## Specifications

DAEWOO COMPRESSOR FOR REFRIGERATOR

\* R134a/lbp  
-Origine: Corée

| Nominale Tension [V-hz] | HP  | Modèle      | Moteur Type | Refroidissement Capacité [W] | Puissance Entrée [W] | COP [W/w] | Refroidissement Type |
|-------------------------|-----|-------------|-------------|------------------------------|----------------------|-----------|----------------------|
| 220/240-50              | 1/5 | JX58LHS5-K  | Rsir        | 163                          | 145                  | 1.12      | ST                   |
|                         | 1/4 | HPL25YE-5-K | Rscr        | 203                          | 171                  | 1.19      | ST                   |
|                         | 1/3 | HPL30YE-5-K | Rscr        | 257                          | 207                  | 1.24      | ST                   |



- \* Réduit la température du moteur
- \* Mise à jour pompe fiabilité
- \* Réduction de Bruit Niveau
- \* Amélioration de la capacité de protection

PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

## Description rapide

Point d'origine:  
Gwangju, South Korea

Marque nom:  
daewoo

Numéro de Type:  
Jx58lhs5-k

Type:  
Compresseur frigorifique

Application:  
Pièces de réfrigération

Certification:

CE

alternatif:  
compresseur

Capacité d'approvisionnement

Capacité d'approvisionnement:  
30000 Piece/Pieces per Day

Emballage et livraison

Détails d'emballage  
Palettisation

Port  
Busan, Korea

Délai : :  
4weeks

## Specifications

DAEWOO COMPRESSOR FOR REFRIGERATOR

\* **R134a/lbp**

-**Origine: Corée**

| Nominale Tension [V-hz] | HP  | Modèle      | Moteur Type | Refroidissement Capacité [W] | Puissance Entrée [W] | COP [W/w] | Refroidissement Type |
|-------------------------|-----|-------------|-------------|------------------------------|----------------------|-----------|----------------------|
| 220/240-50              | 1/5 | JX58LHS5-K  | Rsir        | 163                          | 145                  | 1.12      | ST                   |
|                         | 1/4 | HPL25YE-5-K | Rscr        | 203                          | 171                  | 1.19      | ST                   |
|                         | 1/3 | HPL30YE-5-K | Rscr        | 257                          | 207                  | 1.24      | ST                   |

- \* Réduit la température du moteur
- \* Mise à jour pompe fiabilité
- \* Réduction de Bruit Niveau
- \* Amélioration de la capacité de protection

---

**www.mbsm.pro, Electrolux GL75AA  
Refrigerator 1/5 HP, Compressor  
Cooling solution for Refrigerators**

Category: Technologie, Tester ok  
written by Jamila | 19 April 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

[www.mbsm.pro](http://www.mbsm.pro), Electrolux GL75AA Refrigerator 1/5 HP, Compressor Cooling solution for Refrigerators

---

## [www.mbsm.pro](http://www.mbsm.pro) , LG MA42LBJG Refrigerator Compressor 1/6 Hp , Cooling solution for Refrigerators

Category: Technologie, Tester ok  
written by Jamila | 19 April 2020



[www.mbsm.pro](http://www.mbsm.pro)

Cooling solution for Refrigerators & Commercial Appliances This M-series reciprocating LBP compressor provides complete cooling solution for Domestic & Commercial refrigeration appliances. Compact Size, Silent operation, Low Voltage start ability (LVS) are its prominent features. M-Series compressor caters to 6s quality assurance and has globally proven reliability.