

# LG T1387NEHVE 13.2 kg Smart Inverter, Washing Machine

Category: Equipment

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 December 2025



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


The label fixed to the side of the LG T1387NEHVE washing machine is more than a simple sticker; it is a compact technical identity card that tells you exactly what this appliance can do, how it should be powered, and when it was manufactured for technicians and careful buyers.

---

## Mbsm.pro, TOSHIBA, REFRIGERATOR, NO FROST 11 FEET, SILVER, GR-EF31-SL, 296 L

Category: Refrigerator

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 December 2025



Mbsm.pro, TOSHIBA, REFRIGERATOR, NO FROST 11 FEET, SILVER, GR-EF31-SL, 296 L

Mbsm.pro, Refrigerator, Electrolux, 308 Liters, Silver, Ert45g2hqi, Compressor, QD Compressor, R600a, QD75Y, 1/6HP, LBP

Category: Refrigerator

written by www.mbsm.pro | 26 December 2025



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Refrigerator, Electrolux, 308 Liters, Silver, Ert45g2hqi, Compressor, QD Compressor, R600a, QD75Y, 1/6HP, LBP

no frost, egl99aa zmc refrigerator, DF40, silver, ideal, zanussi, IDEAL ZANUSSI, EGL99AA ZMC, DF 40 Elgance, Compressor, ACC Cubigel, Huayi, Electrolux, ZEM GL99AA, GL99AA, LBP , R134a, 220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm<sup>3</sup>, motor type RSIR,

# LRA 14.4A

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 December 2025



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



[Mbsm\\_dot\\_pro\\_private\\_PDF\\_GL99AA-compresseur-acc-cubigell-gl99aaTélécharger](#)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_GL99AATélécharger](#)

Compressor ACC Cubigel Huayi Electrolux ZEM GL99AA, LBP – R134a, 220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm<sup>3</sup>, motor type RSIR, LRA 14.4A, expansion device: capillary, cooling: static, weight 11 kg , the statutory warranty period shall apply (24 months), Delivery time Info: with “immediately available” and “scarce stock”, usually delivery within 2 days. For “currently not available” delivery time usually 2 weeks or delivery time in urgent cases contact us.

---

Refrigerant:	R134a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	4,9 mm
Suction:	6,5 mm
Working area:	LBP
Design type:	Hermetic
Model series:	GL
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 22 Ester
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg

Dimensions ( length × width × height ): 23,10 × 16,20 × 18,60 cm  
Cooling capacity condition: T0 -25 C, Tk +55 C  
Manufacturer: ACC Cubigel Huayi Electrolux ZEM  
Model: GL99AA  
Stroke volume (cm3): 9,93  
Cooling capacity (W): 174  
Power (HP): 0,25  
Max. Starting current (A): 14,4  
Max. Operating current (A): 1,31  
Engine type: RSIR  
COP: 0,92  
Note: Static cooling  
Conveying and suction volume (m3): 1,72  
Oil quantity (l): 0,295  
Compressor type: Piston  
Cooling: Static  
RPM: 2900  
Power range: -35 C to -10 C  
Alternative: HLY90AA, NL11F  
Pressure line (mm): 4,9  
Suction line (mm): 6,5

**ZMC** C **GL99AA** 0326  
220-240V~50Hz  
R 134a  
MADE IN EGYPT  
CE  
482  
50-3975 6

**GL99AAa VE09**  
**220-240V 50Hz ~1**

**COMPRESSOR**

Displacement (cm <sup>3</sup> )	9.95
Diameter (mm)	25.4
Stroke (mm)	19.62
Net Weight (Kg)	9.6
Oil type	ISO VG 22 ESTER
Oil charge (cm <sup>3</sup> )	295

**MOTOR**

Approximate Power (CV)	1/4
Voltage/Frequency (V/Hz)	220V 50Hz
Voltage range (V)	187-264
Code	-
Type	RSIR
Phase number	1 PH
Locked rotor current (A)	14.0
Main W. resist. at 25°C (Ω)	9.96
Start W. resist. at 25°C (Ω)	20.39

**ELECTRICAL COMPONENTS**

Relay	PTC 3003 - K100		
Nominal voltage (V)	200 - 240		
Resistance μ	14,00		
Protector	MRP336JZ	T0377	AE11FU

**APPLICATION**

Application	Low back pressure
Refrigerant	R134a
Evaporating (°C)	-35 to -10
Expansion	Capillar
Comp. cooling	Static
Max. ambient temp. (°C)	43

**NOMINAL PERFORMANCE**

	CYCLE A	CYCLE B
Cooling capacity (W)	175	238
Input power (W)	189	200
EER (kcal/Wh)	0.79	1.02
COP (W/W)	0.92	1.19
Current (A)	1.31	1.34

**TEST CONDITIONS**

	CYCLE A	CYCLE B
Evaporating temp. (°C)	-25.0	-23.3
Condensing temp. (°C)	55.0	55.0
Liq.t. entering expan. (°C)	55.0	32.0
Ambient t. and return (°C)	32.0	32.0
Tens/Freq (V/Hz)	220V 50Hz	220V 50Hz



موديل : KGT1

الشركة العالمية لصناعة الأجهزة المنزلية - الاسكندرية

١,٢ امبير

١٩٥ وات

٥٠ هيرتز

٢٢٠ فولت ~

السعة : ١,٣ اقدم

درجة الحماية : IPX2

التصنيف : ST

الشحنة : ١٧٠ جم ف ١٣٤ ا

سنة الانتاج

No.

٢٠٠٥/٣٢٠

صنع في مصر

200

3 2

٢٠٠٥/٣٢٠

Made in Egypt



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



REDMI NOTE 9 PRO  
AI QUAD CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



REDMI NOTE 9 PRO  
AI QUAD CAMERA


Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

**ZMC**

**EGL99AA 1002**

220-240V~50Hz


**R 134 a**

MADE IN EGYPT



3

480

0250659 

# IDEAL ZANUSSI

MODEL

**DF 40 Elegance**

TYPE

**Nofrost**

COLOR

**WHITE**

CODE



**922213401**

SERIAL NUMBER :



**DF40 Feb. 10 11018589**

REFRIGERANT	GAS CHARGE	CAPACITY
<b>R134 a</b>	<b>130 g</b>	<b>340 Lit</b>
VOLTAGE	FREQUENCY	CURRENT
<b>220V</b>	<b>50 Hz</b>	<b>1.4 A</b>

**Made In Egypt By**  
Delt Engineering Industrials  
6th October City

Under License Of  
Electrolux International SpA - Italy

اولمبيك OLYMPIC  
GROUP