

WHIRLPOL , COMPRESSEUR R600 , 1/8 HP , HKK80AA, LBP Compressor, Top Efficiency , 220-240V 50Hz

written by Lilianne | 1 April 2020



PictureS Mbsm Dot Pro : www.mbsm.pro

WHIRLPOOL , COMPRESSEUR R600 , 1/8 HP , HKK80AA

R600a • 220-240 V • 50 Hz • KAPPA

Compressor	Code number	Application	CECOMAF Capacity [W] T _c =55°C, T _{liq} =55°C, T _{suc} =32°C Evaporating temperature [°C]						CECOMAF						ASHRAE Capacity [W] T _c =54.4°C, T _{liq} =32.2°C, T _{suc} =32.2°C Evaporating temperature [°C]					
									LBP rating point -25°C / 55°C		MBP rating point -10°C / 55°C		HBP rating point 5°C / 55°C							
			-35	-15	-5	0	10	15	Cooling capacity [W]	COP [W/W]	Cooling capacity [W]	COP [W/W]	Cooling capacity [W]	COP [W/W]	-35	-15	-5	0	10	15
HMK80AA	15950000	LBP	55	170					102	1.18	211	1.68			67	207				
HMK95AA	15460700	LBP	67	207					125	1.20	257	1.72			81	253				
HMK12AA	16236200	LBP	82	239					149	1.21	292	1.66			100	291				
HTK55AA	16122700	LBP	32	119					69	1.20	150	1.79			39	146				
HTK70AA	16106100	LBP	44	150					87	1.26	185	1.85			54	182				
HTK80AA	16068300	LBP	55	170					102	1.26	212	1.83			67	207				
HTK95AA	16068200	LBP	71	207					126	1.29	258	1.82			86	252				
HTK12AA	16111600	LBP	82	239					149	1.29	292	1.77			100	291				
HKK55AA	16124400	LBP	32	120					69	1.37	150	2.00			39	146				
HKK70AA	16124500	LBP	44	148					87	1.40	186	1.98			54	181				
HKK80AA	16072100	LBP	55	170					102	1.40	212	1.99			67	207				
HKK95AA	16049700	LBP	69	207					126	1.42	256	1.95			84	252				
HKK12AA	16065900	LBP	82	239					149	1.42	292	1.93			100	291				
HXX55AA	15650400	LBP	36	122					72	1.45	152	2.00			44	149				
HXX70AA	15690400	LBP	47	149					88	1.47	186	2.02			57	181				
HXX80AA	15621800	LBP	58	173					105	1.50	214	2.05			71	210				
HXX95AA	15592900	LBP	73	209					129	1.51	258	2.05			89	255				
HXX12AA	15593100	LBP	83	245					152	1.50	300	2.04			101	299				
HZK95AA	16313100	LBP	73	208					128	1.58	257	2.15			89	254				