

Mbsm.pro, The risk of extending the electric hoses under the reinforcing steel for ceilings

Category: Pictures

written by Jamila | 27 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro, The risk of extending the electric hoses under the reinforcing steel for ceilings

Mbsm.pro, COMPRESOR DANFOSS ,FR7.5B ,1/5 Hp , R-12 ,freezer ,capillary 260 cm , 0.31

Category: Solutions, Tester ok

written by Jamila | 27 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro, COMPRESOR DANFOSS ,FR7.5B ,1/5 Hp , R-12 ,freezer ,capillary 260 cm ,
0.31

Mbsm.pro , COMPRESSEUR , SC18CLX.2 ,DANFOSS SECOP, R404A/R507, 5/8HP ,1PH ,Deep Freeze Comptoire, Alimentation 220-240 V 50 Hz

Category: Solutions,Tester ok
written by Jamila | 27 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , COMPRESSEUR , SC18CLX.2 ,DANFOSS SECOP, R404A/R507, 5/8HP ,1PH ,Deep Freeze Comptoire, Alimentation 220-240 V 50 Hz

mbsm.pro,COMPRESSEUR, GUY75AA ,R134 ,1/5 HP

Category: Technologie,Tester ok
written by Jamila | 27 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Compressors of the hermetic type from the manufacturer ACC Cubigel Huayi Electrolux ZEM can be found in our online shop category compressors.

Mbsm.pro, Réfrigérateur, remplacement d'un moteur, R600a ,par un ,moteur R134a

Category: Solutions,Tester ok
written by Jamila | 27 September 2018

Bonsoir, MBSM.PRO|

le remplacement d'un compresseur R600A par un compresseur R134A est possible a condition:

- de rincer le circuit frigorifique a l'azote ou R22 et pas avec l'air comprimer car il contient de humidité .
- remplacer bien evidement le deshydrateur (filtre)
- de charger correctement (ni plus, ni moins).

il est conseiller et préférable de remplacer le compresseur par un équivalent (faute de trouver le même), fonctionnant au même gaz!

il faudrait mettre le double de r134a par rapport au r600a ,85/90 grammes,contrôler la pression (0.2 bars de r134a en fonctionnement stabilisé),mais ce n'est pas certain que cela fonctionne bien car le capillaire (longueur et diamètre intérieur) est différent suivant les fluides utilisés car la perte de charge n'est pas la même.

Il Faut changer le capillaire

La Température avec le capillaire de r600a ne dépassera 16 degré Celsius

PictureS Mbsm Dot Pro : www.mbsm.pro

Bonsoir, MBSM.PRO

Le remplacement d'un compresseur R600A par un compresseur R134A est possible a condition:

www.mbsm.pro , LG MA42LBJG Refrigerator Compressor 1/6 Hp , Cooling solution for Refrigerators

Category: Technologie,Tester ok
written by Jamila | 27 September 2018



www.mbsm.pro

Cooling solution for Refrigerators & Commercial Appliances This M-series reciprocating LBP compressor provides complete cooling solution for Domestic & Commercial refrigeration appliances. Compact Size, Silent operation, Low Voltage

start ability (LVS) are its prominent features. M-Series compressor caters to 6s quality assurance and has globally proven reliability.