

Mbsm.pro, Compressor, ZEL, Mini,
HDZ140, R600a, 1/8 hp, input 87 w,
492 btu, 124 kcal, lbp

Category: compressor

written by Jamila | 15 March 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, ZEL, Mini, HDZ140, R600a, 1/8 hp, 90 w, 492 btu, 124 kcal, lbp

Mbsm.pro, Compressor, zel, M1260T,
155 w, 1/5 hp, lbp ,r12, Haier
refrigerator

Category: compressor,pro
written by Jamila | 15 March 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, zel, M1260T, 155 w, 1/5 hp, lbp ,r12, Haier refrigerator

Mbsm.pro, Compressor, HML190a, 1/4 hp, zel, Lambda, LBP, RSCR, Freezing compressor, R600a, 190 w, 163 kcal/h, run capacitor 3 μ F, aluminum wire

Category: compressor

written by www.mbsm.pro | 15 March 2023



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, HML190a, 1/4 hp, zel, LBP, RSCR, Freezing compressor, R600a, 190 w, 163 kcal/h, run capacitor 3 μ F, aluminum wire

Mbsm.pro, Compressor, Gtm75aa, HERMETIC, Freezer, COMPRESSOR, ZEL, 1/5 hp, R134a, 220-240V/50HZ, Ariston no frost

Category: Archivation,compressor

written by www.mbsm.pro | 15 March 2023



Private Picture Copyright : WWW.MBSM.PRO

<https://www.mbsmgroup.tn/2433.htm>



| | | | | | | | | | | | |
|-----------|-------|-----|--|--|-----|-----|-----|--|------|-----|-------------|
| | a 134 | LBP | | | 68 | 232 | 58 | | 2,8 | | GML 70 A |
| CR MF 2 | a 134 | LBP | | | 92 | 314 | 79 | | 3,4 | | GML 90 A |
| CR MF 2.5 | a 134 | LBP | | | 113 | 386 | 97 | | 4,1 | | GML 110 A |
| | a 134 | LBP | | | 120 | 409 | 103 | | 4,1 | | GML 125 A |
| | a 134 | LBP | | | 140 | 478 | 120 | | 4,9 | 1/6 | GML 140 A |
| CR MF 5 | a 134 | LBP | | | 140 | 478 | 120 | | 4,9 | 1/6 | GML 140 A/I |
| | | | | | 160 | 546 | 138 | | 5,7 | 1/6 | GML 160 A |
| CR MF 5 | a 134 | LBP | | | 180 | 614 | 155 | | 6,5 | 1/5 | GML 180 A |
| CR MF 5 | a 134 | LBP | | | 200 | 682 | 172 | | 7 | 1/5 | GML 200 A |
| CR MF 6 | a 134 | LBP | | | 210 | 716 | 181 | | 7 | 1/5 | GML 200 A/I |
| | | | | | | | | | | | |
| | | | | | 65 | | | | 2,6 | 1/9 | GTM 26 AA |
| | | | | | 200 | | | | 7,5 | 1/5 | GTM 75 AA |
| | | | | | 280 | | | | 10 | 1/3 | GTM 93 AA |
| | | | | | 300 | | | | 10,6 | 1/3 | GTM 10 AA |
| | | | | | 320 | | | | 12 | 1/3 | GTM 12 AA |
| | | | | | | | | | | | |
| CR MF 4 | a 134 | LBP | | | 167 | 570 | 144 | | 5,7 | | GDL160 A |
| CR MF 5 | a 134 | LBP | | | 165 | 563 | 142 | | 6,5 | | GDL200 A |
| CR MF 4 | a 134 | LBP | | | 106 | 362 | 91 | | 4,1 | | GXL100 A |
| CR MF 5 | a 134 | LBP | | | 123 | 420 | 106 | | 4,3 | | GXL125 A |
| CR MF 5 | a 134 | LBP | | | 138 | 471 | 119 | | 4,6 | | GXL140 A |
| CR MF 4 | a 134 | LBP | | | 160 | 546 | 138 | | 5,7 | | GXL160 A |
| CR MF 5 | a 134 | LBP | | | 195 | 665 | 168 | | 7 | | GXL 200 A |
| CR MF 5 | a 134 | LBP | | | 240 | 819 | 206 | | 8,6 | | GXL 240 A |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



Private Picture Copyright: WWW.MBSM.PRO

| model | motor | Exhaust volume | Motor power | Motor type | frequency | Cooling capacity | input power | Input power (RC) | Coefficient of performance | Performance coefficient (RC) | run capacitor | high | net weight |
|----------|---------|----------------|-------------|------------|-----------|------------------|-------------|------------------|----------------------------|------------------------------|---------------|------|------------|
| GTM12AA | With | 12 | 1/3 | CSIR | 50 | 320 | 241 | 0 | 1.33 | 0 | 50 | 184 | 10 |
| GTM10AA | With | 10.6 | 1/3 | CSIR | 50 | 300 | 226 | 0 | 1.33 | 0 | 50 | 184 | 10 |
| GTM93AA | With | 10 | 1/3 | hatch | 50 | 280 | 207 | 0 | 1.35 | 0 | 0 | 184 | 9.5 |
| GTM75AA | To the | 7.5 | 1/5 | CSIR | 50 | 200 | 160 | 0 | 1.25 | 0 | 50 | 184 | 9 |
| GTM26AA | Cu / Al | 2.6 | 1/12 | hatch | 50 | 65 | 59 | 0 | 1.1 | 0 | 0 | 163 | 7.5 |
| GL10TB | With | 9.3 | 1/2 | CSIR | 50 | 880 | 429 | 0 | 2.05 | 0 | 50 | 184 | 10.2 |
| GL90TB | To the | 9.3 | 1/2 | CSIR | 50 | 860 | 420 | 0 | 2.05 | 0 | 50 | 184 | 10 |
| GL80TB | With | 7.5 | 1/2 | CSIR | 50 | 740 | 326 | 0 | 2.27 | 0 | 50 | 184 | 10 |
| HKD12FSL | | 12 | | PPM | 0 | 96 | 49-122 | 0 | Upto1.97 | 0 | 0 | 184 | 8.5 |
| HKD10FSK | | 10 | | PPM | 0 | 83 | 44-122 | 0 | Upto1.97 | 0 | 0 | 184 | 8 |
| HKD86FSL | | 8.6 | | PPM | 0 | 67 | 34-88 | 0 | Upto1.97 | 0 | 0 | 184 | 8.6 |
| GKD93AA | With | 9.3 | 1/4 | RSCR | 50 | 270 | | 163 | | 1.66 | 6 | 184 | 10.4 |
| GTT75AA | With | 7.5 | 1/5 | RSCR | 50 | 210 | | 134 | | 1.57 | 4 | 184 | 10.1 |
| GTT66AA | Cu / Al | 6.6 | 1/6 | RSCR | 50 | 200 | | 125 | | 1.6 | 4 | 184 | 9.5 |
| GTH93AA | Cu / Al | 9.3 | 1/4 | RSIR/RSCR | 50 | 260 | 187 | 174 | 1.39 | 1.49 | 5 | 184 | 9.7 |
| GTH86AA | Cu / Al | 8.6 | 1/4 | RSIR/RSCR | 50 | 240 | 175 | 163 | 1.37 | 1.47 | 5 | 174 | 9 |
| GVY75AA | Cu / Al | 7.5 | 1/5 | RSIR/RSCR | 50 | 200 | 153 | 140 | 1.31 | 1.43 | 4 | 174 | 8.9 |
| GVY66AA | Cu / Al | 6.6 | 1/5 | RSIR/RSCR | 50 | 180 | 134 | 124 | 1.34 | 1.45 | 4 | 174 | 8.6 |

Mbsm_dot_pro_private_picture_GTM 75 AATélécharger

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Category: compressor

written by www.mbsm.pro | 15 March 2023



Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

HERMETIC, Freezer, COMPRESSOR, ZEL, GTH86AA, R134A, 1/4 Hp, Lbp, 230W, 8.6CC

Category: compressor

written by www.mbsm.pro | 15 March 2023



Private Picture Copyright : WWW.MBSM.PRO

COMPRESSOR ZEL GTH86AA

APPLICATION: LBP

FREON: R134A

DISPLACEMENT: 8.6CC

POWER SUPPLY: 220V

POWER: 1 / 4HP – 230W

APPLICATION: UNIVERSAL

Specifications

Description

Detailed Product Description

1.Low levels of noise and vibration

2.Standard,medium,high and very high levels of efficiency

R134a 220-240V/50HZ

| Model | Displ.(cm ³) | Motor Type | Cooling capacity(w) | Input Power without RC(w) | COP with RC(w) | COP without RC(w/w) | with RC(w/w) | Run Capacltor | Start Capacltor | Height(mm) |
|---------------------------|--------------------------|------------|---------------------|---------------------------|----------------|---------------------|--------------|---------------|-----------------|------------|
| Standard Efficiency Range | | | | | | | | | | |
| 0F789 | 4.4 | RSIR | 110 | 102 | | 1.08 | | | | 174 |

| | | | | | | | | |
|-------------------------|--------------|-----|-----|------|------|---|----|-----|
| OF1033A5.7 | RSIR | 141 | 118 | 1.19 | | | | 174 |
| OF1350A7.5 | RSIR | 178 | 158 | 1.13 | | | | 183 |
| GTH86AA8.6 | RSIR/RSCR230 | | 161 | 1.43 | 1.50 | 5 | | 174 |
| GTH93AA9.3 | RSIR/RSCR260 | | 182 | 1.43 | 1.50 | 5 | | 183 |
| Medium Efficiency Range | | | | | | | | |
| GTM40AT4.0 | RSIR | 102 | 91 | 1.12 | | | | 163 |
| GTM57AT5.7 | RSIR | 156 | 128 | 1.21 | | | | 183 |
| GTM60AT6.0 | RSIR | 165 | 136 | 1.27 | | | | 163 |
| GVY75AT7.5 | RSIR/RSCR200 | | 149 | 1.34 | 1.44 | 5 | | 183 |
| GTM75AA7.5 | RSIR | 200 | 166 | 1.20 | | | 50 | 183 |
| GTM93AA9.3 | RSIR | 270 | 220 | 1.35 | | | | 183 |
| GTM10AA11.0 | RSIR/RSCR300 | | 222 | 1.35 | | | 50 | 183 |
| GTM12AA12.0 | RSIR/RSCR330 | | 241 | 1.37 | | | 50 | 183 |




Private Picture Copyright : WWW.MBSM.PRO

**ZEL , Refrigeration , Compressor
 , Gml200a , 152w , 1/5 Hp
 , 220/240V/50Hz , R134a**

Category: Technologie, Tester ok
 written by www.mbsm.pro | 15 March 2023

MADE IN EGYPT



unionaire SPECIFICATIONS

| | |
|-----------------------------|---------------------|
| MODEL | RD 310 |
| REFRIGERANT AMOUNT | R134a / 100g |
| RATED INPUT OF LAMP | 15 W |
| RATED VOLTAGE | 220-240V~ |
| RATED CURRENT | 1.1A |
| RATED FREQUENCY | 50Hz |
| CLIMATE CLASS | T |
| POWER INPUT | 130 W |
| GROSS VOLUME | 310 L |
| CAPACITY (NET) | 290 L |
| GROSS VOLUME cabinet | 227 |
| Net volume cabinet | 210 |
| PRODUCTION DATE | JULY/2108 |

Private Picture Copyright : WWW.MBSM.PRO

ZEL , Refrigeration , Compressor , Gml200a , 152w , 1/5 Hp , 220/240V/50Hz , R134a

COMPRESSEUR ZEL , 200w ,HDL200A, R600a, LBP ,1/4 hp

Category: Technologie,Tester ok
written by www.mbsm.pro | 15 March 2023



Private Picture Copyright : WWW.MBSM.PRO

| Model | Motor | Disp. | Power | Motor type | Freq. | Cooling capacity | Input power | Input power (RC) | COP | COP (RC) | Run capacitor | Height | Netweight |
|----------|-------|-------|-------|------------|-------|------------------|-------------|------------------|------|----------|---------------|--------|-----------|
| GDL145D | Cu | 4.4 | 1/8 | RSIR/RSCR | 60 | 145 | 94 | 87 | 1.55 | 1.67 | 10 | 161 | 7.3 |
| GDL175D | Cu | 5.3 | 1/6 | RSIR/RSCR | 60 | 175 | 112 | 106 | 1.56 | 1.65 | 10 | 161 | 7.3 |
| GML140A | Al | 4.9 | 1/6 | RSIR | 50 | 140 | 112 | 0 | 1.25 | 0 | 0 | 152 | 6.3 |
| GML160A | Al | 5.7 | 1/6 | RSIR | 50 | 160 | 128 | 0 | 1.25 | 0 | 0 | 161 | 6.9 |
| GML180A | Al | 6.5 | 1/5 | RSIR | 50 | 180 | 144 | 0 | 1.25 | 0 | 0 | 161 | 7.1 |
| GML200A | Al | 7 | 1/5 | RSIR | 50 | 200 | 160 | 0 | 1.25 | 0 | 0 | 164 | 7.3 |
| GML145D | Al | 4.4 | 1/7 | RSIR/RSCR | 60 | 145 | 97 | 92 | 1.5 | 1.57 | 10 | 164 | 7.1 |
| GML175D | Al | 4.9 | 1/6 | RSIR/RSCR | 60 | 175 | 118 | 112 | 1.48 | 1.56 | 10 | 164 | 7.1 |
| GPL175D* | Cu | 4.9 | 1/7 | CSCR | 60 | 175 | | 97 | | 1.8 | 10 | 161 | 7.6 |
| GXL175D | Cu | 4.9 | 1/7 | RSCR | 60 | 175 | | 101 | | 1.73 | 10 | 164 | 7.6 |

PictureS Mbsm Dot Pro : www.mbsm.pro

TECHNICAL CHARACTERISTICS

SCHEME COMPRESSORS

OF

ELECTRIC DIAGRAMS

ASSEMBLY

TECHNICAL SCHEMES

| Model | Motor | Speed range | Displ., cm ³ | Motor type | Freq. hz | Cooling Capacity, w -23.3 °C/(+7.2 °C)* | Input Power, BT | | COP, w/w | | Run Capacitor, µF | Height, mm | Net Weight, kg | Type of cooling, S/F |
|-------------|-------|-------------|-------------------------|------------|----------|---|-----------------|---------|------------|---------|-------------------|------------|----------------|----------------------|
| | | | | | | | without RC | with RC | without RC | with RC | | | | |
| HDL100A | Al | - | 5,7 | RSCR | 50 | 98 | - | 60 | - | 1,64 | 2,5 | 161 | 6,9 | - |
| HDL100A(I) | Cu/Al | - | 5,7 | RSCR | 50 | 98 | - | 57 | - | 1,72 | 2,5 | 164 | 7,2 | - |
| HDL125A | Al | - | 7,0 | RSCR | 50 | 123 | - | 72 | - | 1,70 | 2,5 | 164 | 7,2 | - |
| HDL125A (I) | Cu/Al | - | 7,0 | RSCR | 50 | 123 | - | 69 | - | 1,79 | 2,5 | 164 | 7,2 | - |
| HDL140A | Al | - | 8,0 | RSCR | 50 | 140 | - | 80 | - | 1,74 | 2,5 | 164 | 7,2 | - |
| HDL160A | Al | - | 9,2 | RSCR | 50 | 160 | - | 90 | - | 1,77 | 3 | 164 | 7,2 | - |
| HDL170A | Al | - | 9,5 | RSCR | 50 | 172 | - | 101 | - | 1,70 | 4 | 164 | 7,2 | - |
| HDL190A | Cu/Al | - | 10,5 | RSCR | 50 | 185 | - | 106 | - | 1,75 | 4 | 164 | 7,2 | - |
| HDL200A | Cu/Al | - | 12,0 | RSCR | 50 | 200 | - | 118 | - | 1,70 | 4 | 164 | 7,2 | - |
| HDL80A | Al | - | 4,9 | RSCR | 50 | 80 | - | 49 | - | 1,62 | 2 | 161 | 6,9 | - |
| HML100A | Al | - | 5,7 | RSCR | 50 | 98 | - | 71 | - | 1,39 | 2 | 152 | 6,3 | - |
| HML125A | Al | - | 7,0 | RSCR | 50 | 125 | - | 83 | - | 1,45 | 2 | 152 | 6,3 | - |
| HML140A | Al | - | 8,0 | RSCR | 50 | 140 | - | 90 | - | 1,56 | 3 | 152 | 6,3 | - |
| HML170A | Al | - | 9,5 | RSCR | 50 | 165 | - | 114 | - | 1,45 | 3 | 161 | 6,9 | - |
| HML200A | Al | - | 12,0 | RSCR | 50 | 200 | - | 138 | - | 1,45 | 4 | 164 | 7,2 | - |
| HML80A | Al | - | 4,9 | RSCR | 50 | 80 | - | 55 | - | 1,45 | 2 | 152 | 6,3 | - |
| HPL100A | Cu | - | 5,7 | CSCR | 50 | 100 | - | 51 | - | 1,96 | 2 | 161 | 7,3 | - |
| HPL125A | Cu | - | 7,0 | CSCR | 50 | 125 | - | 64 | - | 1,96 | 2 | 161 | 7,3 | - |
| HPL140A | Cu | - | 8,0 | CSCR | 50 | 145 | - | 74 | - | 1,95 | 2 | 161 | 7,3 | - |
| HXL100A | Cu | - | 5,7 | RSCR | 50 | 98 | - | 52 | - | 1,87 | 2 | 161 | 7,3 | - |
| HXL125A | Cu | - | 7,0 | RSCR | 50 | 123 | - | 65 | - | 1,90 | 2 | 161 | 7,3 | - |
| HXL140A | Cu | - | 8,0 | RSCR | 50 | 140 | - | 73 | - | 1,91 | 2 | 161 | 7,3 | - |
| HXL170A | Cu | - | 9,3 | RSCR | 50 | 175 | - | 93 | - | 1,88 | 2 | 161 | 7,3 | - |
| HXL190A | Cu | - | 10,5 | RSCR | 50 | 190 | - | 103 | - | 1,85 | 3 | 164 | 7,3 | - |
| HXL190A (B) | Cu | - | 12,0 | RSCR | 50 | 200 | - | 108 | - | 1,85 | 3 | 164 | 7,3 | - |
| HXL50A | Cu | - | 4,9 | RSCR | 50 | 53 | - | 31 | - | 1,70 | 1,5 | 164 | 7,3 | - |

PictureS Mbsm Dot Pro : www.mbsm.pro



Private Picture Copyright : WWW.MBSM.PRO

C 58708690

ZEL HDL200A 16-44
220-240V 50Hz
SUCTION >
8 269 0902610 5
ZANUSSI ELETTROMECCANICA COMPRESSOR







PictureS Mbsm Dot Pro : www.mbsm.pro

كباسات ZEL ومواصفاتها مع مقاسات الثلاجات والفریزارات المختلفة

| موديل الثلاجة | الحجم بالقدم 3 | الحجم باللتر | قدرة الضاغط | | | | | | | |
|---|----------------------|-----------------|-------------|-----|----------|-------|------|----------|-----|------|
| | | | R134a | | | R600a | | | | |
| | | | Model | W | HP | Model | W | HP | | |
| LBP | | | | | | | | | | |
| كباسات التجميد | | | | | | | | | | |
| Domestic single door  | 4 | 5 | 113 | 160 | GML70G | 72 | 1/12 | HMM70A | 70 | 1/12 |
| | 6 | 7 | 170 | 198 | GML70G | 72 | 1/10 | HMM70A | 70 | 1/10 |
| | 8 | 9 | 226 | 254 | GML90G | 94 | 1/8 | HMM90A | 90 | 1/8 |
| | 9 | 13 | 283 | 370 | GML125G | 125 | 1/6 | HML125AT | 130 | 1/6 |
| Domestic double door  | 9 | 12 | 226 | 340 | GML140AT | 148 | 1/5 | HML140AT | 140 | 1/5 |
| | 13 | 17 | 370 | 481 | GML200AT | 195 | 1/4 | HML200A | 200 | 1/4 |
| | 17 | 22 | 509 | 623 | GTH88AA | 240 | 1/3 | HKD14AA | 240 | 1/3 |
| Upright and chest freezer  | 4 | 6 | 113 | 120 | GML125G | 125 | 1/6 | HML125AT | 130 | 1/6 |
| | 6 | 8 | 198 | 226 | GML140AT | 148 | 1/5 | HML140AT | 140 | 1/5 |
| | 8 | 12 | 254 | 340 | GML200AT | 195 | 1/4 | HML200A | 200 | 1/4 |
| | 12 | 18 | 370 | 509 | GTH88AA | 240 | 1/3 | HKD14AA | 240 | 1/3 |

PictureS Mbsm Dot Pro : www.mbsm.pro

GML70G,
GML90G,
GML125G,
HMM70A,
HMM90A,
HML125AT,
GML140AT
GML200AT,
GTH88AA,
HML140AT,
HML200A,
HKD14AA,
GML125G,
GTH88AA,

GDL145D,
GDL175D,
GML140A,
GML160A,
GML180A,
GML200A,
GML145D,
GML175D,
GPL175D*,
GXL175D,
GXL200D,

R600a**مواصفات قياسات التجميد LBP**


| Model الموديل | Voltage الفولت | Hz التردد | Cooling Capacity سعة التبريد - القدرة التبريدية | | |
|------------------|-------------------|--------------|--|-------|------|
| | | | W | HP | |
| HMM70A | 220 - 240 | 50 | 70 | 0.094 | 1/10 |
| HMM80A | 220 - 240 | 50 | 80 | 0.107 | 1/10 |
| HMM90A | 220 - 240 | 50 | 90 | 0.121 | 1/8 |
| HMM100A | 220 - 240 | 50 | 100 | 0.134 | 1/8 |
| HML100A | 220 - 240 | 50 | 103 | 0.138 | 1/8 |
| HML125A | 220 - 240 | 50 | 121 | 0.162 | 1/6 |
| HML125AT | 220 - 240 | 50 | 130 | 0.174 | 1/6 |
| HML140AT | 220 - 240 | 50 | 140 | 0.188 | 1/6 |
| HML155A | 220 - 240 | 50 | 155 | 0.208 | 1/5 |
| HML170AT | 220 - 240 | 50 | 170 | 0.228 | 1/5 |
| HML190A | 220 - 240 | 50 | 190 | 0.255 | 1/4 |
| HML200A | 220 - 240 | 50 | 200 | 0.268 | 1/4 |

R134a**كباسات التجميد LBP**

| Model الموديل | Voltage الفولت | Hz التردد | Cooling Capacity سعة التبريد - القدرة التبريدية | | |
|------------------|-------------------|--------------|--|-------|------|
| | | | W | HP | |
| GML70G | 220 - 240 | 50 - 60 | 72 | 0.097 | 1/12 |
| GML80G | 220 - 240 | 50 - 60 | 80 | 0.107 | 1/10 |
| GML90G | 220 - 240 | 50 - 60 | 94 | 0.126 | 1/8 |
| GML110AT | 220 - 240 | 50 | 113 | 0.151 | 1/7 |
| GML125G | 220 - 240 | 50 - 60 | 122 | 0.164 | 1/6 |
| GML140G | 220 - 240 | 50 - 60 | 136 | 0.182 | 1/6 |
| GML140AT | 220 - 240 | 50 | 148 | 0.198 | 1/5 |
| GML180G | 220 - 240 | 50 - 60 | 162 | 0.217 | 1/5 |
| GML200AT | 220 - 240 | 50 | 195 | 0.261 | 1/4 |
| GTH88AA | 220 - 240 | 50 | 240 | 0.322 | 1/3 |
| GTH93AA | 220 - 240 | 50 | 260 | 0.349 | 1/3 |
| GTM93AA | 220 - 240 | 50 | 280 | 0.375 | 3/8 |
| GTM10AA | 220 - 240 | 50 | 300 | 0.402 | 3/8+ |

PictureS Mbsm Dot Pro : www.mbsm.pro**Lambda/Zeta/Micro**PictureS Mbsm Dot Pro : www.mbsm.pro

Tau



PictureS Mbsm Dot Pro : www.mbsm.pro

كباسات ZEL ومواصفاتها مع مقاسات الثلاجات والفریزارات المختلفة

| موديل الثلاجة | الحجم بالقدم 3 | الحجم باللتر | قدرة الضاغط | | | | | | | |
|---|----------------------|--------------|-------------|-----|----------|-------|------|----------|-----|------|
| | | | R134a | | | R600a | | | | |
| | | | Model | W | HP | Model | W | HP | | |
| LBP كباسات التجميد | | | | | | | | | | |
|  Domestic single door | 4 | 5 | 113 | 160 | GML70G | 72 | 1/12 | HMM70A | 70 | 1/12 |
| | 6 | 7 | 170 | 198 | GML70G | 72 | 1/10 | HMM70A | 70 | 1/10 |
| | 8 | 9 | 226 | 254 | GML90G | 94 | 1/8 | HMM90A | 90 | 1/8 |
| | 9 | 13 | 283 | 370 | GML125G | 125 | 1/6 | HML125AT | 130 | 1/6 |
|  Domestic double door | 9 | 12 | 226 | 340 | GML140AT | 148 | 1/5 | HML140AT | 140 | 1/5 |
| | 13 | 17 | 370 | 481 | GML200AT | 195 | 1/4 | HML200A | 200 | 1/4 |
| | 17 | 22 | 509 | 623 | GTH88AA | 240 | 1/3 | HKD14AA | 240 | 1/3 |
|  Upright and chest freezer | 4 | 6 | 113 | 120 | GML125G | 125 | 1/6 | HML125AT | 130 | 1/6 |
| | 6 | 8 | 198 | 226 | GML140AT | 148 | 1/5 | HML140AT | 140 | 1/5 |
| | 8 | 12 | 254 | 340 | GML200AT | 195 | 1/4 | HML200A | 200 | 1/4 |
| | 12 | 18 | 370 | 509 | GTH88AA | 240 | 1/3 | HKD14AA | 240 | 1/3 |

PictureS Mbsm Dot Pro : www.mbsm.pro



Variable Speed Range 变频系列

R600a

| 型号 | 电机 | 转速范围 | 排气量 | 电机类型 | 制冷量 | 输入功率 | 性能系数 | 高度 | 重量 | 认证 |
|-------|-------|-------------|-----------------|------------|------------------|-------------|------|--------|------------|---------------|
| Model | Motor | Speed Range | Displ. | Motor Type | Cooling Capacity | Input Power | COP | Height | Net Weight | Certification |
| | | rpm | cm ³ | | w | w | w/w | mm | kg | |

220-240V/50Hz

T系列变频 T Series VSC

| | | | | | | | | | | |
|------------|----|-----------|------|------|--------|--------|------------|-----|-----|-----|
| HKD66FSK | Al | 1400-4000 | 6.6 | PMSM | 45-150 | 26-85 | Up to 1.90 | 163 | 7.1 | |
| HKD75FSK | Al | 1400-4000 | 7.5 | PMSM | 52-170 | 29-96 | Up to 1.90 | 163 | 7.1 | |
| HKD86FSK | Al | 1400-4000 | 8.6 | PMSM | 60-190 | 35-105 | Up to 1.90 | 163 | 7.1 | |
| HKD93FSK | Al | 1400-4000 | 9.3 | PMSM | 70-210 | 40-125 | Up to 1.90 | 163 | 7.1 | |
| HKD10FSK | Al | 1400-4000 | 10.5 | PMSM | 83-235 | 49-132 | Up to 1.90 | 163 | 7.1 | CCC |
| HKD12FSK | Al | 1400-4000 | 11.5 | PMSM | 95-270 | 51-154 | Up to 1.90 | 163 | 7.1 | CCC |
| HKD66FSK I | Cu | 1400-4000 | 6.6 | PMSM | 45-150 | 25-82 | Up to 1.95 | 163 | 8.0 | |
| HKD75FSK I | Cu | 1400-4000 | 7.5 | PMSM | 52-170 | 28-93 | Up to 1.95 | 163 | 8.0 | |
| HKD86FSK I | Cu | 1400-4000 | 8.6 | PMSM | 60-190 | 32-102 | Up to 1.95 | 163 | 8.0 | |
| HKD93FSK I | Cu | 1400-4000 | 9.3 | PMSM | 70-210 | 38-115 | Up to 1.95 | 163 | 8.0 | |
| HKD10FSK I | Cu | 1400-4000 | 10.5 | PMSM | 83-235 | 44-123 | Up to 1.95 | 163 | 8.0 | CCC |
| HKD12FSK I | Cu | 1400-4000 | 11.5 | PMSM | 95-270 | 50-146 | Up to 1.95 | 163 | 8.0 | CCC |

Z系列变频 Z Series VSC

| | | | | | | | | | | |
|-----------|----|-----------|-----|------|--------|--------|------------|-----|-----|---|
| HXZ150FSM | Al | 1200-4200 | 6.5 | PMSM | 42-150 | 23-80 | Up to 1.90 | 145 | 6.9 | - |
| HXZ170FSM | Al | 1200-4200 | 7.0 | PMSM | 50-170 | 26-92 | Up to 1.90 | 145 | 6.9 | - |
| HXZ200FSM | Al | 1200-4200 | 8.6 | PMSM | 56-200 | 30-103 | Up to 1.90 | 145 | 6.9 | - |
| HXZ220FSM | Al | 1200-4200 | 9.2 | PMSM | 68-220 | 36-120 | Up to 1.90 | 145 | 6.9 | - |
| HXZ240FSM | Al | 1200-4200 | 9.5 | PMSM | 75-240 | 39-125 | Up to 1.90 | 145 | 6.9 | - |
| HDZ150FSM | Al | 1200-4200 | 6.5 | PMSM | 42-150 | 25-88 | Up to 1.80 | 145 | 6.3 | - |
| HDZ170FSM | Al | 1200-4200 | 7.0 | PMSM | 50-170 | 27-98 | Up to 1.80 | 145 | 6.3 | - |
| HDZ200FSM | Al | 1200-4200 | 8.6 | PMSM | 56-200 | 30-110 | Up to 1.80 | 145 | 6.3 | - |
| HDZ220FSM | Al | 1200-4200 | 9.2 | PMSM | 68-220 | 40-132 | Up to 1.80 | 145 | 6.3 | - |

Picture5 Mbsm Dot Pro : www.mbsm.pro

Mbsm_dot_pro_private_PDF_catalog_zelTélécharger
COMPRESSEUR ZEL HML170A AU R600A LBP 1/6HP 9.5CM3



REDMI NOTE 9
AI QUAD CAMERA

www.mbsm.pro , ZEL , COMPRESSEUR , R134a , 1/4 HP , GUY75AA

Category: Solutions, Tester ok

written by www.mbsm.pro | 15 March 2023



PictureS Mbsm Dot Pro : www.mbsm.pro

Compresseur frigorifique

Puissance en cheval 1/4 CV
Alimentation 220-240 V 50 Hz
Gaz R134a