

ENHANCED BY Google



MBSM INFO

More, Best, Secure and Much informations that you need...

[Privacy Policy](#)



Arabic



Chinese (Simplified)



Dutch



English



French



German



Italian



Portuguese



Russian



Spanish

raq015b5cr



Private Picture Copyright : WWW.MBSM.INFO



Mbsm.info, air conditioner, raq015b5cr, Unionaire, 14500 btu, R22,
0.850 g, 4.25 KW, 3854 Kcal/h, 220 v, 1 PH , 1.8 Hp, 1.2 Ton



Design Pressure		H:400 PSI		
		L:82 PSI		
VOLT		Hz	Ph	
220-240		50	1	
Comp.	RLA	7.7	LRA	38.8
Motor	RLA	1.2	LRA	6
Min.C.B			16 A	
Max.Fuse Size			16 A	
Rated Current Input			9 A	
Ref. Charge R22			0.850 Kg	
Cooling Capacity/ Capacité Du Froid		14500 BTU/hr		
		4.25 Kw		
		3654 Kcal/hr		
Weight/Poids		46Kg/101 LBS		
"USE ON A SINGLE OUTLET CIRCUIT ONLY"				
"UTILISER DANS LA SORTIE D'UN CIRCUIT"				
UNIQUE RELEVEMENT				
MOTOR COMPRESSOR THERMAL PROTECTED				
Cooling & Heating Cap. AT ASHRAE				
Cable Size Ref. To Rated Current Input				
MADE IN EGYPT				
FABRIQUE EN EGYPT				

Private Picture Copyright : WWW.MBSM.INFO

Model: **RAQ015B5CR**

S.N 098002

I.C. 015HR*5E

Design Pressure	H:400 PSI
	L:82 PSI

VOLT	Hz	Ph
220-240	50	1

Comp.	RLA	7.7	LRA	38.8
Motor	RLA	1.2	LRA	8

Min.C.B	18 A
Max.Fuse Size	18 A
Rated Current Input	9 A
Ref. Charge R22	0.850 Kg

Cooling Capacity/ Capacité Du Froid	14500 BTU/hr
	4.25 Kw
	3854 Kcal/hr

Weight/Poids 48Kg/101 LBS

"USE ON A SINGLE OUTLET CIRCUIT ONLY"

"UTILISER DANS LA SORTIE D'UN CIRCUIT

UNIQUE SEULEMENT"

MOTOR COMPRESSOR THERMAL PROTECTED

Cooling & Heating Cap. AT ASHRAE

Rating Based On Rated Current Input



Private Picture Copyright : WWW.MBSM.INFO

Published March 13, 2022

By [Mbsmgroup](#)

Categorized as [Air conditioner](#)

Tagged [0.850 g](#), [1 PH](#), [1.8 Hp](#), [14500 btu](#), [220 V](#), [3854 Kcal/h](#), [4.25 KW](#), [Air conditioner](#), [Mbsm.info](#), [r22](#), [raq015b5cr](#), [unionaire](#)

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐

Save my name, email, and website in this browser for the next time I comment.

Post Comment

← Previous post

Sj-42S-SL

Search

[Mbsm.pro](#), [FN Series](#),
[Commercial](#), [Refrigerator](#),
[Compressor](#), [R134A](#), [fn73f17S](#),
[1/5 hp](#), [FN75H](#), [1/6HP](#), [FN77H](#),
[1/4 hp](#), [R12](#), [LBP](#), [220V-](#)
[50/60HZ](#)

Mbsm.pro, Compressor,
kulthorn, AE9437y-sr, 1/2 hp++,
(big), HMBP, Tecumseh,
presentoir pepsi, 1200 L, 4 A,
r134a, 475 G

Mbsm.pro, Compressor,
NE2130Z, R-134a, 1/3HP, 230V,
Embraco, LBP

Mbsm.pro, Compressor,
Tecumseh, AE4460E-FZ1B, 1/2
hp++, (big), r22, 220-240V / 50-
60Hz, cold-room, chiller, AE-
8137-br, 1421 w, 1222 kcal/h,
4846 btu/h, csir, hbp

Mbsm.pro, Compressor,
tecumseh, AW112TT, AW5530F,
AWB5530EXG, AWF5530EXG,
AW508TT, 2.5 Hp, 3PH / 460V
60 Hz, 30000 Btu, 3 Ton, R22/
R410 /R402B, LRA 36 A

[Privacy Policy](#)

[MBSM INFO](#)

[Privacy Policy](#).

Proudly powered by [WordPress](#).