

SL17j-5c, Compressor, Daewoo , R12, 1/6Hp, Rsir, 122w

written by Lilianne | 22 December 2020



Private Picture Copyright : WWW.MBSM.PRO

Application & Refrigerant	Series	Model	Displacement (cc)	Cooling Capacity		Motor Type
				(kcal/h)	(W)	
LBP R134a	Y	HSL7Y - 5	2.65	50	58	RSIR
		HSL9Y - 5	3.43	60	70	RSIR
		HPL9Y - 5	3.43	60	70	RSCR
		HSL11Y - 5	4.51	80	93	RSIR
		HPL11Y - 5	4.51	80	93	RSCR
	J	HSL15J - 5	5.30	105	122	RSIR
		HSL17J - 5	5.73	115	134	RSIR
		HPL17J - 5	5.73	115	134	RSCR
		HSL19J - 5	6.25	130	151	RSIR
		HPL19J - 5	6.25	130	151	RSCR
	YE	HSL21YE - 5	6.73	150	174	RSIR
		HKL21YE - 5	6.73	150	174	CSIR
		HSL23YE - 5	7.03	160	186	RSIR
		HPL23YE - 5	7.03	160	186	RSCR
		HKL23YE - 5	7.03	160	186	CSIR
		HSL25YE - 5	7.68	175	204	RSIR
		HKL25YE - 5	7.68	175	204	CSIR
		HSL27YE - 5	8.70	200	233	RSIR
		HPL27YE - 5	8.70	200	233	RSCR
		HKL27YE - 5	8.70	200	233	CSIR
		HSL29YE - 5	9.33	210	244	RSIR
		HSL30YE - 5	9.92	230	267	RSIR
		HPL30YE - 5	9.92	230	267	RSCR
	YG	HSL25YG - 5	7.68	180	209	RSIR
		HPL25YG - 5	7.68	180	209	RSCR
		HPL27YG - 5	8.70	205	238	RSCR
		HPL30YG - 5	9.92	235	273	RSCR
	YH	HPL18YH - 5	5.99	135	157	RSCR
		HPL21YH - 5	6.73	155	180	RSCR
		HPL23YH - 5	7.03	165	192	RSCR
		HPL25YH - 5	7.96	195	227	RSCR
		HPL26YH - 5	8.25	200	233	RSCR
	LBP R12	Y	SL5Y - 5	2.01	35	41
SL7Y - 5			2.29	50	58	RSIR
SL9Y - 5			2.65	60	70	RSIR
SL12Y - 5			3.06	70	81	RSIR
J		SL15J - 5	4.43	95	110	RSIR
		SL17J - 5	4.86	105	122	RSIR
		PL17J - 5	4.86	105	122	RSCR
		SL19J - 5	5.30	120	140	RSIR
		PL19J - 5	5.30	120	140	RSCR
		KL19J - 5	5.30	120	140	CSIR
		YE	SL21YE - 5	6.25	145	169
PL21YE - 5			6.25	145	169	RSCR
KL21YE - 5			6.25	145	169	CSIR
SL23YE - 5			6.25	155	180	RSIR
PL23YE - 5			6.25	155	180	RSCR
KL23YE - 5			6.25	155	180	CSIR
SL25YE - 5			6.73	170	198	RSIR
PL25YE - 5	6.73		170	198	RSCR	
KL25YE - 5	6.73		170	198	CSIR	

ملاحظات	الفرقون	التطبيق	COOLING CAPACITY			الامتصاص R.L.A	الازاحة Displ.CC	القدرة		MODEL
			W 7.2+	W -5	W -23			B.T.U	k.CAL/HR	
	134 a	LBP			93	317	80			HSL 11 YE- 5
	134 a	LBP			108	368	93		4.51	HSL 13 YE- 5
	134 a	LBP			124	423	107		4.62	HSL 15 YE- 5
	134 a	LBP			146	498	126		5.12	HSL 17 YE- 5
	134 a	LBP			151	515	130		5.55	HSL 19 YE- 5
	134 a	LBP							5.84	
	134 a	LBP								
	134 a	LBP								
	134 a	LBP								
	134 a	LBP			176	600	151		149	HSL 21 YE- 5
	134 a	LBP			180	614	155		161	HSL 23 YE- 5
	134 a	LBP			202	689	174		176	HSL 25 YE- 5
	134 a	LBP			229	781	197		196	HSL 27 YE- 5
	134 a	LBP			267	911	230		253	HSL 30 YE- 5
	134 a	LBP								
	134 a	LBP								
	134 a	LBP			41	140	35		2.29	HSL 5 Y-5P
	134 a	LBP			58	198	50		2.65	HPL 7 Y-5
	134 a	LBP			56	191	48		2.65	HSL 7 Y-5
	134 a	LBP			67	229	58		3.43	HSL 9 Y-5
	134 a	LBP			93	317	80		4.51	HSL 11 Y-5
	134 a	LBP			98	334	84		4.51	HSL 11Y-5-K
	134 a	LBP			93	317	80		4.51	HSL 11 Y-5-L
	134 a	LBP			93	317	80		4.51	HPL 11 Y-5-K
	134 a	LBP			108	368	93		4.62	HPL 13 JE-5
	134 a	LBP								
	134 a	LBP			126	430	108		5.12	HSL 15 JE-5
	134 a	LBP			126	430	108		5.12	HSL 15 JE-5C
	134 a	LBP			147	502	126		5.55	HSL 17 JE-5
	134 a	LBP			156	532	134		5.84	HPL 19 JE-5
	134 a	LBP			151	515	130		5.84	HSL 19 JE-5
	134 a	LBP			157	536	135		5.84	HSL 19 JE-5A
	134 a	LBP								
	134 a	LBP								
	134 a	LBP			150	512	129		5.5	HPL 17 YH-5
	134 a	LBP			158	539	136		5.84	HPL 19 YH-5
	134 a	LBP			177	604	152		6.73	HPL 21 YH-5
	134 a	LBP			193	658	166		7.03	HPL 23 YH-5
	134 a	LBP			226	771	194		7.96	HPL 25 YH-5

