

Sl17j-5c, Compressor, Daewoo , R12,
1/6Hp, Rsir, 122w, ch140, freezer

Category: compressor

written by www.mbsm.pro | 22 December 2020

Application & Refrigerant	Series	Model	Displacement (cc)	Cooling Capacity		Motor Type
				(kcal/h)	(W)	
LBP R134a	Y	HSL7Y - 5	2.65	50	58	RSIR
		HSL9Y - 5	3.43	60	70	RSIR
		HPL9Y - 5	3.43	60	70	RSCR
		HSL11Y - 5	4.51	80	93	RSIR
		HPL11Y - 5	4.51	80	93	RSCR
	J	HSL15J - 5	5.30	105	122	RSIR
		HSL17J - 5	5.73	115	134	RSIR
		HPL17J - 5	5.73	115	134	RSCR
		HSL19J - 5	6.25	130	151	RSIR
		HPL19J - 5	6.25	130	151	RSCR
	YE	HSL21YE - 5	6.73	150	174	RSIR
		HKL21YE - 5	6.73	150	174	CSIR
		HSL23YE - 5	7.03	160	186	RSIR
		HPL23YE - 5	7.03	160	186	RSCR
		HKL23YE - 5	7.03	160	186	CSIR
		HSL25YE - 5	7.68	175	204	RSIR
		HKL25YE - 5	7.68	175	204	CSIR
		HSL27YE - 5	8.70	200	233	RSIR
		HPL27YE - 5	8.70	200	233	RSCR
		HKL27YE - 5	8.70	200	233	CSIR
		HSL29YE - 5	9.33	210	244	RSIR
		HSL30YE - 5	9.92	230	267	RSIR
		HPL30YE - 5	9.92	230	267	RSCR
	YG	HSL25YG - 5	7.68	180	209	RSIR
		HPL25YG - 5	7.68	180	209	RSCR
		HPL27YG - 5	8.70	205	238	RSCR
		HPL30YG - 5	9.92	235	273	RSCR
	YH	HPL18YH - 5	5.99	135	157	RSCR
		HPL21YH - 5	6.73	155	180	RSCR
		HPL23YH - 5	7.03	165	192	RSCR
		HPL25YH - 5	7.96	195	227	RSCR
		HPL26YH - 5	8.25	200	233	RSCR
	LBP R12	Y	SL5Y - 5	2.01	35	41
SL7Y - 5			2.29	50	58	RSIR
SL9Y - 5			2.65	60	70	RSIR
SL12Y - 5			3.06	70	81	RSIR
J		SL15J - 5	4.43	95	110	RSIR
		SL17J - 5	4.86	105	122	RSIR
		PL17J - 5	4.86	105	122	RSCR
		SL19J - 5	5.30	120	140	RSIR
		PL19J - 5	5.30	120	140	RSCR
		KL19J - 5	5.30	120	140	CSIR
		YE	SL21YE - 5	6.25	145	169
PL21YE - 5			6.25	145	169	RSCR
KL21YE - 5			6.25	145	169	CSIR
SL23YE - 5			6.25	155	180	RSIR
PL23YE - 5			6.25	155	180	RSCR
KL23YE - 5			6.25	155	180	CSIR
SL25YE - 5			6.73	170	198	RSIR
PL25YE - 5	6.73		170	198	RSCR	
KL25YE - 5	6.73		170	198	CSIR	



Private Picture Copyright: WWW.MBSM.PRO

Application & Refrigerant	Series	Model	Displacement (cc)	Cooling Capacity		Motor Type	
				(kcal/h)	(W)		
LBP R134a	Y	HSL7Y - 5	2.65	50	58	RSIR	
		HSL9Y - 5	3.43	60	70	RSIR	
		HPL9Y - 5	3.43	60	70	RSCR	
		HSL11Y - 5	4.51	80	93	RSIR	
		HPL11Y - 5	4.51	80	93	RSCR	
	J	HSL15J - 5	5.30	105	122	RSIR	
		HSL17J - 5	5.73	115	134	RSIR	
		HPL17J - 5	5.73	115	134	RSCR	
		HSL19J - 5	6.25	130	151	RSIR	
		HPL19J - 5	6.25	130	151	RSCR	
	YE	HSL21YE - 5	6.73	150	174	RSIR	
		HKL21YE - 5	6.73	150	174	CSIR	
		HSL23YE - 5	7.03	160	186	RSIR	
		HPL23YE - 5	7.03	160	186	RSCR	
		HKL23YE - 5	7.03	160	186	CSIR	
		HSL25YE - 5	7.68	175	204	RSIR	
		HKL25YE - 5	7.68	175	204	CSIR	
		HSL27YE - 5	8.70	200	233	RSIR	
		HPL27YE - 5	8.70	200	233	RSCR	
		HKL27YE - 5	8.70	200	233	CSIR	
		HSL29YE - 5	9.33	210	244	RSIR	
		HSL30YE - 5	9.92	230	267	RSIR	
	HPL30YE - 5	9.92	230	267	RSCR		
	YG	HSL25YG - 5	7.68	180	209	RSIR	
		HPL25YG - 5	7.68	180	209	RSCR	
		HPL27YG - 5	8.70	205	238	RSCR	
		HPL30YG - 5	9.92	235	273	RSCR	
	YH	HPL18YH - 5	5.99	135	157	RSCR	
		HPL21YH - 5	6.73	155	180	RSCR	
		HPL23YH - 5	7.03	165	192	RSCR	
		HPL25YH - 5	7.96	195	227	RSCR	
		HPL26YH - 5	8.25	200	233	RSCR	
	LBP R12	Y	SL5Y - 5	2.01	35	41	RSIR
			SL7Y - 5	2.29	50	58	RSIR
SL9Y - 5			2.65	60	70	RSIR	
SL12Y - 5			3.06	70	81	RSIR	
J		SL15J - 5	4.43	95	110	RSIR	
		SL17J - 5	4.86	105	122	RSIR	
		PL17J - 5	4.86	105	122	RSCR	
		SL19J - 5	5.30	120	140	RSIR	
		PL19J - 5	5.30	120	140	RSCR	
		KL19J - 5	5.30	120	140	CSIR	
		YE	SL21YE - 5	6.25	145	169	RSIR
PL21YE - 5			6.25	145	169	RSCR	
KL21YE - 5			6.25	145	169	CSIR	
SL23YE - 5			6.25	155	180	RSIR	
PL23YE - 5			6.25	155	180	RSCR	
KL23YE - 5			6.25	155	180	CSIR	
SL25YE - 5			6.73	170	198	RSIR	
PL25YE - 5			6.73	170	198	RSCR	
KL25YE - 5		6.73	170	198	CSIR		

ملاحظات	الفرقون	التطبيق	COOLING CAPACITY					الامتصاص	الاراحة	القدرة		MODEL
			W 7.2+	W -5	W-23	BTU	k CAL/HR			W	HP	
	134 a	LBP			93	317	80			4.51		HSL 11 YE- 5
	134 a	LBP			108	368	93			4.62		HSL 13 YE- 5
	134 a	LBP			124	423	107			5.12		HSL 15 YE- 5
	134 a	LBP			146	498	126			5.55		HSL 17 YE- 5
	134 a	LBP			151	515	130			5.84		HSL 19 YE- 5
	134 a	LBP										
	134 a	LBP										
	134 a	LBP			176	600	151			149		HSL 21 YE- 5
	134 a	LBP			180	614	155			161		HSL 23 YE- 5
	134 a	LBP			202	689	174			176		HSL 25 YE- 5
	134 a	LBP			229	781	197			196		HSL 27 YE- 5
	134 a	LBP			267	911	230			253		HSL 30 YE- 5
	134 a	LBP			41	140	35			2.29		HSL 5 Y-5P
	134 a	LBP			58	198	50			2.65		HPL 7 Y-5
	134 a	LBP			56	191	48			2.65		HSL 7 Y-5
	134 a	LBP			67	229	58			3.43		HSL 9 Y-5
	134 a	LBP			93	317	80			4.51		HSL 11 Y-5
	134 a	LBP			98	334	84			4.51		HSL 11Y-5-K
	134 a	LBP			93	317	80			4.51		HSL 11 Y-5-L
	134 a	LBP			93	317	80			4.51		HPL 11 Y-5-K
	134 a	LBP			108	368	93			4.62		HPL 13 JE-5
	134 a	LBP			126	430	108			5.12		HSL 15 JE-5
	134 a	LBP			126	430	108			5.12		HSL 15 JE-5C
	134 a	LBP			147	502	126			5.55		HSL 17 JE-5
	134 a	LBP			156	532	134			5.84		HPL 19 JE-5
	134 a	LBP			151	515	130			5.84		HSL 19 JE-5
	134 a	LBP			157	536	135			5.84		HSL 19 JE-5A
	134 a	LBP			150	512	129			5.5		HPL 17 YH-5
	134 a	LBP			158	539	136			5.84		HPL 19 YH-5
	134 a	LBP			177	604	152			6.73		HPL 21 YH-5
	134 a	LBP			193	658	166			7.03		HPL 23 YH-5
	134 a	LBP			226	771	194			7.96		HPL 25 YH-5



الشركة العالمية للتلاجات - الاسكا

MODEL: CH 140

صنع في مصر

220 V

50 HZ

116 W

0.75 ± 0.1A

Gross
Volume : 134.5 L

Freezing 7 kg/24 h
Capacity: at 25 C°

Charge: 145 gm F12

Class T

S No.

17985