

# Donper, Refrigeration, Compressor, r134A, freezer, LU140CY1, CT6220CE, AK120CY1, 1/3Hp-

Category: compressor

written by www.mbsm.pro | 12 December 2021



Private Picture Copyright : WWW.MBSM.PRO

## Product Description

Donper Refrigeration Compressor r134A

– Famous and Popular Compressors

– D series hermetic compressors for R134A mainly are designed for applications in water dispenser, small freezer. The main characteristics of D series are light weight, compact size, high reliability, low noise and low vibration.

– R134A S series hermetic compressor mainly are designed for applications in water dispenser, small refrigerator, small freezer. The main characteristics of S series are light weight and compact size, reliability, low noise and high low vibration. By the optimal design of the suspension system and the continuous curvature design of its housing, low operating vibration and sound levels have been achieved.

R600a Series

Refrigerant	Application	Model	Series	Power	Cooling	Motor Power type	Power supply	Cooling capacity	COP
-------------	-------------	-------	--------	-------	---------	------------------	--------------	------------------	-----

*ASHRAE			*ASHRAE						
-23.3			-23.3						
	*CECOMAF		*CECOMAF						
	-25		-25						

R600a	LBP	W40CY	IN	1/14	S	hatch 220/50	55	43	0.9	0.75
R600a	LBP	S53CY	S	1/10	S	hatch 220/50	75	57	1.2	0.95
R600a	LBP	S65CY	S	1/8	S	hatch 220/50	95	72	1.2	0.95
R600a	LBP	S75CY	S	1/7	S	hatch 220/50	118	86	1.2	0.95
R600a	LBP	SK53CY	S	1/10	S	RSCR 220/50	75	57	1.3	1.03
R600a	LBP	L76CY	L	1/6	S	hatch 220/50	132	100	1.36	1.07
R600a	LBP	L88CY	L	1/5	S	hatch 220/50	153	116	1.36	1.07
R600a	LBP	QD60AY	NOT	1/7	S	hatch 100/60	125	95	1.35	1.07
R600a	LBP	QD76Y	NOT	1/6	S	hatch 220/50	132	100	1.36	1.07
R600a	LBP	QD88Y	NOT	1/5	S	hatch 220/50	153	116	1.36	1.07
R600a	LBP	QD100Y	NOT	1/5	+ S	hatch 220/50	170	129	1.38	1.09
R600a	LBP	QD123Y	NOT	1/4	S	hatch 220/50	187	142	1.38	1.09
R600a	LBP	LK88CY	L	1/5	+ S	RSCR 220/50	160	122	1.58	1.25
R600a	LBP	QD100YG	NOT	1/4	+ S	RSCR 220/50	180	137	1.58	1.25
R600a	LBP	QD135YG	NOT	1/4	+ S	RSCR 220/50	215	163	1.58	1.23
R600a	LBP	QD153YG	NOT	1/4	+ S	RSCR 220/50	246	184	1.58	1.23
R600a	LBP	LU68CY	L	1/7	S	RSCR 220/50	120	91	1.56	1.22
R600a	LBP	QD68YU	NOT	1/7	S	RSCR 220/50	120	91	1.56	1.22
R600a	LBP	QD76YU	NOT	1/6	S	RSCR 220/50	140	106	1.65	1.3
R600a	LBP	QD88YU	NOT	1/5	S	RSCR 220/50	160	122	1.68	1.33
R600a	LBP	QD100YU	NOT	1/4	S	RSCR 220/50	180	137	1.7	1.34
R600a	LBP	QD123YU	NOT	1/4	S	RSCR 220/50	196	150	1.68	1.3
R600a	LBP	QD135YU	NOT	1/4	+ S	RSCR 220/50	220	168	1.68	1.3
R600a	LBP	QD153YU	NOT	1/4	+ S	RSCR 220/50	248	189	1.65	1.28
R600a	LBP	QD68YZ	NOT	1/6	S	RSCR 220/50	120	91	1.8	1.42
R600a	LBP	QD76YZ	NOT	1/6	S	RSCR 220/50	140	106	1.8	1.42
R600a	LBP	QD88YZ	NOT	1/5	+ S	RSCR 220/50	165	125	1.8	1.42
R600a	LBP	QD100YZ	NOT	1/4	+ S	RSCR 220/50	185	141	1.8	1.42
R600a	LBP	QD135YZ	NOT	1 / 3-	S	RSCR 220/50	220	168	1.8	1.42
R600a	LBP	QD60YT	NOT	1/8	S	ESCR 220/50	106	81	1.88	1.48
R600a	LBP	QD68YT	NOT	1/7	S	ESCR 220/50	126	96	1.9	1.5
R600a	LBP	QD76YT	NOT	1/6	S	ESCR 220/50	146	111	1.94	1.53
R600a	LBP	LU68PY	L	1/7	S	BLDC 220/50	120	91	1.65	1.3
R600a	LBP	LU68PY	L	1/5	S	BLDC 220/50	160	122	1.65	1.3

<b>Model no</b>	L140CY1	<b>Refrigerant</b>	R600a
<b>Cooling capacity</b>	230W	<b>Input power</b>	170W
<b>Hose Power</b>	1/3- HP	<b>Temperature application</b>	LBP
<b>Displacement</b>	14cm <sup>3</sup>	<b>Working Current</b>	1.3A
<b>Voltage</b>	220V~240V/50Hz	<b>COP</b>	1.35W/W
<b>Motor type</b>	RSIR	<b>Cylinder capacity</b>	14cm <sup>3</sup>
<b>Cooling type</b>	Need a fan motor	<b>Weight</b>	8.6±0.4kg



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

#### Quick Details

Condition:	New	Applicable Industries:	Hotels, Restaurant, Home Use, Food Shop, Food & Beverage...
Showroom Location:	None	Video outgoing-inspection:	Not Available
Machinery Test Report:	Not Available	Marketing Type:	Ordinary Product
Brand Name:	Dongbei/OEM	Place of Origin:	Hubei, China
Application:	Refrigeration Parts	Type:	Refrigeration Compressor
Product name:	R600a 1/3 hp Refrigeration Commercial Freezer Compressor	Warranty:	1 year
Voltage:	220V~240V/50HZ	Refrigerant:	R600a
Cooling capacity:	230W	Horse Power:	1/3
Cylinder capacity:	14 Cubic Centimetre	Input power:	170W
Motor Type:	RSIR	Working current:	1.3A
After Warranty Service:	Online support	Weight:	8.6±0.4kg
Certification:	CCC/VDE	Local Service Location:	None
		After-sales Service Provided:	Online support



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

COOLING CAPACITY	230W
REFRIGERANTS	R600a
INPUT POWER	170W
HORSE POWER	1/3-
DISPLACEMENT	14cm <sup>3</sup>



Model no	L140CY1	Refrigerant	R600a
Cooling capacity	230W	Input power	170W
Hose Power	1/3- HP	Temperature application	LBP
Displacement	14cm <sup>3</sup>	Working Current	1.3A
Voltage	220V~240V/50Hz	COP	1.35W/W
Motor type	RSIR	Cylinder capacity	14cm <sup>3</sup>
Cooling type	Need a fan motor	Weight	8.6±0.4kg

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

PDF

Mbsm.pro, Donper, Hermetic, Compressor , R600a, Lj126Cy, lu126cy1, 1/3 Hp, R600a

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 December 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Donper, Hermetic, Compressor , R600a, Lj126Cy, lu126cy1, 1/3 Hp, R600a